CHILDRENS LORATADINE- loratadine solution Target Corporation

Children's Loratadine Syrup

Drug Facts

Active ingredient (in each 5 mL)

Loratadine 5 mg

Purpose

Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have liver or kidney disease.

Your doctor should determine if you need a different dose.

When using this product do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breastfeeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

adults and children 6 years and over	2 teaspoonfuls daily; do not take more than 2 teaspoonfuls in 24 hours	
children 2 to under 6 years of age	1 teaspoonful daily; do not take more than 1 teaspoonful in 24 hours	
consumers with liver or kidney disease	ask a doctor	

Other information

- safety sealed: do not use if imprinted safety seal is torn or missing
- store between 2° and 25°C (36° and 77°F)

Inactive ingredients

artificial grape flavor, citric acid monohydrate, glycerin, propylene glycol, purified water, sodium benzoate, sodium metabisulfite, sucrose

Questions?

Call 1-866-923-4914

Distributed by Target Corporation Minneapolis, MN 55403

PRINCIPAL DISPLAY PANEL - 118 mL Bottle Carton

NDC 11673-914-26

children's loratadine syrup

loratadine oral solution, 5 mg/5 mL antihistamine

Compare to active ingredient in Children's Claritin®*

24-hour, non-drowsy**
allergy relief of sneezing/runny nose/
itchy, watery eyes/itchy throat or nose
alcohol free, dye free
spanish instructions enclosed
dosage cup enclosed
**when taken as directed
see drug facts panel

24

HOUR RELIEF

up&up

GRAPE FLAVOR

AGE

2+

YEARS

4 FL OZ (118 mL)



loratadine oral solution, 5 mg/5 mL antihistamine



70105-0110-4 70105-0110-4

children's loratadine syrup

loratadine syrup loratadine oral solution, 5 mg/5 mL antihistamine

NDC 11673-914-26 children's loratadine syrup

loratadine oral solution, 5 mg/5 mL antihistamine

Compare to active ingredient in Children's Claritin®*

24-hour, non-drowsy**
allergy relief of sneezing/runny nose/
itchy, watery eyes/itchy throat or nose
alcohol free, dye free
spanish instructions enclosed
instrucciones en español incluidas
dosage cup enclosed
**When taken as directed
see drug facts panel



children's loratadine syrup

upaup

loratedine oral solution, 5 mg/5 mL antihistamine

Drug Facts

Active ingredient (in each 5 mL) Loratadine 5 mg......

Purpose ...Antihistamine

Uses temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

SEALED WITH PRINTED NECKBAND

runny nose
 sneezing

itchy, watery eyes
itching of the nose or throat

Warnings

Do not use if you have ever had an albigic reaction to this product or any of its ingredients.

Ask a doctor before use if you have liver or kidney disease.

Your doctor should determine if you need a different dose.

When using this product do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breastfeeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

adults and children 6 years and over 2 teespoonfuls daily; do not take more than 2 teespoonfuls in 24 hours children 2 to under 6 years of age than 1 leaspoonful lin 24 hours

consumers with liver ask a doctor or kidney disease

Other information

sa fety sealed: do not use if imprinted safety seal is form or missing

store between 2° and 25°C (36° and 77°F)

Inactive ingredients

propylene glycol, purified water, sodium benzoate, sodium melabisulitie, sucrosa

Questions? Call 1-866-923-4914

*This product is not manufactured or distributed by Schering-Plough Health Care Products, Inc., owner of the registered trademark Claritin®







CHILDRENS LORATADINE

loratadine solution

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:11673-914

ORAL

Active Ingredient/Active Moiety

retive ingredient/retive wrotety			
Ingredient Name	Basis of Strength	Strength	
Loratadine (UNII: 7AJO3BO7QN) (Loratadine - UNII:7AJO3BO7QN)	Loratadine	5 mg in 5 mL	

Inactive Ingredients		
Ingredient Name	Strength	
citric acid monohydrate (UNII: 2968PHW8QP)		
glycerin (UNII: PDC6A3C0OX)		
propylene glycol (UNII: 6DC9Q167V3)		
water (UNII: 059QF0KO0R)		
sodium benzoate (UNII: OJ245FE5EU)		
sodium metabisulfite (UNII: 4VON5FNS3C)		
sucrose (UNII: C151H8M554)		

Product Characteristics			
Color	YELLOW (Colorless to slightly yellow)	Score	
Shape		Size	
Flavor	GRAPE	Imprint Code	
Contains			

P	ackaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11673-914-26	1 in 1 CARTON		
1		118 mL in 1 BOTTLE		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA076805	08/20/2004	

Labeler - Target Corporation (006961700)

Registrant - Taro Pharmaceuticals U.S.A., Inc. (145186370)

Establishment				
Name	Address	ID/FEI	Business Operations	
Taro Pharmaceutical Indutries Ltd.		600072078	MANUFACTURE(11673-914)	

Revised: 10/2012 Target Corporation