

ISOPROPYL ALCOHOL 99%- isopropyl alcohol liquid
Vedco, Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

ISOPROPYL ALCOHOL 99%

KEEP OUT OF REACH OF CHILDREN
FOR ANIMAL USE ONLY

INDICATIONS:

For external use only as an antiseptic, disinfectant, and rubefacient.

TO MAKE A STANDARD SOLUTION (70%):

Dilute by adding 1 part water to 2 parts of this 99% Isopropyl Alcohol.

FOR EXTERNAL USE ONLY

DIRECTIONS FOR USE:

Use full strength as topical antiseptic or for disinfections of instruments. May be used for temporary relief of minor muscular aches or pain due to overexertion and fatigue. Apply full strength to affected area and massage briskly to stimulate circulation.

CAUTION:

In case of deep or puncture wounds or serious burns, consult a veterinarian. If redness, irritation, or swelling persists or increases, discontinue use and consult a veterinarian. Do not apply to irritated skin or if excessive irritation develops.

ACTIVE INGREDIENT:

Isopropyl Alcohol (min) 99% v/v

INERT INGREDIENT:

Water. 1% v/v
Total 100%

WARNING:

Ingestion may cause gastrointestinal irritation, nausea and vomiting.

STORAGE:

Store at controlled room temperature between 15°-30°C (59°-86°F). Keep container tightly closed when not in use.

WARNING! FLAMMABLE! KEEP AWAY FROM HEAT AND OPEN FLAME.


Net Contents:

32 fl oz (946 mL) VINV-IPA9-16QT



Distributed By
VEDCO, INC.
St. Joseph, MO 64507

32 fl oz (946 mL)

<p>INDICATIONS: For external use only as an antiseptic, disinfectant, and rubefacient.</p> <p>TO MAKE A STANDARD SOLUTION (70%): Dilute by adding 1 part water to 2 parts of this 99% Isopropyl Alcohol.</p> <p>FOR EXTERNAL USE ONLY</p> <p>DIRECTIONS FOR USE: Use full strength as topical antiseptic or for disinfections of instruments. May be used for temporary relief of minor muscular aches or pain due to overexertion and fatigue. Apply full strength to affected area and massage briskly to stimulate circulation.</p> <p>CAUTION: In case of deep or puncture wounds or serious burns, consult a veterinarian. If redness, irritation, or swelling persists or increases, discontinue use and consult a veterinarian. Do not apply to irritated skin or if excessive irritation develops.</p> <p>TAKE TIME  OBSERVE LABEL DIRECTIONS</p> <p>Distributed By VEDCO, INC. St. Joseph, MO 64507</p> <p>Rev. 04-16 VINV-IPA9-16QT</p>	<p>NDC 50989-505-27</p>  <p>ISOPROPYL ALCOHOL 99% LIVESTOCK DRUG NET CONTENTS: 32 fl oz (946 mL) VEDCO</p> <p>KEEP OUT OF REACH OF CHILDREN FOR ANIMAL USE ONLY</p>	<p>ACTIVE INGREDIENT: Isopropyl Alcohol (min) 99% v/v</p> <p>INERT INGREDIENT: Water 1% v/v Total 100%</p> <p>WARNING: Ingestion may cause gastrointestinal irritation, nausea and vomiting.</p> <p>STORAGE: Store at controlled room temperature between 15°-30°C (59°-86°F). Keep container tightly closed when not in use.</p> <p>WARNING! FLAMMABLE! KEEP AWAY FROM HEAT AND OPEN FLAME.</p>  <p>3 50989-50527 1</p>
		<p>Lot No. Exp. Date</p> <p>No Varnish</p>

ISOPROPYL ALCOHOL 99%

isopropyl alcohol liquid

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:50989-505
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ISOPROPYL ALCOHOL (UNII: ND2M416302) (ISOPROPYL ALCOHOL - UNII:ND2M416302)	ISOPROPYL ALCOHOL	785 g in 1 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50989-505-27	16 in 1 CASE		
1		4 in 1 BOX		
1		0.946 L in 1 BOTTLE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		04/12/2016	

Labeler - Vedco, Inc. (021634266)**Establishment**

Name	Address	ID/FEI	Business Operations
FIRST PRIORITY INCORPORATED		179925722	manufacture, label, api manufacture

Revised: 10/2024

Vedco, Inc.