

HAIR GROWTH SERUM ROLL-ON- minoxidil liquid

FlexiGo Inc

28*28*135mm

DRUG FACTS

ACTIVE INGREDIENT

Minoxidil 5% w/w.....
Hair regrowth treatment for men

USES:
to regrow hair on the top of the scalp (vertex only, see pictures on side of this carton)

WARNINGS:
For external use only. For use by men only. Flammable. Keep away from fire or flame

DO NOT USE:


- you are a woman
- your amount of hair loss is different than that shown on the side of this carton or your hair loss is on the front of the scalp. Minoxidil topical solution 5% is not intended for frontal baldness or receding hairline.
- you have no family history of hair loss.
- your hair loss is sudden and/or patchy
- you do not know the reason for your hair loss
- you are under 18 years of age. Do not use on babies and children.
- your scalp is red, inflamed, infected, irritated, or painful
- you use other medicines on the scalp

Ask a doctor before use if you have heart disease:

When using this product

- do not apply on other parts of the body
- avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water
- some people have experienced changes in hair color and/or texture
- it takes time to regrow hair. Results may occur at 2 months with twice a day usage. For some men, you may need to use this product for at least 4 months before you see results.
- the amount of hair regrowth is different for each person. This product will not work for all men

TOPICAL SOLUTION



Minoxidil 5%

Hair regrowth treatment

Hair Growth Serum Roll-on

EXTRA STRENGTH FOR MEN
REACTIVATES HAIR FOLLICLES
FOR EXTERNAL USE ONLY
NOT FOR USE BY WOMEN

30 ml/1.01 fl.oz

DRUG FACTS (Continued)

Stop use and ask a doctor if

- chest pain, rapid heartbeat, faintness, or dizziness occurs
- sudden, unexplained weight gain occurs
- your hands or feet swell
- scalp irritation or redness occurs
- unwanted facial hair growth occurs
- you do not see hair regrowth in 4 months

May be harmful if used when pregnant or breast-feeding. Keep out of reach of children.
If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- Apply 1 mL directly with roll-on applicator 2 times a day onto the scalp in the hair loss area.
- Using more or more often will not improve results
- continued use is necessary to increase and keep your hair regrowth or hair loss will begin again

Other information

- see hair loss pictures on side of this carton
- before use, read all information on carton and enclosed booklet
- keep the carton. It contains important information
- hair regrowth has not been shown to last longer than 48 weeks in large clinical trials with continuous treatment with 5% minoxidil topical solution for men
- in clinical studies with mostly white men aged 18-49 years with moderate degrees of hair loss, 5% minoxidil topical solution for men provided more hair regrowth than 2% minoxidil topical solution
- store at controlled room temperature 20° to 25° C (68° to 77° F)

Inactive ingredients


- alcohol, polyethylene glycol, purified water

Questions?
Grow@Serum666@outlook.com

Manufactured by:
Yelibo (Guangzhou) Biotechnology Co., Ltd.
Room D7-437, Floors 6-7, Building I No. 8 Heliang Yihang Road, Heiluan, Hailing Street, Baiyun District, Guangzhou, Guangdong 510425, China

Distributed by:
FlexiGo Inc.
1624 Market St Ste 226, #30327
Denver CO 80202 USA

Minoxidil topical solution USP 5% is for men who have a general thinning of hair on the top of the scalp (vertex only, as shown below). Not intended for frontal baldness or a receding hairline. Minoxidil topical solution USP 5% has been shown to regrow hair in men with the following degrees of thinning hair or hair loss.



VERTEX

VERTEX

VERTEX

If men have more hair loss or hair loss in a place different than shown above, minoxidil topical solution USP 5% may not work.

72*90mm

TOPICAL SOLUTION



Minoxidil 5%

Hair regrowth treatment

Hair Growth Serum Roll-on

EXTRA STRENGTH FOR MEN
REACTIVATES HAIR FOLLICLES
FOR EXTERNAL USE ONLY
NOT FOR USE BY WOMEN

30 ml/1.01 fl.oz



28*28*135mm

DRUG FACTS

ACTIVE INGREDIENT PURPOSE

Minoxidil 5% w/v.
... Hair regrowth treatment for men

USES:
to regrow hair on the top of the scalp (vertex only, see pictures on side of this carton)

WARNINGS:
For external use only. For use by men only.
Flammable. Keep away from fire or flame

DO NOT USE:


- You are a woman
- Your amount of hair loss is different than that shown on the side of this carton or your hair loss is on the front of the scalp. Minoxidil topical solution 5% is not intended for frontal baldness or receding hairline.
- You have no family history of hair loss
- Your hair loss is sudden and/or patchy
- You do not know the reason for your hair loss
- You are under 18 years of age. Do not use on babies and children.
- Your scalp is red, inflamed, infected, irritated, or painful
- You use other medicines on the scalp

Ask a doctor before use if you have heart disease

When using this product

- do not apply on other parts of the body
- avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water
- some people have experienced changes in hair color and/or texture
- it takes time to regrow hair. Results may occur at 2 months with twice a day usage. For some men, you may need to use this product for at least 4 months before you see results.
- the amount of hair regrowth is different for each person. This product will not work for all men

TOPICAL SOLUTION



Minoxidil 5%

Hair regrowth treatment

Hair Growth Serum Roll-on

EXTRA STRENGTH FOR MEN
REACTIVATES HAIR FOLLICLES
FOR EXTERNAL USE ONLY
NOT FOR USE BY WOMEN

30 ml/1.01 fl.oz

DRUG FACTS (Continued)

Stop use and ask a doctor if

- chest pain, rapid heartbeat, faintness, or dizziness occurs
- sudden, unexplained weight gain occurs
- your hands or feet swell
- scalp irritation or redness occurs
- unwanted facial hair growth occurs
- you do not see hair regrowth in 4 months

May be harmful if used when pregnant or breast-feeding. Keep out of reach of children.
If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222)

Directions

- Apply 1 mL directly with roll-on applicator 2 times a day onto the scalp in the hair loss area.
- using more or more often will not improve results
- continued use is necessary to increase and keep your hair regrowth or hair loss will begin again

Other information

- see hair loss pictures on side of this carton
- before use, read all information on carton and enclosed booklet
- keep the carton. It contains important information.
- hair regrowth has not been shown to last longer than 48 weeks in large clinical trials with continuous treatment with 5% minoxidil topical solution for men
- In clinical studies with mostly white men aged 18-49 years with moderate degrees of hair loss, 5% minoxidil topical solution for men provided more hair regrowth than 2% minoxidil topical solution
- store at controlled room temperature 20° to 25° C (68° to 77° F)

Inactive ingredients


- alcohol, propylene glycol, purified water

Questions?
Growth@666@outlook.com

Manufactured by:
Yanbo (Guangzhou) Biotechnology Co., Ltd.
Room D7427, Floors 6-7, Building I No. 6 Heliang Yihang Road, Heilun, Helong Street, Baiyun District Guangzhou, Guangdong 510425 China

Distributed by:
FiasDa Inc.
1624 Market St Ste 226, #30327
Denver CO 80202 USA

Minoxidil topical solution USP 5% is for men who have a general thinning of hair on the top of the scalp (vertex only, as shown below). Not intended for frontal baldness or a receding hairline. Minoxidil topical solution USP 5% has been shown to regrow hair in men with the following degrees of thinning hair or hair loss.



If men have more hair loss or hair loss in a place different than shown above, minoxidil topical solution USP 5% may not work.

72*90mm

TOPICAL SOLUTION



Minoxidil 5%

Hair regrowth treatment

Hair Growth Serum Roll-on

EXTRA STRENGTH FOR MEN
REACTIVATES HAIR FOLLICLES
FOR EXTERNAL USE ONLY
NOT FOR USE BY WOMEN

30 ml/1.01 fl.oz



28*28*135mm

DRUG FACTS

ACTIVE INGREDIENT PURPOSE

Minoxidil 5% w/v
... Hair regrowth treatment for men

USES:
to regrow hair on the top of the scalp (vertex only, see pictures on side of this carton)

WARNINGS:
For external use only. For use by men only.
Flammable. Keep away from fire or flame

DO NOT USE:


- You are a woman
- Your amount of hair loss is different than that shown on the side of this carton or your hair loss is on the front of the scalp. Minoxidil topical solution 5% is not intended for frontal baldness or receding hairline.
- You have no family history of hair loss
- Your hair loss is sudden and/or patchy
- You do not know the reason for your hair loss
- You are under 18 years of age. Do not use on babies and children.
- Your scalp is red, inflamed, infected, irritated, or painful
- You use other medicines on the scalp

Ask a doctor before use if you have heart disease

When using this product

- do not apply on other parts of the body
- avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water
- some people have experienced changes in hair color and/or texture
- it takes time to regrow hair. Results may occur at 2 months with twice a day usage. For some men, you may need to use this product for at least 4 months before you see results.
- the amount of hair regrowth is different for each person. This product will not work for all men

TOPICAL SOLUTION



Minoxidil 5%

Hair regrowth treatment

Hair Growth Serum Roll-on

EXTRA STRENGTH FOR MEN
REACTIVATES HAIR FOLLICLES
FOR EXTERNAL USE ONLY
NOT FOR USE BY WOMEN

30 ml/1.01 fl.oz

DRUG FACTS (Continued)

Stop use and ask a doctor if

- chest pain, rapid heartbeat, faintness, or dizziness occurs
- sudden, unexplained weight gain occurs
- your hands or feet swell
- scalp irritation or redness occurs
- unwanted facial hair growth occurs
- you do not see hair regrowth in 4 months

May be harmful if used when pregnant or breast-feeding. Keep out of reach of children.
If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222)

Directions

- Apply 1 mL directly with roll-on applicator 2 times a day onto the scalp in the hair loss area.
- using more or more often will not improve results
- continued use is necessary to increase and keep your hair regrowth or hair loss will begin again

Other information

- see hair loss pictures on side of this carton
- before use, read all information on carton and enclosed booklet
- keep the carton. It contains important information.
- hair regrowth has not been shown to last longer than 48 weeks in large clinical trials with continuous treatment with 5% minoxidil topical solution for men
- In clinical studies with mostly white men aged 18-49 years with moderate degrees of hair loss, 5% minoxidil topical solution for men provided more hair regrowth than 2% minoxidil topical solution
- store at controlled room temperature 20° to 25° C (68° to 77° F)

Inactive ingredients


- alcohol, propylene glycol, purified water

Questions?
Growth@666@outlook.com

Manufactured by:
Yanbo (Guangzhou) Biotechnology Co., Ltd.
Room D7427, Floors 6-7, Building I No. 6 Heliang Yihang Road, Heilun, Helong Street, Baiyun District, Guangzhou, Guangdong 510425, China

Distributed by:
FiasDa Inc.
1624 Market St Ste 226, #30327
Denver CO 80202 USA

Minoxidil topical solution USP 5% is for men who have a general thinning of hair on the top of the scalp (vertex only, as shown below). Not intended for frontal baldness or a receding hairline. Minoxidil topical solution USP 5% has been shown to regrow hair in men with the following degrees of thinning hair or hair loss.



If men have more hair loss or hair loss in a place different than shown above, minoxidil topical solution USP 5% may not work.

72*90mm

TOPICAL SOLUTION



Minoxidil 5%

Hair regrowth treatment

Hair Growth Serum Roll-on

EXTRA STRENGTH FOR MEN
REACTIVATES HAIR FOLLICLES
FOR EXTERNAL USE ONLY
NOT FOR USE BY WOMEN

30 ml/1.01 fl.oz

28*28*135mm

DRUG FACTS

ACTIVE INGREDIENT
PURPOSE

Minoxidil 5% w/v
... Hair regrowth treatment for men

USES:
to regrow hair on the top of the scalp (vertex only, see pictures on side of this carton)

WARNINGS:
For external use only. For use by men only.
Flammable. Keep away from fire or flame

DO NOT USE:


- You are a woman
- Your amount of hair loss is different than that shown on the side of this carton or your hair loss is on the front of the scalp. Minoxidil topical solution 5% is not intended for frontal baldness or receding hairline.
- You have no family history of hair loss
- Your hair loss is sudden and/or patchy
- You do not know the reason for your hair loss
- You are under 18 years of age. Do not use on babies and children.
- Your scalp is red, inflamed, infected, irritated, or painful
- You use other medicines on the scalp

Ask a doctor before use if you have heart disease

When using this product

- do not apply on other parts of the body
- avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water
- some people have experienced changes in hair color and/or texture
- it takes time to regrow hair. Results may occur at 2 months with twice a day usage. For some men, you may need to use this product for at least 4 months before you see results.
- the amount of hair regrowth is different for each person. This product will not work for all men

TOPICAL SOLUTION



Minoxidil 5%

Hair regrowth treatment

Hair Growth Serum Roll-on

EXTRA STRENGTH FOR MEN
REACTIVATES HAIR FOLLICLES
FOR EXTERNAL USE ONLY
NOT FOR USE BY WOMEN

30 ml/1.01 fl.oz

DRUG FACTS (Continued)

Stop use and ask a doctor if

- chest pain, rapid heartbeat, faintness, or dizziness occurs
- sudden, unexplained weight gain occurs
- your hands or feet swell
- scalp irritation or redness occurs
- unwanted facial hair growth occurs
- you do not see hair regrowth in 4 months

May be harmful if used when pregnant or breast-feeding. Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222)

Directions

- Apply 1 mL directly with roll-on applicator 2 times a day onto the scalp in the hair loss area.
- using more or more often will not improve results
- continued use is necessary to increase and keep your hair regrowth or hair loss will begin again

Other information

- see hair loss pictures on side of this carton
- before use, read all information on carton and enclosed booklet
- keep the carton. It contains important information.
- hair regrowth has not been shown to last longer than 48 weeks in large clinical trials with continuous treatment with 5% minoxidil topical solution for men
- In clinical studies with mostly white men aged 18-49 years with moderate degrees of hair loss, 5% minoxidil topical solution for men provided more hair regrowth than 2% minoxidil topical solution
- store at controlled room temperature 20° to 25° C (68° to 77° F)

Inactive ingredients


- alcohol, propylene glycol, purified water

Questions?
Growth@666@outlook.com

Manufactured by:
Yanbo (Guangzhou) Biotechnology Co., Ltd.
Room D7427, Floors 6-7, Building I No. 6 Heliang Yihang Road, Heilun, Heilong Street, Baiyun District Guangzhou, Guangdong 510425 China

Distributed by:
FiasDa Inc.
1624 Market St Ste 226, #30327
Denver CO 80202 USA

Minoxidil topical solution USP 5% is for men who have a general thinning of hair on the top of the scalp (vertex only, as shown below). Not intended for frontal baldness or a receding hairline. Minoxidil topical solution USP 5% has been shown to regrow hair in men with the following degrees of thinning hair or hair loss.



If men have more hair loss or hair loss in a place different than shown above, minoxidil topical solution USP 5% may not work.

72*90mm

TOPICAL SOLUTION



Minoxidil 5%

Hair regrowth treatment

Hair Growth Serum Roll-on

EXTRA STRENGTH FOR MEN
REACTIVATES HAIR FOLLICLES
FOR EXTERNAL USE ONLY
NOT FOR USE BY WOMEN

30 ml/1.01 fl.oz

28*28*135mm

DRUG FACTS

ACTIVE INGREDIENT
PURPOSE

Minoxidil 5% w/v
... Hair regrowth treatment for men

USES:
to regrow hair on the top of the scalp (vertex only, see pictures on side of this carton)

WARNINGS:
For external use only. For use by men only.
Flammable. Keep away from fire or flame

DO NOT USE:


- You are a woman
- your amount of hair loss is different than that shown on the side of this carton or your hair loss is on the front of the scalp. Minoxidil topical solution 5% is not intended for frontal baldness or receding hairline.
- you have no family history of hair loss
- your hair loss is sudden and/or patchy
- you do not know the reason for your hair loss
- you are under 18 years of age. Do not use on babies and children.
- your scalp is red, inflamed, infected, irritated, or painful
- you use other medicines on the scalp

Ask a doctor before use if you have heart disease

When using this product

- do not apply on other parts of the body
- avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water
- some people have experienced changes in hair color and/or texture
- it takes time to regrow hair. Results may occur at 2 months with twice a day usage. For some men, you may need to use this product for at least 4 months before you see results.
- the amount of hair regrowth is different for each person. This product will not work for all men

TOPICAL SOLUTION



Minoxidil 5%

Hair regrowth treatment

Hair Growth Serum Roll-on

EXTRA STRENGTH FOR MEN
REACTIVATES HAIR FOLLICLES
FOR EXTERNAL USE ONLY
NOT FOR USE BY WOMEN

30 ml/1.01 fl.oz

DRUG FACTS (Continued)

Stop use and ask a doctor if

- chest pain, rapid heartbeat, faintness, or dizziness occurs
- sudden, unexplained weight gain occurs
- your hands or feet swell
- scalp irritation or redness occurs
- unwanted facial hair growth occurs
- you do not see hair regrowth in 4 months

May be harmful if used when pregnant or breast-feeding. Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222)

Directions

- Apply 1 mL directly with roll-on applicator 2 times a day onto the scalp in the hair loss area.
- using more or more often will not improve results
- continued use is necessary to increase and keep your hair regrowth or hair loss will begin again

Other information

- see hair loss pictures on side of this carton
- before use, read all information on carton and enclosed booklet
- keep the carton. It contains important information.
- hair regrowth has not been shown to last longer than 48 weeks in large clinical trials with continuous treatment with 5% minoxidil topical solution for men
- In clinical studies with mostly white men aged 18-49 years with moderate degrees of hair loss, 5% minoxidil topical solution for men provided more hair regrowth than 2% minoxidil topical solution
- store at controlled room temperature 20° to 25° C (68° to 77° F)

Inactive ingredients


- alcohol, propylene glycol, purified water


Questions?
Growth@666@outlook.com


Manufactured by:
Yanbo (Guangzhou) Biotechnology Co., Ltd.
Room D7427, Floors 6-7, Building I No. 6 Heliang Yihang Road, Heilun, Heilong Street, Baiyun District Guangzhou, Guangdong 510425 China

Distributed by:
FiasDa Inc.
1624 Market St Ste 226, #30327
Denver CO 80202 USA


Minoxidil topical solution USP 5% is for men who have a general thinning of hair on the top of the scalp (vertex only, as shown below). Not intended for frontal baldness or a receding hairline. Minoxidil topical solution USP 5% has been shown to regrow hair in men with the following degrees of thinning hair or hair loss.

VERTEX → 

VERTEX → 

VERTEX → 

If men have more hair loss or hair loss in a place different than shown above, minoxidil topical solution USP 5% may not work.



72*90mm

TOPICAL SOLUTION



Minoxidil 5%

Hair regrowth treatment

Hair Growth Serum Roll-on

EXTRA STRENGTH FOR MEN
REACTIVATES HAIR FOLLICLES
FOR EXTERNAL USE ONLY
NOT FOR USE BY WOMEN

30 ml/1.01 fl.oz

28*28*135mm

DRUG FACTS

ACTIVE INGREDIENT PURPOSE

Minoxidil 5% w/v.
... Hair regrowth treatment for men

USES:
to regrow hair on the top of the scalp (vertex only, see pictures on side of this carton)

WARNINGS:
For external use only. For use by men only.
Flammable. Keep away from fire or flame

DO NOT USE:


- You are a woman
- Your amount of hair loss is different than that shown on the side of this carton or your hair loss is on the front of the scalp. Minoxidil topical solution 5% is not intended for frontal baldness or receding hairline.
- You have no family history of hair loss
- Your hair loss is sudden and/or patchy
- You do not know the reason for your hair loss
- You are under 18 years of age. Do not use on babies and children.
- Your scalp is red, inflamed, infected, irritated, or painful
- You use other medicines on the scalp

Ask a doctor before use if you have heart disease

When using this product

- do not apply on other parts of the body
- avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water
- some people have experienced changes in hair color and/or texture
- it takes time to regrow hair. Results may occur at 2 months with twice a day usage. For some men, you may need to use this product for at least 4 months before you see results.
- the amount of hair regrowth is different for each person. This product will not work for all men

TOPICAL SOLUTION



Minoxidil 5%

Hair regrowth treatment

Hair Growth Serum Roll-on

EXTRA STRENGTH FOR MEN
REACTIVATES HAIR FOLLICLES
FOR EXTERNAL USE ONLY
NOT FOR USE BY WOMEN

30 ml/1.01 fl.oz

DRUG FACTS (Continued)

Stop use and ask a doctor if

- chest pain, rapid heartbeat, faintness, or dizziness occurs
- sudden, unexplained weight gain occurs
- your hands or feet swell
- scalp irritation or redness occurs
- unwanted facial hair growth occurs
- you do not see hair regrowth in 4 months

May be harmful if used when pregnant or breast-feeding. Keep out of reach of children.
If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222)

Directions

- Apply 1 mL directly with roll-on applicator 2 times a day onto the scalp in the hair loss area.
- using more or more often will not improve results
- continued use is necessary to increase and keep your hair regrowth or hair loss will begin again

Other information

- see hair loss pictures on side of this carton
- before use, read all information on carton and enclosed booklet
- keep the carton. It contains important information.
- hair regrowth has not been shown to last longer than 48 weeks in large clinical trials with continuous treatment with 5% minoxidil topical solution for men
- In clinical studies with mostly white men aged 18-49 years with moderate degrees of hair loss, 5% minoxidil topical solution for men provided more hair regrowth than 2% minoxidil topical solution
- store at controlled room temperature 20° to 25° C (68° to 77° F)

Inactive ingredients

- alcohol, propylene glycol, purified water

Questions?
Growth@666@outlook.com

Manufactured by:
Yanbo (Guangzhou) Biotechnology Co., Ltd.
Room D7427, Floors 6-7, Building I No. 6 Heliang Yihang Road, Heilun, Helong Street, Baiyun District Guangzhou, Guangdong 510425 China

Distributed by:
FiasDa Inc.
1624 Market St Ste 226, #30327
Denver CO 80202 USA

Minoxidil topical solution USP 5% is for men who have a general thinning of hair on the top of the scalp (vertex only, as shown below). Not intended for frontal baldness or a receding hairline. Minoxidil topical solution USP 5% has been shown to regrow hair in men with the following degrees of thinning hair or hair loss.



If men have more hair loss or hair loss in a place different than shown above, minoxidil topical solution USP 5% may not work.

72*90mm

TOPICAL SOLUTION



Minoxidil 5%

Hair regrowth treatment

Hair Growth Serum Roll-on

EXTRA STRENGTH FOR MEN
REACTIVATES HAIR FOLLICLES
FOR EXTERNAL USE ONLY
NOT FOR USE BY WOMEN

30 ml/1.01 fl.oz

28*28*135mm

DRUG FACTS

ACTIVE INGREDIENT PURPOSE

Minoxidil 5% w/v.
... Hair regrowth treatment for men

USES:
to regrow hair on the top of the scalp (vertex only, see pictures on side of this carton)

WARNINGS:
For external use only. For use by men only.
Flammable. Keep away from fire or flame

DO NOT USE:


- You are a woman
- Your amount of hair loss is different than that shown on the side of this carton or your hair loss is on the front of the scalp. Minoxidil topical solution 5% is not intended for frontal baldness or receding hairline.
- You have no family history of hair loss
- Your hair loss is sudden and/or patchy
- You do not know the reason for your hair loss
- You are under 18 years of age. Do not use on babies and children.
- Your scalp is red, inflamed, infected, irritated, or painful
- You use other medicines on the scalp

Ask a doctor before use if you have heart disease

When using this product

- do not apply on other parts of the body
- avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water
- some people have experienced changes in hair color and/or texture
- it takes time to regrow hair. Results may occur at 2 months with twice a day usage. For some men, you may need to use this product for at least 4 months before you see results.
- the amount of hair regrowth is different for each person. This product will not work for all men

TOPICAL SOLUTION



Minoxidil 5%

Hair regrowth treatment

Hair Growth Serum Roll-on

EXTRA STRENGTH FOR MEN
REACTIVATES HAIR FOLLICLES
FOR EXTERNAL USE ONLY
NOT FOR USE BY WOMEN

30 ml/1.01 fl.oz

DRUG FACTS (Continued)

Stop use and ask a doctor if

- chest pain, rapid heartbeat, faintness, or dizziness occurs
- sudden, unexplained weight gain occurs
- your hands or feet swell
- scalp irritation or redness occurs
- unwanted facial hair growth occurs
- you do not see hair regrowth in 4 months

May be harmful if used when pregnant or breast-feeding. Keep out of reach of children.
If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222)

Directions

- Apply 1 mL directly with roll-on applicator 2 times a day onto the scalp in the hair loss area.
- using more or more often will not improve results
- continued use is necessary to increase and keep your hair regrowth or hair loss will begin again

Other information

- see hair loss pictures on side of this carton
- before use, read all information on carton and enclosed booklet
- keep the carton. It contains important information.
- hair regrowth has not been shown to last longer than 48 weeks in large clinical trials with continuous treatment with 5% minoxidil topical solution for men
- In clinical studies with mostly white men aged 18-49 years with moderate degrees of hair loss, 5% minoxidil topical solution for men provided more hair regrowth than 2% minoxidil topical solution
- store at controlled room temperature 20° to 25° C (68° to 77° F)

Inactive ingredients


- alcohol, propylene glycol, purified water

Questions?
Growth@666@outlook.com

Manufactured by:
Yanbo (Guangzhou) Biotechnology Co., Ltd.
Room D7427, Floors 6-7, Building I No. 6 Heliang Yihang Road, Heilun, Helong Street, Baiyun District Guangzhou, Guangdong 510425 China

Distributed by:
FiasDa Inc.
1624 Market St Ste 226, #30327
Denver CO 80202 USA

Minoxidil topical solution USP 5% is for men who have a general thinning of hair on the top of the scalp (vertex only, as shown below). Not intended for frontal baldness or a receding hairline. Minoxidil topical solution USP 5% has been shown to regrow hair in men with the following degrees of thinning hair or hair loss.



If men have more hair loss or hair loss in a place different than shown above, minoxidil topical solution USP 5% may not work.

72*90mm

TOPICAL SOLUTION



Minoxidil 5%

Hair regrowth treatment

Hair Growth Serum Roll-on

EXTRA STRENGTH FOR MEN
REACTIVATES HAIR FOLLICLES
FOR EXTERNAL USE ONLY
NOT FOR USE BY WOMEN

30 ml/1.01 fl.oz

28*28*135mm

DRUG FACTS

ACTIVE INGREDIENT
PURPOSE

Minoxidil 5% w/v
... Hair regrowth treatment for men

USES:
to regrow hair on the top of the scalp (vertex only, see pictures on side of this carton)

WARNINGS:
For external use only. For use by men only.
Flammable. Keep away from fire or flame

DO NOT USE:


- You are a woman
- Your amount of hair loss is different than that shown on the side of this carton or your hair loss is on the front of the scalp. Minoxidil topical solution 5% is not intended for frontal baldness or receding hairline.
- You have no family history of hair loss
- Your hair loss is sudden and/or patchy
- You do not know the reason for your hair loss
- You are under 18 years of age. Do not use on babies and children.
- Your scalp is red, inflamed, infected, irritated, or painful
- You use other medicines on the scalp

Ask a doctor before use if you have heart disease

When using this product

- do not apply on other parts of the body
- avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water
- some people have experienced changes in hair color and/or texture
- it takes time to regrow hair. Results may occur at 2 months with twice a day usage. For some men, you may need to use this product for at least 4 months before you see results.
- the amount of hair regrowth is different for each person. This product will not work for all men

TOPICAL SOLUTION



Minoxidil 5%

Hair regrowth treatment

Hair Growth Serum Roll-on

EXTRA STRENGTH FOR MEN
REACTIVATES HAIR FOLLICLES
FOR EXTERNAL USE ONLY
NOT FOR USE BY WOMEN

30 ml/1.01 fl.oz

DRUG FACTS (Continued)

Stop use and ask a doctor if

- chest pain, rapid heartbeat, faintness, or dizziness occurs
- sudden, unexplained weight gain occurs
- your hands or feet swell
- scalp irritation or redness occurs
- unwanted facial hair growth occurs
- you do not see hair regrowth in 4 months

May be harmful if used when pregnant or breast-feeding. Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222)

Directions

- Apply 1 mL directly with roll-on applicator 2 times a day onto the scalp in the hair loss area.
- using more or more often will not improve results
- continued use is necessary to increase and keep your hair regrowth or hair loss will begin again

Other information

- see hair loss pictures on side of this carton
- before use, read all information on carton and enclosed booklet
- keep the carton. It contains important information.
- hair regrowth has not been shown to last longer than 48 weeks in large clinical trials with continuous treatment with 5% minoxidil topical solution for men
- In clinical studies with mostly white men aged 18-49 years with moderate degrees of hair loss, 5% minoxidil topical solution for men provided more hair regrowth than 2% minoxidil topical solution
- store at controlled room temperature 20° to 25° C (68° to 77° F)

Inactive ingredients


- alcohol, propylene glycol, purified water

Questions?
Growth@666@outlook.com

Manufactured by:
Yanbo (Guangzhou) Biotechnology Co., Ltd.
Room D7427, Floors 6-7, Building I No. 6 Heliang Yihang Road, Heilun, Helong Street, Baiyun District, Guangzhou, Guangdong 510425, China

Distributed by:
FiasDa Inc.
1624 Market St Ste 226, #30327
Denver CO 80202 USA

Minoxidil topical solution USP 5% is for men who have a general thinning of hair on the top of the scalp (vertex only, as shown below). Not intended for frontal baldness or a receding hairline. Minoxidil topical solution USP 5% has been shown to regrow hair in men with the following degrees of thinning hair or hair loss.



If men have more hair loss or hair loss in a place different than shown above, minoxidil topical solution USP 5% may not work.

72*90mm

TOPICAL SOLUTION



Minoxidil 5%

Hair regrowth treatment

Hair Growth Serum Roll-on

EXTRA STRENGTH FOR MEN
REACTIVATES HAIR FOLLICLES
FOR EXTERNAL USE ONLY
NOT FOR USE BY WOMEN

30 ml/1.01 fl.oz

28*28*135mm

DRUG FACTS

ACTIVE INGREDIENT PURPOSE

Minoxidil 5% w/v.
... Hair regrowth treatment for men

USES:
to regrow hair on the top of the scalp (vertex only, see pictures on side of this carton)

WARNINGS:
For external use only. For use by men only.
Flammable. Keep away from fire or flame

DO NOT USE:


- You are a woman
- Your amount of hair loss is different than that shown on the side of this carton or your hair loss is on the front of the scalp. Minoxidil topical solution 5% is not intended for frontal baldness or receding hairline.
- You have no family history of hair loss
- Your hair loss is sudden and/or patchy
- You do not know the reason for your hair loss
- You are under 18 years of age. Do not use on babies and children.
- Your scalp is red, inflamed, infected, irritated, or painful
- You use other medicines on the scalp

Ask a doctor before use if you have heart disease

When using this product

- do not apply on other parts of the body
- avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water
- some people have experienced changes in hair color and/or texture
- it takes time to regrow hair. Results may occur at 2 months with twice a day usage. For some men, you may need to use this product for at least 4 months before you see results.
- the amount of hair regrowth is different for each person. This product will not work for all men

TOPICAL SOLUTION



Minoxidil 5%

Hair regrowth treatment

Hair Growth Serum Roll-on

EXTRA STRENGTH FOR MEN
REACTIVATES HAIR FOLLICLES
FOR EXTERNAL USE ONLY
NOT FOR USE BY WOMEN

30 ml/1.01 fl.oz

DRUG FACTS (Continued)

Stop use and ask a doctor if

- chest pain, rapid heartbeat, faintness, or dizziness occurs
- sudden, unexplained weight gain occurs
- your hands or feet swell
- scalp irritation or redness occurs
- unwanted facial hair growth occurs
- you do not see hair regrowth in 4 months

May be harmful if used when pregnant or breast-feeding. Keep out of reach of children.
If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222)

Directions

- Apply 1 mL directly with roll-on applicator 2 times a day onto the scalp in the hair loss area.
- using more or more often will not improve results
- continued use is necessary to increase and keep your hair regrowth or hair loss will begin again

Other information

- see hair loss pictures on side of this carton
- before use, read all information on carton and enclosed booklet
- keep the carton. It contains important information.
- hair regrowth has not been shown to last longer than 48 weeks in large clinical trials with continuous treatment with 5% minoxidil topical solution for men
- In clinical studies with mostly white men aged 18-49 years with moderate degrees of hair loss, 5% minoxidil topical solution for men provided more hair regrowth than 2% minoxidil topical solution
- store at controlled room temperature 20° to 25° C (68° to 77° F)

Inactive ingredients


- alcohol, propylene glycol, purified water

Questions?
Growth@666@outlook.com

Manufactured by:
Yanbo (Guangzhou) Biotechnology Co., Ltd.
Room D7427, Floors 6-7, Building I No. 6 Heliang Yihang Road, Heilun, Helong Street, Baiyun District, Guangzhou, Guangdong 510425, China

Distributed by:
FiasDa Inc.
1624 Market St Ste 226, #30327
Denver CO 80202 USA

Minoxidil topical solution USP 5% is for men who have a general thinning of hair on the top of the scalp (vertex only, as shown below). Not intended for frontal baldness or a receding hairline. Minoxidil topical solution USP 5% has been shown to regrow hair in men with the following degrees of thinning hair or hair loss.



If men have more hair loss or hair loss in a place different than shown above, minoxidil topical solution USP 5% may not work.

72*90mm

TOPICAL SOLUTION



Minoxidil 5%

Hair regrowth treatment

Hair Growth Serum Roll-on

EXTRA STRENGTH FOR MEN
REACTIVATES HAIR FOLLICLES
FOR EXTERNAL USE ONLY
NOT FOR USE BY WOMEN

30 ml/1.01 fl.oz



28*28*135mm

DRUG FACTS

ACTIVE INGREDIENT PURPOSE

Minoxidil 5% w/v.
... Hair regrowth treatment for men

USES:
to regrow hair on the top of the scalp (vertex only, see pictures on side of this carton)

WARNINGS:
For external use only. For use by men only.
Flammable. Keep away from fire or flame

DO NOT USE:


- You are a woman
- Your amount of hair loss is different than that shown on the side of this carton or your hair loss is on the front of the scalp. Minoxidil topical solution 5% is not intended for frontal baldness or receding hairline.
- You have no family history of hair loss
- Your hair loss is sudden and/or patchy
- You do not know the reason for your hair loss
- You are under 18 years of age. Do not use on babies and children.
- Your scalp is red, inflamed, infected, irritated, or painful
- You use other medicines on the scalp

Ask a doctor before use if you have heart disease

When using this product

- do not apply on other parts of the body
- avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water
- some people have experienced changes in hair color and/or texture
- it takes time to regrow hair. Results may occur at 2 months with twice a day usage. For some men, you may need to use this product for at least 4 months before you see results.
- the amount of hair regrowth is different for each person. This product will not work for all men

TOPICAL SOLUTION



Minoxidil 5%

Hair regrowth treatment

Hair Growth Serum Roll-on

EXTRA STRENGTH FOR MEN
REACTIVATES HAIR FOLLICLES
FOR EXTERNAL USE ONLY
NOT FOR USE BY WOMEN

30 ml/1.01 fl.oz

DRUG FACTS (Continued)

Stop use and ask a doctor if

- chest pain, rapid heartbeat, faintness, or dizziness occurs
- sudden, unexplained weight gain occurs
- your hands or feet swell
- scalp irritation or redness occurs
- unwanted facial hair growth occurs
- you do not see hair regrowth in 4 months

May be harmful if used when pregnant or breast-feeding. Keep out of reach of children.
If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222)

Directions

- Apply 1 mL directly with roll-on applicator 2 times a day onto the scalp in the hair loss area.
- using more or more often will not improve results
- continued use is necessary to increase and keep your hair regrowth or hair loss will begin again

Other information

- see hair loss pictures on side of this carton
- before use, read all information on carton and enclosed booklet
- keep the carton. It contains important information.
- hair regrowth has not been shown to last longer than 48 weeks in large clinical trials with continuous treatment with 5% minoxidil topical solution for men
- In clinical studies with mostly white men aged 18-49 years with moderate degrees of hair loss, 5% minoxidil topical solution for men provided more hair regrowth than 2% minoxidil topical solution
- store at controlled room temperature 20° to 25° C (68° to 77° F)

Inactive ingredients


- alcohol, propylene glycol, purified water

Questions?
Growth@666@outlook.com

Manufactured by:
Yanbo (Guangzhou) Biotechnology Co., Ltd.
Room D7427, Floors 6-7, Building I No. 6 Heliang Yihang Road, Heilun, Helong Street, Baiyun District, Guangzhou, Guangdong 510425, China

Distributed by:
FiasDa Inc.
1624 Market St Ste 226, #30327
Denver CO 80202 USA

Minoxidil topical solution USP 5% is for men who have a general thinning of hair on the top of the scalp (vertex only, as shown below). Not intended for frontal baldness or a receding hairline. Minoxidil topical solution USP 5% has been shown to regrow hair in men with the following degrees of thinning hair or hair loss.



If men have more hair loss or hair loss in a place different than shown above, minoxidil topical solution USP 5% may not work.

72*90mm

TOPICAL SOLUTION



Minoxidil 5%

Hair regrowth treatment

Hair Growth Serum Roll-on

EXTRA STRENGTH FOR MEN
REACTIVATES HAIR FOLLICLES
FOR EXTERNAL USE ONLY
NOT FOR USE BY WOMEN

30 ml/1.01 fl.oz

28*28*135mm

DRUG FACTS

ACTIVE INGREDIENT PURPOSE

Minoxidil 5% w/v.
... Hair regrowth treatment for men

USES:
to regrow hair on the top of the scalp (vertex only, see pictures on side of this carton)

WARNINGS:
For external use only. For use by men only.
Flammable. Keep away from fire or flame

DO NOT USE:


- You are a woman
- Your amount of hair loss is different than that shown on the side of this carton or your hair loss is on the front of the scalp. Minoxidil topical solution 5% is not intended for frontal baldness or receding hairline.
- You have no family history of hair loss
- Your hair loss is sudden and/or patchy
- You do not know the reason for your hair loss
- You are under 18 years of age. Do not use on babies and children.
- Your scalp is red, inflamed, infected, irritated, or painful
- You use other medicines on the scalp

Ask a doctor before use if you have heart disease

When using this product

- do not apply on other parts of the body
- avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water
- some people have experienced changes in hair color and/or texture
- it takes time to regrow hair. Results may occur at 2 months with twice a day usage. For some men, you may need to use this product for at least 4 months before you see results.
- the amount of hair regrowth is different for each person. This product will not work for all men

TOPICAL SOLUTION



Minoxidil 5%

Hair regrowth treatment

Hair Growth Serum Roll-on

EXTRA STRENGTH FOR MEN
REACTIVATES HAIR FOLLICLES
FOR EXTERNAL USE ONLY
NOT FOR USE BY WOMEN

30 ml/1.01 fl.oz

DRUG FACTS (Continued)

Stop use and ask a doctor if

- chest pain, rapid heartbeat, faintness, or dizziness occurs
- sudden, unexplained weight gain occurs
- your hands or feet swell
- scalp irritation or redness occurs
- unwanted facial hair growth occurs
- you do not see hair regrowth in 4 months

May be harmful if used when pregnant or breast-feeding. Keep out of reach of children.
If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222)

Directions

- Apply 1 mL directly with roll-on applicator 2 times a day onto the scalp in the hair loss area.
- using more or more often will not improve results
- continued use is necessary to increase and keep your hair regrowth or hair loss will begin again

Other information

- see hair loss pictures on side of this carton
- before use, read all information on carton and enclosed booklet
- keep the carton. It contains important information.
- hair regrowth has not been shown to last longer than 48 weeks in large clinical trials with continuous treatment with 5% minoxidil topical solution for men
- In clinical studies with mostly white men aged 18-49 years with moderate degrees of hair loss, 5% minoxidil topical solution for men provided more hair regrowth than 2% minoxidil topical solution
- store at controlled room temperature 20° to 25° C (68° to 77° F)

Inactive ingredients


- alcohol, propylene glycol, purified water

Questions?
Growth@666@outlook.com

Manufactured by:
Yanbo (Guangzhou) Biotechnology Co., Ltd.
Room D7427, Floors 6-7, Building I No. 6 Heliang Yihang Road, Heilun, Helong Street, Baiyun District Guangzhou, Guangdong 510425 China

Distributed by:
FiasDa Inc.
1624 Market St Ste 226, #30327
Denver CO 80202 USA

Minoxidil topical solution USP 5% is for men who have a general thinning of hair on the top of the scalp (vertex only, as shown below). Not intended for frontal baldness or a receding hairline. Minoxidil topical solution USP 5% has been shown to regrow hair in men with the following degrees of thinning hair or hair loss.



If men have more hair loss or hair loss in a place different than shown above, minoxidil topical solution USP 5% may not work.

72*90mm

TOPICAL SOLUTION



Minoxidil 5%

Hair regrowth treatment

Hair Growth Serum Roll-on

EXTRA STRENGTH FOR MEN
REACTIVATES HAIR FOLLICLES
FOR EXTERNAL USE ONLY
NOT FOR USE BY WOMEN

30 ml/1.01 fl.oz

28*28*135mm

DRUG FACTS

ACTIVE INGREDIENT PURPOSE

Minoxidil 5% w/v
...Hair regrowth treatment for men

USES:
To regrow hair on the top of the scalp (vertex only, see pictures on side of this carton)

WARNINGS:
For external use only. For use by men only.
Flammable. Keep away from fire or flame

DO NOT USE:

- You are a woman
- Your amount of hair loss is different than that shown on the side of this carton or your hair loss is on the front of the scalp. Minoxidil topical solution 5% is not intended for frontal baldness or receding hairline.
- You have no family history of hair loss
- Your hair loss is sudden and/or patchy
- You do not know the reason for your hair loss
- You are under 18 years of age. Do not use on babies and children.
- Your scalp is red, inflamed, infected, irritated, or painful
- You use other medicines on the scalp

Ask a doctor before use if you have heart disease

When using this product

- Do not apply on other parts of the body
- Avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water
- Some people have experienced changes in hair color and/or texture
- It takes time to regrow hair. Results may occur at 2 months with twice a day usage. For some men, you may need to use this product for at least 4 months before you see results.
- The amount of hair regrowth is different for each person. This product will not work for all men

TOPICAL SOLUTION



Minoxidil 5%

Hair regrowth treatment

Hair Growth Serum Roll-on

EXTRA STRENGTH FOR MEN
REACTIVATES HAIR FOLLICLES
FOR EXTERNAL USE ONLY
NOT FOR USE BY WOMEN

30 ml/1.01 fl.oz

DRUG FACTS (Continued)

Stop use and ask a doctor if

- chest pain, rapid heartbeat, faintness, or dizziness occurs
- sudden, unexplained weight gain occurs
- your hands or feet swell
- scalp irritation or redness occurs
- swollen facial hair growth occurs
- you do not see hair regrowth in 4 months

May be harmful if used when pregnant or breast-feeding. Keep out of reach of children.
If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- Apply 1 mL directly with roll-on applicator 2 times a day onto the scalp in the hair loss area.
- Using more or more often will not improve results
- continued use is necessary to increase and keep your hair regrowth or hair loss will begin again

Other information

- see hair loss pictures on side of this carton
- before use, read all information on carton and enclosed booklet
- keep the carton. It contains important information.
- hair regrowth has not been shown to last longer than 48 weeks in large clinical trials with continuous treatment with 5% minoxidil topical solution for men
- In clinical studies with mostly white men aged 18-49 years with moderate degrees of hair loss, 5% minoxidil topical solution for men provided more hair regrowth than 2% minoxidil topical solution
- store at controlled room temperature 20° to 25° C (68° to 77° F)

Inactive ingredients


- alcohol, propylene glycol, purified water

Questions?
Growth@666@outlook.com

Manufactured by:
Yanbo (Guangzhou) Biotechnology Co., Ltd.
Room D7427, Floors 6-7, Building I No. 6 Heping Yibang Road, Heilun, Heilong Street, Baiyun District, Guangzhou, Guangdong 510425, China

Distributed by:
FiasDa Inc.
1624 Market St Ste 226, #30327
Denver CO 80202 USA

Minoxidil topical solution USP 5% is for men who have a general thinning of hair on the top of the scalp (vertex only, as shown below). Not intended for frontal baldness or a receding hairline. Minoxidil topical solution USP 5% has been shown to regrow hair in men with the following degrees of thinning hair or hair loss.



If men have more hair loss or hair loss in a place different than shown above, minoxidil topical solution USP 5% may not work.

72*90mm

TOPICAL SOLUTION



Minoxidil 5%

Hair regrowth treatment

Hair Growth Serum Roll-on

EXTRA STRENGTH FOR MEN
REACTIVATES HAIR FOLLICLES
FOR EXTERNAL USE ONLY
NOT FOR USE BY WOMEN

30 ml/1.01 fl.oz

HAIR GROWTH SERUM ROLL-ON

minoxidil liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:85524-2625
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MINOXIDIL (UNII: 5965120SH1) (MINOXIDIL - UNII:5965120SH1)	MINOXIDIL	5 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
ALCOHOL (UNII: 3K9958V90M)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	

Product Characteristics

Color	white	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:85524-2625-2	1 in 1 BOX	04/03/2026	
1	NDC:85524-2625-1	30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA075438	04/03/2026	

Labeler - FlexiGo Inc (118951527)

Establishment

Name	Address	ID/FEI	Business Operations
FlexiGo Inc		118951527	label(85524-2625) , manufacture(85524-2625)

Revised: 4/2026

FlexiGo Inc