O2 BUBBLE PACK WASH- dimethicone liquid Seindni Co.,ltd

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

ACTIVE INGREDIENT

Active Ingredients: Dimethicone 1%

INACTIVE INGREDIENT

Inactive Ingredients:

Water,Sodium Laureth Sulfate,Cocamidopropyl,Betaine,Disodium Cocoamphodipropionate,PEG-7 Glyceryl Cocoate,Acrylates Copolymer,Acrylates/Beheneth-25 Methacrylate Copolymer,Methyl Perfluorobutyl Ether,Methyl Perfluoroisobutyl Ether,Polyhydroxystearic Acid,Ethylhexyl Isononanoate,Sodium Cocamidopropyl PG-Dimonium Chloride Phosphate,Isononyl Isononanoate,Snail Secretion Filtrate, Glycerin,Psidium Guajava Fruit Extract,Litchi Chinensis Fruit Extract,Mangifera Indica (Mango) Fruit Extract, Citrus Paradisi (Grapefruit) Fruit Extract,Nephelium Lappaceum Extract,Carica Papaya (Papaya) Fruit Extract,Fragrance,Potassium Alum,Pearl Powder,Xanthan Gum,Potassium Hydroxide,Trisodium EDTA, Papain,Methylchloroisothiazolinone,Methylisothiazolinone

PURPOSE

Purpose: Skin Protectant

WARNINGS

Warning:

1. In case of having following symptoms after using this, you're advised to stop using it immediately. If you keep using it, the symptoms will get worse and need to consult a dermatologist. 1) In case of having problems such as red rash, swollenness, itching, stimulation during usage. 2) In case of having the same symptoms above on the part you put this product on by direct sunlight. 2. you are banned to use it on the part where you have a scar, eczema, or dermatitis. 3. In case of getting it into your eyes, you have to wash it immediately.

KEEP OUT OF REACH OF CHILDREN

Keep out of reach of Children: Keep out of reach of babies and children

INDICATIONS AND USAGE

Indication and Usage: After cleansing, pump three times and roll on the dry face avoiding eye area. Rinse off with lukewarm water after 5 minutes.

DOSAGE AND ADMINISTRATION

Dosage and Administration : Take an adequate amount of this product.

PACKAGE LABEL.PRINCIPAL DISPLAY PANEL

O₂ Bubble Pack Wash

산소버블워시

젤상의 클렌징 성분이 공기와 만나 부드럽고 미세한 산소거품을 발생시켜 피부를 투명하고 생기 있게 가꾸어 주며 노폐물을 말끔히 제거해 줍니다

ジェル状のクレンジングが自然発 し、豊かな泡で 毛穴の奥の汚れや黒ずみ・過剰な脂をしっかり落と します。ソフトな洗い心地でお肌に潤いを与え、肌 荒れを防ぎます。

[Purpose] Skin Protectant Indication & Usage]

After cleansing, pump three times and roll on the dry face avoiding eye area, Rinse off with lukewarm water after 5

minutes [Dosage & Administration] Take an adequate amount of this product

사용방법: 세안 후, 물기가 없는 상태에서 3회정도 평평 하여 눈가를 제외한 얼굴 전체에 도톰하게 도포하고 5 분 정도 경과후 미온수로 헹구어 줍니다.

使用方法 1本品を手のひらに適量(3ブッシュくらい)とり 顔全体を覆うように塗ります。2. しばらくすると泡が出てく るので、くるくるとマッサージの要領で洗顔、そのあと充分 にすすいでください。 3.毛穴の汚れや開き・脂が気になる部分には、泡が出たの

ち5分ほど置いてから洗い流すとより効果的です。臭いが気 になる方には首裏までお使いいただけます。

※본 제품에 이상이 있을 경우 공정거래 위원회 고시 물목별 "소비자 분쟁해결 기준"에 의해 보상해 드립 니다.(소비자)분당盐:070-7591-7901) 제조년월일:별도표기

제조업자: (주)미코스텍 경기도 평택시 세교산단로 68-23 제조판매업자: (주)세인디앤이이 서울특별시 구로구 구일로8길6,1503 TEL:070-7504-7992 / http://www ww.askindr.com MADE IN KOREA



(사용시의 주의사항)

(사용시의 주의사항) 1) 화점등을 사용하여 다음과 같은 이상이 있는 경우에는 사용을 ਨ시 하여야 하며, 계속 사용하면 증심이 약희되므로 피부과 전분의 등에게 상당했고 가) 사용 중 붉은 반형, 부아가로 가입을은, 자극들이상이 있는 분위 나 다형 목위가 지유권에 의하여 위와 같은 이상이 있는 경우 1가 성용 위가 지유권에 의하여 위와 같은 이상이 있는 감우 1가 성용 위가 지유권에 의하여 위와 같은 이상이 있는 감우 1가 성용 위가 지유권에 의하여 위와 같은 이상이 있는 감우 2가 상용가 위가 지유권에 의하여 위와 감은 이상이 있는 감우 2가 나용 위가 지유권에 의해 신유가 지유권에 나온 가용으로 관리하기 불량 수 있는 있는 시 산에 의사의 관계 신용 취하는 나용 가 소리면 손이 넣지 같은 곳에는 보관하지 말 것 최처음 평생지 나동물이 나오는데 시간이 다소 걸릴 수 있으며 체측에 단국가 있는 것은 이나로 전하려고 사용하여도 됩니다. 최처용 환자가 이는 것은 이나로 전하려고 사용하여도 됩니다. 최처용 문자가 있는 것은 이나로 관하려고 사용하여도 됩니다. 최처용 환자가 이는 것은 이나로 관하여 주세요. '2004년'

(건성분) 정정수, 소통리우려스섬페이트, 코카미드프로휠베타인, 디소동 코코업오디프로피오네이트, 페이자-가급리세별코코에이트, 크리이트프로리아, 메일퍼트로리아, 미일걸에드, 프레에스-2018년 크레이트프로리아, 메월퍼북우으로부당에당, 예절퍼블우오코이스부당에당, 프리하이 도록시스티아에서씨드, 예절적별스타스노나에이트, 소통고카미드 로록에스테아에, 이행적별스타스노나에에는 소통고카미드 고로함마(감석에 가내, 미계주속물, 리카의 것입에(감석에 가내, 리미부수, 귀비하, 귀비하, 귀하 것입에, 감석에 가내, 리미부수, 귀비하, 귀비하, 귀하 가득 리그슈트이디드에이, 정로, 메월글로로이소치이슬리는, 마탈이소 치이슬리는

O2 Bubble Pack Wash カタツムリ分泌液 配合

(保湿成分)



산소버블워시

달팽이점액여과물함유 Snail extract for moisturising

of your skin. FOR ALL SKIN TYPES / 100 mL



(Warning)

(Naming) 1, in case of having tallowing symptoms after using this, you're adveed to stop using it immediately, it you keep using it, the symptoms will get worke and need to consult a dematiologial. 1) in case of having problems such as red rash valenterss, itching, simulation during usage. 2) in case of having the same symptoms above on the part you of this product on by direct sunfahr 2, you are barned to use it on the part where you have a scar, eccema, or dematifs. 3. In case of getting it into your eyes, you have to wash it immediately. [Veep out of reach of Children] Keep out of reach of babies and children

Active Ingredient: Dimethicone 1%

Ache Inprodient: Dimethicone 1% (indexie Ingredientis) Water-Sodium Laureh Sulate Cocamidopropy, Betaine, Disodium Cocamindorizoporate, PISG-7 Orycenyl. Occade Acrylates Copolymer, Acrylates/Behenelh-25Methiacrylate. Copolymer, Methyl Perflurobulyl Ehner, Methyl Perflurosisobulyl Ehner, Polymatorsystemic Aod, Ehnylewyl Isononnoste, Sodium Cocamidopropyl PG-Dimonium Chloride Phosphafe, Isonomyl Isononanola: Synal Severition Filter, Gyverin Politika Guyanya Fruit Extract. Litch: Chinensis Fruit Extract, Mangilera Indica Merago Fruit Extract, Clinus Parasidi (Grageful) Prili Extract, Nephelium Lappaceum Extract/Carica Parasigi (Papava) Fruit Extract, Fingerince, Publissium Alum, Pearl Powder, Xanthen Gum, Polessium Hydroxide, Tisodium EDIA, Ropain, Methylchlorosom triazolinone, Methylsothiazolinone



O2 BUBBLE PACK WA	SH					
dimethicone liquid						
Product Information						
Product Type	HUMAN OTC DRUG	Item Code (Source)		NDC:	NDC:69072-030	
Route of Administration	TOPICAL					
Active Ingredient/Active Mo	iety					
Ingredient Name			Basis of Strength		Strength	
Dimethicone (UNII: 92RU3N3Y1O) (DIMETHICONE - UNII:92RU3N3Y1O)			Dimethicone		1 mg in 100 mL	
Inactive Ingredients						
Ingredient Name				Strength		
Water (UNII: 059QF0KO0R)						
Betaine (UNII: 3SCV180C9W)						
Packaging						

# Item Code	Package Description	Marketing Start Date	Marketing End Date			
1 NDC:69072-030-01	DC:69072-030-01 100 mL in 1 CARTON; Type 0: Not a Combination Product					
Marketing Information						
Marketing Info	ormation					
Marketing Info Marketing Category		Marketing Start Date	Marketing End Date			
0	Application Number or Monograph Citation	Marketing Start Date 06/01/2014	Marketing End Date			

Labeler - Seindni Co.,ltd (557837682)

Registrant - Seindni Co., ltd (557837682)

Establishment

Name	Address	ID/FEI	Business Operations
PICOSTECH Co.,Ltd.		557816754	manufacture(69072-030)

Revised: 12/2018

Seindni Co.,ltd