

**ANZOON ANTIBACTERIAL MOUTH WASH- cetylpyridinium chloride liquid  
Shandong AZC Biotechnology Co.,Ltd.**

-----  
**anzoon ANTIBACTERIAL MOUTH WASH**

**Active ingredient**

Cetylpyridinium Chloride 0.027%

**Purpose**

Oral Antibacterial

**Uses**

Antigingivitis, Antiplaque, Anti-caries

**Warnings**

For external use only

**When using this product**

Avoided in: 1 Thyroid disorders 2. Pregnant/Breastfeeding

Used only upon advice by healthcare professional

**Stop use and ask a doctor**

Stop use and ask a doctor if irritation or rash appears and lasts.

**Keep out of reach of children**

If swallowed, get medical help, or contact a Poison Control Center right away.

**Directions**

1. Pour the ansoon Gargle & Mouthwash into the cup 20 ml
2. Swish part of the solution briefly in mouth and spit it out
3. Tilt head back, gargle for 30 seconds at the throat and spit it out
4. Repeated every two to four hours or as directed

**Inactive ingredients**

Water, sorbitol, Potassium Sorbate, Sodium Benzoate, Xylitol, Menthol, Pomegranate Extract

## Other information

Store between 15-30 °C(59-86°F)

Do not store above 100 °F(43°C)

## Label

anzoon®

ANTIBACTERIAL MOUTHWASH

NO ALCOHOL / MEDICINES / CHX

ICE COFFEE 300ml

Halal Certification Services Company (HCS) HALAL

anzoon®

ANTIBACTERIAL MOUTHWASH

NO ALCOHOL / MEDICINES / CHX

MINT 300ml

Halal Certification Services Company (HCS) HALAL

### ANZOOON ANTIBACTERIAL MOUTHWASH

#### Drug Facts

##### Active ingredient (in each dosage unit)

Cetylpyridinium Chloride 0.027%/w/w

##### Uses

Antigingivitis, Antiplaque, Anti-carries

##### Purpose

Oral Antibacterial

##### Warnings

For external use only When using this product  
 Avoided in:1. Thyroid disorders 2. Pregnant / Breastfeeding  
 \* Used only upon advice by healthcare professional

Stop use and ask a doctor if irritation or rash appears and lasts.  
 Keep out of reach of children. If swallowed, get medical help, or contact a  
 Poison Control Center right away.

##### Directions

- 1.Pour the anzoon Gargle & Mouthwash into the cup 20ml
- 2.Swish part of the solution briefly in mouth and spit it out
- 3.Tilt head back, gargle for 30 seconds at the throat and spit it out
- 4.Repeat every two to four hours or as directed

##### Inactive ingredients

Water, Sorbitol, Potassium Sorbate, Sodium Benzoate, Xylitol, Menthol, Pomegranate Extract.

##### Other information

- Store between 15-30 °C(59-86°F)
- Do not store above 100 °F(43°C)

##### Questions?

SDAZCSWKJ@126.com

SHANDONG AZC BIOTECHNOLOGY CO.,LTD

### ANZOOON ANTIBACTERIAL MOUTHWASH

#### Drug Facts

##### Active ingredient (in each dosage unit)

Cetylpyridinium Chloride 0.027%/w/w

##### Uses

Antigingivitis, Antiplaque, Anti-carries

##### Purpose

Oral Antibacterial

##### Warnings

For external use only When using this product  
 Avoided in:1. Thyroid disorders 2. Pregnant / Breastfeeding  
 \* Used only upon advice by healthcare professional

Stop use and ask a doctor if irritation or rash appears and lasts.  
 Keep out of reach of children. If swallowed, get medical help, or contact a  
 Poison Control Center right away.

##### Directions

- 1.Pour the anzoon Gargle & Mouthwash into the cup 20ml
- 2.Swish part of the solution briefly in mouth and spit it out
- 3.Tilt head back, gargle for 30 seconds at the throat and spit it out
- 4.Repeat every two to four hours or as directed

##### Inactive ingredients

Water, Sorbitol, Potassium Sorbate, Sodium Benzoate, Xylitol, Menthol, Pomegranate Extract.


##### Other information

- Store between 15-30 °C(59-86°F)
- Do not store above 100 °F(43°C)

##### Questions?

SDAZCSWKJ@126.com

SHANDONG AZC BIOTECHNOLOGY CO.,LTD



## anzoon ANTIBACTERIAL MOUTHWASH

### Drug Facts

#### Active ingredient (in each dosage unit)

Cetylpyridinium Chloride 0.027%w/w

#### Uses

Antigingivitis, Antiplaque, Anti-caries

#### Purpose

Oral Antibacterial

#### Warnings

For external use only When using this product  
 Avoided in: 1. Thyroid disorders 2. Pregnant / Breastfeeding  
 \* Used only upon advice by healthcare professional

Stop use and ask a doctor if irritation or rash appears and lasts.  
 Keep out of reach of children. If swallowed, get medical help, or contact a  
 Poison Control Center right away.

#### Directions

1. Pour the anzoon Gargle & Mouthwash into the cup 20ml  
 2. Swish part of the solution briefly in mouth and spit it out  
 3. Tilt head back, gargle for 30 seconds at the throat and spit it out  
 4. Repeat every two to four hours or as directed

#### Inactive ingredients

Water, Sorbitol, Potassium Sorbate, Sodium Benzoate, Xylitol, Menthol, Pomegranate Extract.

#### Other information

• Store between 15-30 °C (59-86°F)  
 • Do not store above 100 °F (43°C)

#### Questions?

SDAZCSWKJ@126.com

SHANDONG AZC BIOTECHNOLOGY CO.,LTD

## ANZOON ANTIBACTERIAL MOUTH WASH

cetylpyridinium chloride liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:87638-002
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>CETYLPIRIDINIUM CHLORIDE</b> (UNII: D9OM4SK49P) (CETYLPIRIDINIUM - UNII: CUB7J10JV3)	CETYLPIRIDINIUM CHLORIDE	0.027 g in 100 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZ Z4)	
<b>MENTHOL</b> (UNII: L7T10EIP3A)	
<b>POMEGRANATE</b> (UNII: 56687D1Z 4D)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SORBITOL</b> (UNII: 506T60A25R)	
<b>XYLITOL</b> (UNII: VCQ006KQ1E)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	

### Packaging

Marketing Start      Marketing End

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:87638-002-01	10 mL in 1 BOTTLE; Type 0: Not a Combination Product	04/28/2026	
2	NDC:87638-002-02	15 mL in 1 BOTTLE; Type 0: Not a Combination Product	04/28/2026	
3	NDC:87638-002-03	60 mL in 1 BOTTLE; Type 0: Not a Combination Product	04/28/2026	
4	NDC:87638-002-04	100 mL in 1 BOTTLE; Type 0: Not a Combination Product	04/28/2026	
5	NDC:87638-002-05	260 mL in 1 BOTTLE; Type 0: Not a Combination Product	04/28/2026	
6	NDC:87638-002-06	300 mL in 1 BOTTLE; Type 0: Not a Combination Product	04/28/2026	
7	NDC:87638-002-07	500 mL in 1 BOTTLE; Type 0: Not a Combination Product	04/28/2026	
8	NDC:87638-002-08	1000 mL in 1 BOTTLE; Type 0: Not a Combination Product	04/28/2026	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M021	04/28/2026	

**Labeler** - Shandong AZC Biotechnology Co.,Ltd. (844599612)

## Establishment

Name	Address	ID/FEI	Business Operations
Shandong AZC Biotechnology Co.,Ltd.		844599612	manufacture(87638-002)

Revised: 4/2026

Shandong AZC Biotechnology Co.,Ltd.