

**NUPHARMISTO NUMBMD 5% LIDOCAINE CREAM- lidocaine 5% cream**  
**EveryMarket Inc**

-----  
**Nupharmisto NumbMD 5% Lidocaine cream-185**

Lidocaine 5%

Local Anorectal

(hemorrhoidal)

Abestgetuc

- For the temporary relief of local itching and discomfort associated with anorectal disorders.
- For the temporary relief of pain, burning and soreness.

**For external use only**

- If condition worsens or does not improve within 7 days, consult a doctor.
- Do not exceed the recommended daily dosage, unless directed by a doctor.
- In case of bleeding, consult a doctor promptly.
- Do not put this product into the rectum by using fingers or any mechanical device or applicator.

**Stop and ask a doctor if**

- an allergic reaction occurs.
- symptom does not improve or if redness, irritation, swelling, pain or other symptom develop or increase.

**If pregnant or breast-feeding**, ask a health professional before use.

In case of accidental ingestion, seek medical advice immediately or contact a Poison Control Center right away. (1-800-222-1222)

- Adults: when practical, cleanse the affected area with mild soap and warm water and rinse thoroughly. Gently dry by patting or blotting with toilet tissue or a soft cloth before application of this product.
- Apply to the affected area up to 6 times daily.
- Children under 12 years of age: consult a doctor.

Store at room temperature 59°-86°F (15°-30°C). Keep away from direct sunlight or heat.

Benzyl Alcohol, Carbomer, Cholesterol, DL ALPHA Tocopheryl Acetate, Hydrogenated Lecithin, Isopropyl Myristate, Polysorbate 80, Propylene Glycol, Triethanolamine, Water

Contact us at

Service@nupharmisto.com

Tel: (816)341-4302

Nupharmisto

# NumbMD

## LIDOCAINE CREAM

Anorectal (hemorrhoidal)

**5% LIDOCAINE**  
**MAX STRENGTH**

TARGETED RELIEF

CHILD RESISTANT PACKAGING

Net Wt. 2.82 oz (80 g)

Note: Results may vary depending on temperature and individual skin types. A patch test is recommended before use.

**SCAN ▶**

For Key Points  
You should know  
Before Using



### DRUG FACTS

Active Ingredient	Purpose
Lidocaine 5% .....	Local Anorectal (hemorrhoidal) Anesthetic

#### Uses

- For the temporary relief of local itching and discomfort associated with anorectal disorders.
- For the temporary relief of pain, burning and soreness.

#### Warnings

##### (For external use only)

- If condition worsens or does not improve within 7 days, consult a doctor.
- Do not exceed the recommended daily dosage, unless directed by a doctor.
- In case of bleeding, consult a doctor promptly.
- Do not put this product into the rectum by using fingers or any mechanical device or applicator.

#### Stop and ask a doctor if

- an allergic reaction occurs.
- symptom does not improve or if redness, irritation, swelling, pain or other symptom develop or increase.

If pregnant or breast-feeding, ask a health professional before use.

**Keep out of reach of children.** In case of accidental ingestion, seek medical advice immediately or contact a Poison Control Center right away. (1-800-222-1222)

### DRUG FACTS (Continued)

#### Directions

- Adults: When practical, cleanse the affected area with mild soap and warm water and rinse thoroughly. Gently dry by patting or blotting with toilet tissue or a soft cloth before application of this product.
- Apply to the affected area up to 6 times daily.
- Children under 12 years of age: consult a doctor.

#### Other Information

Store at room temperature 59°-86°F (15°-30°C). Keep away from direct sunlight or heat.

#### Inactive Ingredients

Benzyl Alcohol, Carbomer, Cholesterol, DL ALPHA Tocopheryl Acetate, Hydrogenated Lecithin, Isopropyl Myristate, Polysorbate 80, Propylene Glycol, Triethanolamine, Water

#### Questions or comments?

Contact us at  
service@nupharmisto.com.  
Tel: (816) 341-4302

DISTRIBUTED BY:  
EVERYMARKET INC,  
O'Fallon, MO 63366

Made in China

## NUPHARMISTO NUMBMD 5% LIDOCAINE CREAM

lidocaine 5% cream

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:85833-003
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	4 g in 80 g

### Inactive Ingredients

Ingredient Name	Strength
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
CARBOMER (UNII: 0A5MM307FC)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
CHOLESTEROL (UNII: 97C5T2UQ7J)	

<b>TRIETHANOLAMINE</b> (UNII: 9O3K93S3TK)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>POLYSORBATE 80</b> (UNII: 6OZP39ZG8H)	
<b>LECITHIN, SOYBEAN</b> (UNII: 1DI56QDM62)	
<b>.ALPHA.-TOCOPHEROL ACETATE, DL-</b> (UNII: WR1WPI7EW8)	

<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:85833-003-01	80 g in 1 CARTON; Type 0: Not a Combination Product	05/19/2026	

<b>Marketing Information</b>			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	05/19/2026	

**Labeler** - EveryMarket Inc (079730558)