NIGHTTIME SLEEP AID- diphenhydramine hydrochloride liquid fred's, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Nighttime Sleep Aid

Drug Facts

Active ingredient (in each 30 mL or 2 tables poons)

Diphenhydramine HCl 50 mg

Purpose

Nighttime sleep-aid

Uses

- for the relief of occasional sleeplessness
- reduces time to fall asleep if you have difficulty falling asleep

Warnings

Do not use

- for children under 12 years of age
- with any other product containing Diphenhydramine, even one used on skin
- with other drugs that cause drowsiness such as antihistamines and nighttime cold/flu products

Ask a doctor before use if you have

- a breathing problem such as asthma, emphysema, or chronic bronchitis
- glaucoma
- difficulty in urination due to enlargement of the prostate gland
- heart disease

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers or any other sleep aid

When using this product

- avoid alcoholic beverages and other drugs that cause drowsiness
- drowsiness will occur
- be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if

sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of serious underlying medical illness.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning

Taking more than directed can cause serious health problems. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- take only one dose per day (24 hours) see Overdose warning
- use dose cup or tablespoon

One Dose = 30 mL (2 tablespoons) at bed time if needed or as directed by a doctor

Other information

- each 30 mL dose (2 tables poons) contains: sodium 21 mg
- store at room temperature
- protect from light. Does not meet USP <671>.

Inactive ingredients

citric acid, ethyl alcohol, FD&C blue #1, FD&C red #40, flavors, glycerin, purified water, saccharin sodium, sodium benzoate, sodium citrate, sorbitol

Questions?

1-732-249-6363

DISTRIBUTED BY: fred's, Inc. 4300 NEW GETWELL RD, MEMPHIS, TN 38118

PRINCIPAL DISPLAY PANEL - 177 mL Bottle Label

NDC 55315-003-12 $fred's^{\$}$

Warming Berry Flavor

Nighttime Sleep-Aid

Diphenhydramine HCl

Non-Habit Forming Not for treating Cold or Flu

Alcohol 10%

See Warnings

6 FL OZ (177 mL)

fred's LAB TESTED Lab Tested for Quality

Fred Tested for Satisfaction

Compare To Vicks ZzzQuil®*





This product is not manufactured by or distributed by Proctor & Gamble owner of the registered trademark ZzzQuil

Drug Facts (continued)

such as antihistamines and nighttime cold/flu products

Ask a doctor before use if you have

- a breathing problem such as asthma, emphysema, or chronic bronchitis
- glaucoma
- difficulty in urination due to enlargement of the prostate gland
- heart disease

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers or any other sleep aid

When using this product

- avoid alcoholic beverages and other drugs that cause drowsiness
- drowsiness will occur
- · be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if

sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of serious underlying medical illness.

Drug Facts (continued)

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning: Taking more than directed can cause serious health problems. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- take only one dose per day (24 hours) -
- see Overdose warning
- use dose cup or tablespoon

adults & children 12 yrs & over

One Dose = 30 mL (2 tablespoons) at bed time if needed or as directed by a doctor

Drug Facts (continued)

Other information

- each 30 mL dose (2 tablespoons) contains:
- sodium 21 mg
- store at room temperature
- protect from light. Does not meet USP <671>.

Inactive ingredients

citric acid, ethyl alcohol, FD&C blue #1, FD&C red #40, flavors, glycerin, purified water, saccharin sodium, sodium benzoate, sodium citrate, sorbitol

Questions? 1-732-249-6363

NIGHTTIME SLEEP AID

diphenhydramine hydrochloride liquid

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55315-003
Route of Administration	ORAL		

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
1 J J 1 J	Diphenhydramine Hydro chlo ride	50 mg in 30 mL		

Inactive Ingredients		
Ingredient Name	Strength	
Sodium Benzoate (UNII: OJ245FE5EU)		
Citric Acid Monohydrate (UNII: 2968 PHW8 QP)		
Sorbitol (UNII: 506T60A25R)		
Saccharin Sodium (UNII: SB8ZUX40TY)		
Alcohol (UNII: 3K9958V90M)		
FD&C RED NO. 40 (UNII: WZB9127XOA)		
Sodium Citrate (UNII: 1Q73Q2JULR)		
Glycerin (UNII: PDC6A3C0OX)		
FD&C Blue NO. 1 (UNII: H3R47K3TBD)		
Water (UNII: 059QF0KO0R)		

Product Characteristics		
Color	PURPLE (Dark)	Score
Shape		Size
Flavor	CHERRY, BERRY, STRAWBERRY	Imprint Code
Contains		

Packaging			
# Item Code	Package Description	Marketing Start Date	Marketing End Date
1 NDC:55315-003-12	177 mL in 1 BOTTLE, PLASTIC		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part338	10/23/2013	

Labeler - fred's, Inc. (005866116)

Registrant - davAgen Pharmaceutical, LLC (967545935)

Establishment			
Name	Address	ID/FEI	Business Operations
davAgen Pharmaceutical, LLC		967545935	MANUFACTURE(55315-003), PACK(55315-003), LABEL(55315-003), ANALYSIS(55315-003)

Revised: 12/2013 fred's, Inc.