# LIGHT THE WAY - hydroquinone lotion mybody

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

## LIGHT THE WAY

ACTIVE INGREDIENT HYDROQUINONE 2%

PURPOSE SKIN LIGHTENING

USE GRADUALLY AND EFFECTIVELY LIGHTENS DARK AREAS IN THE SKIN

**WARNINGS** 

FOR EXTERNAL USE ONLY

## DO NOT USE

- ON INFLAMED OR BROKEN SKIN.
- FOR THE PREVENTION OF SUNBURN.
- AS A SUNSCREEN.

## ASK A DOCTOR OR PHARMACIST BEFORE USE IF

- PREGNANT OR LACTATING.
- IN COMBINATION WITH PRODUCTS CONTAINING RESORCINOL, PHENOL, OR SALICYLIC ACID.
- BY CHILDREN UNDER THE AGE OF 12.

# STOP USE AND ASK A DOCTOR

- IF AREAS DARKEN OR BLUE-BLACK DARKENING OCCURS.
- MILD IRRITATION MAY OCCUR. IF IRRITATION BECOMES SEVERE, STOP USE AND CONSULT A DOCTOR.

KEEP OUT OF REACH OF CHILDREN \* IF SWALLOWED, GET MEDICAL HELP OR CONTACT A POISON CONTROL CENTER RIGHT AWAY.

## **DIRECTIONS**

- ADULTS ONLY
- PM: APPLY SIDE 1 HYDROQUINONE TO CLEAN SKIN. ALLOW TO DRY. NEXT APPLY SIDE 2 WITH RETINOL. ALLOW TO DRY. DAILY USE OF SUNSCREEN IS RECOMMENDED.
- FOR BEST RESULTS: APPLY MYBODY'S PROTECT AND SERVE SUN SHIELD SPF 30 (AM ONLY) WHEN USING LIGHT THE WAY.
- FOR SENSITIVE SKIN, TEST OVERNIGHT ON SMALL AREA (INSIDE ELBOW).
- IF NO IMPROVEMENT IS SEEN AFTER 3 MONTHS, DISCONTINUE USE. ON VERY DARK SKIN, LIGHTENING EFFECT MAY NOT BE NOTICEABLE.
- TO PREVENT DARKENING FROM REOCCURRING, USE A SUNSCREEN OR WEAR PROTECTIVE CLOTHING TO COVER TREATED SKIN DURING AND AFTER PRODUCT USE.

## OTHER INFORMATION

\* AVOID STORAGE AT EXTREME TEMPERATURES (BELOW 40°F AND ABOVE 100°F).

INACTIVE INGREDIENTS CHAMBER A: WATER, HEXYL LAURATE, GLYCERYL STEARATE SE, CETYL ALCOHOL, CAPRYLIC/CAPRIC TRIGLYCERIDE, STEARIC ACID,

BUTYROSPERMUM PARKII (SHEA BUTTER), GLYCERIN, CETETH-2, BEHENYL ALCOHOL, HYDROXYPROPYL STARCH PHOSPHATE, XANTHAN GUM, POTASSIUM HYDROXIDE, SODIUM SULFITE, FRAGRANCE, CAPRYLYL GLYCOL, PHENOXYETHANOL, CITRIC ACID, SODIUM METABISULFITE.

**QUESTIONS OR COMMENTS?** 

CALL 877.423.1314 \* WWW.LOVEMYBODY.COM

**MYBODY** 

LIGHT THE WAY

**BOOSTER PACK: HYPERPIGMENTATION** 

MYBOOSTER \* STEP 2



# LIGHT THE WAY®

2-in-1 Lightening Complex 2% Hydroquinone

mytreatment STEP 2 • AM / PM

# AGING ACNE

1 FL OZ US / 30 mL

Innovative dual anti-aging solution effectively combines 2% Hydroquinone with myR2X™Enhanced Retinol Complex to gradually lighten hyperpigmented skin and fade fine lines and wrinkles.

ACTIVE INGREDIENT: Hydroquinone 2% PURPOSE: Skin lightener

Application and Usage
Intended for mild to moderate hyperpigmentation. AM: Apply SIDE 1
Hydroquinone to clean skin. PM: Apply
SIDE 1 Hydroquinone to clean skin. Allow
to dry. Next apply SIDE 2 with Retinol.
Allow to dry. Daily use of sunscreen is
recommended.

WARNINGS: For external use only. Avoid contact with eyes. May cause mild skin irritation. If irritation becomes severe, stop use and consult a doctor. For adult use only. Keep out of reach of children.

Distributed by mybodye, LLC: Phoenix, AZ 85018 Made in the USA • 877.423.1314 www.lovemybody.com

### Drug Facts for LIGHT THE WAY

Active Ingredient Purpose Hydroquinone 2% Skin Lightening

USE Gradually and effectively lightens dark areas in the skin

...........

#### Warnings

Ask a doctor or pharmacist before use if • Pregnant or lactating, • In combination with products containing Resordanol, Phenol, or Salicylio Acid. • By children under the age of 12. Stop use and ask a doctor. • If areas derken or blue-black derkening occurs.

When using this product \* Avoid contact with eyes. \* Mild irritation may occur. If imitation becomes severe, stop use and consult a doctor. \* Limit sun exposure. \* For external use only. \* Keep out of reach of children. \* If swallowed get medical help or contact a poison control center immediately.

Do not use • on inflamed or broken skin. • For the prevention of sunburn. • As a sunscreen.

### Directions

 Adults Only \* PM: Apply SIDE 1 Hydroquinone to clean skin. Allow to dry. Next apply SIDE 2 with Refinol. Allow to dry. Daily use of sunscreen is recommended. \* For best results: apply mybody's PROTECT & SERVE Sun Shield SPE 30 (AM only) when using LIGHT THE WAY. \* For sensitive skin, test overnight on small area (nside elbow).
 If no improvement is seen after 3 months, discontinue use. On very dark skin, lightening effect may not be notocable. \* To prevent darkening from reoccurring, use a sunscreen or wear protective clothing to cover treated skin during and after product use.

### Other Information

Avoid storage at extreme temperatures (below 40° F and above 100° F).

Inactive Ingredients CHAMBER A: Water, Heryl Laurate, Glyceryl Stearate SE, Cetyl Alcohol, Caprylio! Caprio triglyceride, Stearic Acid, Butyrospermun Parkii (Shea Butter), Glycerin, Ceteth-2, Behenyl Alcohol, Hydroxypropyl Starch Phosphate, Xanthan Gum, Potassium Hydroxide, Sodium Sulfite, Fragrance, Caprylyl Glycol, Phenoxyethenol, Citino Acid, Sodium Metabisulfite.

### Questions or Comments?

Call 877.423.1314 • www.lovernybody.com

Inactive Ingredients CHAMBER B: Water, Glycerin, Glyceryl Stearate SE, C 12-15 Alkyl Benzoate, Carthamus Tinotorius (Safflower) Seed Oil, Butyrospermum Parkii (Shea. Butter), Dimethicone, Getyl Alcohol, Butylene glycol, Sucrose Dilaurate, Retinol, Glyceryl Diretinoate, Retinyl Palmitate, Myristoyl Nonapeptide-3, Camellia Sinensis Leaf Extract, Caffeine, Undecylencyl Phenylalanine, Pisumsativum (Pea) Extract, Tocopheryl Acetate, Allantoin, Panthenol, Safflower Acids, Cocoglycerides, Safflower Glycerides, Lysolecithin, Acetyl Carboxymethyl Cocoyl Glycine, Polysorbate 20, Cetearyl Alcohol, Ceteareth-20, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Xanthan Gum, Citric Acid, Polyglyceryl-10 Laurate, Polysorbate 80, Dimethylmethoxy Chromanyl Palmitate, Steareth-21, Steareth-20, Cetyl Dimethicone, Disodium EDTA, BHT, Tromethamine, Caprylyl Glycol, Phenoxyethanol, Fragrance.

NDC: 49620-201-51



# **LIGHT THE WAY®**

Booster Pack: HYPERPIGMENTATION

mybooster • STEP 2

# WHEN USING THIS PRODUCT

- AVOID CONTACT WITH EYES.
- LIMIT SUN EXPOSURE.

# LIGHT THE WAY

hydroquinone lotion

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:49520-201	
Route of Administration	TOPICAL			

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
HYDROQUINONE (UNII: XV74C1N1AE) (HYDROQUINONE - UNII:XV74C1N1AE)	HYDROQUINONE	2 g in 100 mL

Inactive Ingredients	
Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
GLYCERYL STEARATE SE (UNII: FCZ5MH785I)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
SHEA BUTTER (UNII: K49 155WL9 Y)	
GLYCERIN (UNII: PDC6A3C0OX)	
<b>CETETH-2</b> (UNII: 7H8 VAM7778)	
DOCOSANOL (UNII: 9G10E216XY)	
HYDROXYPROPYL CORN STARCH (5% SUBSTITUTION BY WEIGHT) (UNII: 9M44R3409A)	
XANTHAN GUM (UNII: TTV12P4NEE)	
POTASSIUM HYDROXIDE (UNII: WZH3C48M4T)	
SODIUM SULFITE (UNII: VTK01UQK3G)	
CAPRYLYL GLYCOL (UNII: 00 YIU5438 U)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
CITRIC ACID MO NO HYDRATE (UNII: 2968 PHW8 QP)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	

Packaging				
# Item Code	Package Description	Marketing Start Date	Marketing End Date	
1 NDC:49520-201-51	1 in 1 BOX			
1 NDC:49520-201-11	15 mL in 1 BOTTLE			

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph not final	part358 A	0 4/24/20 12		

# **Labeler** - mybody (004460532)

# Registrant - mybody (004460532)

Revised: 5/2012 mybody