

SPF-40 FACIAL MOISTURIZER- zinc oxide and titanium dioxide lotion
Mineral Fusion brands

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

SPF-40 facial moisturizer

DRUG FACTS

Provides broad-spectrum protection from the sun's damaging rays while moisturizers and peptides lend anti-aging benefits.

RECOMMENDED FOR

All skin types.

DIRECTIONS

Apply a liberal amount daily before sun exposure. Initial whiteness turns clear after application. Reapply every 2-3 hours to maintain protection.

USES

Helps prevent sunburn.

ACTIVE INGREDIENTS

7.5% Titanium Dioxide, 5.0% Zinc Oxide

INACTIVE INGREDIENTS

Water (Aqua), Aloe Barbadosensis Leaf Juice, Capric Caprylic Triglycerides, Ethylhexyl Palmitate, Glyceryl Stearate, Cetyl Dimethicone, Glycerin, Hexyl Laurate, Pollyglyceryl-4 Isostearate, Cetyl Alcohol, Simmondsia Chinensis (Jojoba) Seed Oil, Butyrospermum Parkii (Shea Butter), Panthenol, Magnesium Aspartate, Zinc Gluconate, Copper Gluconate (Copper Peptides), Pamitoyl Pentapeptide-4, Malachite Extract, Smithsonite Extract, Rhodochrosite Extract, Hematite Extract, Tocopherol Acetate, Allantoin, Sodium PCA, Soy Lecithin, Magnesium Aluminum Silicate, Camellia Sinensis (Green Tea) Extract, Sodium Hyaluronate, Calendula Officinalis Flower Extract, Ethylhexylglycerin, Phenoxyethanol

WARNING

For external use only.

Do not use in or near the eyes. If contact occurs, rinse thoroughly with water.

Mild skin irritation may occur. Stop use and ask a physician if irritation is severe.

Do not use on infants under 6 months old.

Keep out of reach of children. If swallowed, immediately get medical help or contact a Poison Control Center.

SUNBURN ALERT

Limiting sun exposure, wearing protective clothing, and using a sunscreen agent may reduce the risks of skin aging, skin cancer and other harmful effects of the sun.

Distributed By:

glōProfessional
Denver, CO 80223

PRINCIPAL DISPLAY PANEL - 60 mL Tube Carton

SUNSCREEN

glō•therapeutics

SPF 40 Facial

Mois turizer

7.5% Titanium Dioxide,
5% Zinc Oxide,
Peptides

FACIAL SUNSCREEN

SUNSCREEN

SPF 40 Facial Moisturizer

Provides broad-spectrum protection from the sun's damaging rays while moisturizers and peptides lend anti-aging benefits.

RECOMMENDED FOR:
All skin types.

DIRECTIONS: Apply a liberal amount daily before sun exposure. Initial whiteness turns clear after application. Reapply every 2-3 hours to maintain protection.

USES: Helps prevent sunburn.

DRUG FACTS:
ACTIVE INGREDIENTS:
7.5% Titanium Dioxide,
5.0% Zinc Oxide

INACTIVE INGREDIENTS: Water (Aqua), Aloe Barbadensis Leaf Juice, Capric Caprylic Triglycerides, Ethylhexyl Palmitate, Glycerol Stearate, Cetyl Dimethicone, Glycerin, Hexyl Laurate, Polyglyceryl-4 Isostearate, Cetyl Alcohol, Simmondsia Chinensis (Jojoba) Seed Oil, Butyrospermum Parkii (Shea Butter), Panthenol, Magnesium Aspartate, Zinc Gluconate, Copper Gluconate (Copper Peptides), Pamitoyl Pentapeptide-4, Malachite Extract, Smithsonian Extract, Rhodochrosite Extract, Hematite Extract, Tocopherol Acetate, Allantoin, Sodium PCA, Soy Lecithin, Magnesium Aluminum Silicate, Camellia Sinensis (Green Tea) Extract, Sodium Hyaluronate, Calendula Officinalis Flower Extract, Ethylhexylglycerin, Phenoxyethanol

WARNING: For external use only. Do not use in or near the eyes. If contact occurs, rinse thoroughly with water. Mild skin irritation may occur. Stop use and ask a physician if irritation is severe. Do not use on infants under 6 months old. Keep out of reach of children. If swallowed, immediately get medical help or contact a Poison Control Center.

SUNBURN ALERT: Limiting sun exposure, wearing protective clothing, and using a sunscreen agent may reduce the risks of skin aging, skin cancer and other harmful effects of the sun.

glō·therapeutics

SPF 40 Facial Moisturizer

7.5% Titanium Dioxide,
5% Zinc Oxide,
Peptides



Distributed By:
glōProfessional
Denver, CO 80223

Caleel-Hayden
Naritaweg 165 1043 BW
Amsterdam Nederland

MADE IN THE USA

www.gloprofessional.com

2.0 fl. oz. / 60 mL e

FACIAL SUNSCREEN



8 40749 00230 5

300155

SPF-40 FACIAL MOISTURIZER

zinc oxide and titanium dioxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55789-0101
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	5 g in 100 mL
Titanium dioxide (UNII: 15FIX9V2JP) (Titanium dioxide - UNII:15FIX9V2JP)	Titanium dioxide	7.5 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
ethylhexyl palmitate (UNII: 2865993309)	
glyceryl monostearate (UNII: 230OU9XXE4)	
cetyl dimethicone 25 (UNII: U4AS1BW4ZB)	
glycerin (UNII: PDC6A3C0OX)	
hexyl laurate (UNII: 4CG9F9W01Q)	
aloe vera leaf (UNII: ZY81Z83H0X)	
polyglyceryl-4 isostearate (UNII: 820DPX33S7)	
medium-chain triglycerides (UNII: C9H2L21V7U)	
cetyl alcohol (UNII: 936JST6JCN)	
shea butter (UNII: K49155WL9Y)	
panthenol (UNII: WV9CM0O67Z)	
magnesium aspartate (UNII: R17X820ROL)	
zinc gluconate (UNII: U6WSN5SQ1Z)	
jojoba oil (UNII: 724GKU717M)	
tocopherol (UNII: R0ZB2556P8)	
copper gluconate (UNII: RV823G6G67)	
hyaluronate sodium (UNII: YSE9PPT4TH)	
palmitoyl pentapeptide-4 (UNII: KK181SM5JG)	
ethylhexylglycerin (UNII: 147D247K3P)	
allantoin (UNII: 344S277G0Z)	
sodium pyrrolidone carboxylate (UNII: 469OTG57A2)	
lecithin, soybean (UNII: 1DI56QDM62)	
magnesium aluminum silicate (UNII: 6M3P64V0NC)	
green tea leaf (UNII: W2ZU1RY8B0)	
phenoxyethanol (UNII: HIE492ZZ3T)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55789-0101-1	60 mL in 1 TUBE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	12/10/2012	

Labeler - Mineral Fusion brands (831770032)

Revised: 4/2013

Mineral Fusion brands