

**MUCINEX FAST-MAX COLD, FLU AND SORE THROAT- acetaminophen,
guaifenesin tablet
RB Health (US) LLC**

Mucinex® Fast-Max®

Cold, Flu & Sore Throat

Drug Facts

**Active ingredients
(in each caplet)**

Acetaminophen 325 mg

Guaifenesin 200mg

**Active ingredients Purposes
(in each caplet)**

Acetaminophen 325 mg...Pain reliever/fever reducer

Guaifenesin 200mg.....Expectorant

Uses

- temporarily relieves these common cold and flu symptoms:
- minor aches and pains
- headache
- sore throat
- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily reduces fever

Directions

- **do not take more than directed (see Overdose warning)**
- do not take more than 12 caplets in any 24-hour period
- adults and children 12 years of age and older:
take 2 caplets every 4 hours
- children under 12 years of age: do not use

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning: Taking more than the recommended dose (overdose) may cause liver damage. In case of overdose, get medical help or contact a Poison Control Center right away. Quick

medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Warnings

Liver warning: This product contains acetaminophen.

Severe liver damage may occur if you take:

- more than 12 caplets in 24 hours, which is the maximum daily amount for this product
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks daily while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

Ask a doctor before use if you have

- liver disease
- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- cough that occurs with too much phlegm (mucus)

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin

When using this product do not use more than directed

Stop use and ask a doctor if

- pain or cough gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back or occurs with rash or headache that lasts. These could be signs of a serious condition

Other information

- store at 20-25°C (68-77°F)

Inactive ingredients

croscarmellose sodium, FD&C red no. 40 aluminum lake, FD&C yellow no. 6 aluminum lake, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone, talc, titanium dioxide

Questions?

1-866-MUCINEX (1-866-682-4639)

You may also report side effects to this phone number.

Dist. by: RB Health (US), Parsippany, NJ 07054-0224

PRINCIPAL DISPLAY PANEL - 20 Caplet Blister Pack Carton



FAST RELEASE CAPLETS



NEW FORMULA

MAXIMUM STRENGTH

NEW FORMULA

NEW FORMULA

NDC 72854-162-20


Mucinex®

FAST MAX®

COLD, FLU & SORE THROAT

Acetaminophen » Pain Reliever/Fever Reducer
Guaifenesin » Expectorant

- ✓ Reduces Fever
- ✓ Relieves Headache, Body Pain & Sore Throat
- ✓ Thins & Loosens Mucus



ACTUAL SIZE

20 CAPLETS

AGES 12+

Tamper evident:
Do not use if carton
is damaged or if
printed seal on
blister is broken or
missing.

how2recycle.info



Mucinex®
FAST MAX®

MAXIMUM STRENGTH

COLD, FLU & SORE THROAT

Maximum Strength per 4-hour dose

Do not take more than a total of 12 caplets in any 24-hour period.

Take only as directed.

Keep carton for full information.



Scan for FAQs and instructions on proper disposal of medicines or visit www.mucinex.com/FAQs
Please visit our website www.mucinex.com

MAXIMUM STRENGTH

NEW FORMULA

Drug Facts

**Active ingredients
(in each caplet)**

Purposes

Acetaminophen 325 mg...Pain reliever/fever reducer
Guaifenesin 200 mg.....Expectorant

Uses

- temporarily relieves these common cold and flu symptoms:
 - minor aches and pains
 - headache
 - sore throat
- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 12 caplets in 24 hours, which is the maximum daily amount for this product
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks daily while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

Ask a doctor before use if you have

- liver disease
- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- cough that occurs with too much phlegm (mucus)

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin

When using this product do not use more than directed

Stop use and ask a doctor if

- pain or cough gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days

Drug Facts (continued)

- redness or swelling is present
- new symptoms occur
- cough comes back or occurs with rash or headache that lasts. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning: Taking more than the recommended dose (overdose) may cause liver damage. In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- do not take more than directed (see Overdose warning)
- do not take more than 12 caplets in any 24-hour period
- adults and children 12 years of age and over: take 2 caplets every 4 hours
- children under 12 years of age: do not use

Other information

- store at 20-25°C (68-77°F)

Inactive ingredients

croscarmellose sodium, FD&C red no. 40 aluminum lake, FD&C yellow no. 6 aluminum lake, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone, talc, titanium dioxide

Questions? 1-866-MUCINEX (1-866-682-4639)



reckitt

Patents:
www.reckitt.com/patents

120424
3314881

Dist. by: RB Health (US)
Parsippany, NJ 07054-0224

©2024 RB Health

MUCINEX FAST-MAX COLD, FLU AND SORE THROAT

acetaminophen, guaifenesin tablet

Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:72854-162

Route of Administration	ORAL			
Active Ingredient/Active Moiety				
	Ingredient Name	Basis of Strength	Strength	
	ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg	
	GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	200 mg	
Inactive Ingredients				
	Ingredient Name	Strength		
	CROSCARMELOSE SODIUM (UNII: M28OL1HH48)			
	FD&C RED NO. 40 (UNII: WZB9127XOA)			
	FD&C YELLOW NO. 6 (UNII: H77VEI93A8)			
	MAGNESIUM STEARATE (UNII: 70097M6I30)			
	MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)			
	POLYETHYLENE GLYCOL 3350 (UNII: G2M7P15E5P)			
	POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)			
	POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)			
	TALC (UNII: 7SEV7J4R1U)			
	TITANIUM DIOXIDE (UNII: 15FIX9V2JP)			
Product Characteristics				
Color	orange	Score	no score	
Shape	CAPSULE	Size	19mm	
Flavor		Imprint Code	SC;Chevron	
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72854-162-20	2 in 1 CARTON	04/01/2025	
1		10 in 1 BLISTER PACK; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M012	04/01/2025		

Labeler - RB Health (US) LLC (081049410)