

MAXIMUM STRENGTH ANTACID MINT - aluminum hydroxide, magnesium hydroxide, simethicone liquid

Topco Associates, LLC

Topco Maximum Strength Antacid Mint

ACTIVE INGREDIENTS (in each 10 mL)

Aluminum hydroxide (equiv. to dried gel, USP) 800 mg

Magnesium hydroxide 800 mg

Simethicone 80 mg

PURPOSE

Antacid

Antacid

Antigas

USE(S)

relieves:

- acid indigestion
- heartburn
- sour stomach
- upset stomach and gas associated with these symptoms

WARNINGS

Do not take more than 60 mL in a 24-hour period, or use the maximum dosage of this product for more than 2 weeks, except under the advice and supervision of a doctor.

ASK A DOCTOR BEFORE USE IF YOU HAVE

- kidney disease
- a magnesium-restricted diet

ASK A DOCTOR OR PHARMACIST BEFORE USE IF YOU ARE

- presently taking a prescription drug. Antacids may interact with certain prescription drugs.

STOP USE AND ASK DOCTOR

if symptoms last more than two weeks

KEEP OUT OF REACH OF CHILDREN

DIRECTIONS

- **shake well before use**
- adults and children 12 years and older: take 10 mL to 20 mL two times a day, or as directed by a doctor
- children under 12 years: consult a doctor
- mL = milliliter

OTHER INFORMATION

- **each 10 mL contains:** magnesium 340 mg, sodium 5 mg
- store at controlled room temperature 20°C-25°C (68°-77°F)
- do not freeze

INACTIVE INGREDIENTS

ethyl alcohol, flavor, glycerin, hydroxyethyl cellulose, methylparaben, propylene glycol, propylparaben, purified water, saccharin sodium, simethicone emulsion, sorbitol

PRINCIPAL DISPLAY PANEL

Topcare Health

COMPARE TO MYLANTA® MAXIMUM STRENGTH ACTIVE INGREDIENTS*

NDC 36800-342-40

MAXIMUM STRENGTH

Antacid

Advanced

ANTACID & ANTIGAS

FAST RELIEF

- Heartburn
- Acid Indigestion
- Pressure
- Bloating (Gas)

ALCOHOL 0.2% v/v

MINT FLAVOR

12 FL OZ (355 mL)

TopCare
health®

NDC 36800-342-40

COMPARE TO MYLANTA® MAXIMUM STRENGTH ACTIVE INGREDIENTS*

MAXIMUM STRENGTH

Antacid

Advanced

ANTACID & ANTIGAS



FAST RELIEF

- Heartburn
- Acid Indigestion
- Pressure
- Bloating (Gas)



Scan here for more information or call 1-888-423-0139

ALCOHOL 0.2% v/v



12 FL OZ
(355 mL)

MINT FLAVOR

Drug Facts

DO NOT USE IF PRINTED SEAL UNDER CAP IS BROKEN OR MISSING

Active ingredients (in each 10 mL) **Purpose**
 Aluminum hydroxide (equiv. to dried gel, USP) 800mg...Antacid
 Magnesium hydroxide 800 mg.....Antacid
 Simethicone 80 mg.....Antigas

Uses relieves: ■ acid indigestion ■ heartburn ■ sour stomach ■ upset stomach and gas associated with these symptoms

Warnings

Do not take more than 60 mL in a 24-hour period, or use the maximum dosage of this product for more than 2 weeks, except under the advice and supervision of a doctor.

Ask a doctor before use if you have ■ kidney disease ■ a magnesium-restricted diet

Ask a doctor or pharmacist before use if you are ■ presently taking a prescription drug. Antacids may interact with certain prescription drugs.

Stop use and ask a doctor if symptoms last more than two weeks
Keep out of reach of children.

Directions ■ shake well before use ■ adults and children 12 years and older: take 10 - 20 mL two times a day, or as directed by a doctor ■ children under 12 years: consult a doctor ■ mL = milliliter

Other information ■ each 10 mL contains: magnesium 340 mg, sodium 5 mg ■ store at controlled room temperature 20°C-25°C (68°F-77°F) ■ do not freeze

Inactive ingredients ethyl alcohol, flavor, glycerin, hydroxyethyl cellulose, methylparaben, propylene glycol, propylparaben, purified water, saccharin sodium, simethicone emulsion, sorbitol.

DISTRIBUTED BY TOPCO ASSOCIATES LLC, ELK GROVE VILLAGE, IL 60007

©TOPCO GUARANTY QUESTIONS? 1-888-423-0139
 topcare@topco.com www.topcarebrand.com

✓ **QUALITY GUARANTEED**

*This product is not manufactured or distributed by JOHNSON & JOHNSON MERCK, the distributor of MYLANTA® Maximum Strength.

MFR# 53041 REV 0920



MAXIMUM STRENGTH ANTACID MINT

aluminum hydroxide, magnesium hydroxide, simethicone liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:36800-342
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0) (ALUMINUM HYDROXIDE -	ALUMINUM	800 mg

UNII:5QB0T2IUN0)	HYDROXIDE	in 10 mL
MAGNESIUM HYDROXIDE (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838)	MAGNESIUM HYDROXIDE	800 mg in 10 mL
DIMETHICONE (UNII: 92RU3N3Y1O) (DIMETHICONE - UNII:92RU3N3Y1O)	DIMETHICONE	80 mg in 10 mL

Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	
GLYCERIN (UNII: PDC6A3C0OX)	
HYDROXYETHYL CELLULOSE, UNSPECIFIED (UNII: T4V6TWG28D)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
WATER (UNII: 059QF0KO0R)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
SORBITOL (UNII: 506T60A25R)	

Product Characteristics

Color	WHITE	Score	
Shape		Size	
Flavor	MINT	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36800-342-40	355 mL in 1 BOTTLE; Type 0: Not a Combination Product	09/01/2020	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M001	09/01/2020	

Labeler - Topco Associates, LLC (006935977)

Establishment

Name	Address	ID/FEI	Business Operations
Guardian Drug Company		119210276	MANUFACTURE(36800-342)