# NITROGEN- nitrogen gas INDUSTRIAL WELDING SUPPLY CO. OF HARVEY, INC.

-----

### **Nitrogen**

NITROGEN, COMPRESSED NF UN1066 NON-FLAMMABLE GAS 2

Rx only. WARNING: Administration of Nitrogen may be hazardous or contraindicated. For use only by or under supervision of a licensed practitioner who is experienced in the use and administration of Nitrogen and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications, and side effects and the precautions to be taken. CAUTION: HIGH PRESSURE GAS. CAN CAUSE RAPID SUFFOCATION. Store and use with adequate ventilation. Use equipment rated for cylinder pressure. Use a back flow preventive device in the piping. Cylinder temperatures should not exceed 52C (125F). Close valve after each use and when empty. Use in accordance with the Material Safety Data Sheet (MSDS). FIRST AID: IF INHALED, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician. DO NOT REMOVE THIS PRODUCT LABEL. CAS: 7727-37-9

IWS GAS AND SUPPLY 111 Buras Drive Belle Chasse, LA 70037 (504) 392-2400 CONTENTS: CU.FT.



REFRIGERATED LIQUID
NITROGEN, REFRIGERATED LIQUID UN1977
NON-FLAMMABLE GAS 2 ALWAYS KEEP CONTAINER IN UPRIGHT POSITION DO
NOT CHANGE OR FORCE FIT CONNECTIONS
Rx only.

WARNING: Administration of Nitrogen may be hazardous or contraindicated. For use only by or under supervision of a licensed practitioner who is experienced in the use and administration of Nitrogen and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications, and side effects and the precautions to be taken.

WARNING: EXTREMELY COLD LIQUID AND GAS UNDERPRESSURE. CAN CAUSE RAPID SUFFOCATION. CAN CAUSE SEVERE FROSTBITE. Store and use with adequate ventilation. Do not get liquid in eyes, on skin or clothing. For liquid withdrawal, wear face shield and gloves. Do not drop. Use suitable hand truck for container movement. Cylinder temperature should not exceed 52C (125F). Close valve after each use and when empty. Use a back flow preventive device in the piping. Use in accordance with Material Safety Data Sheet (MSDS).

IF INHALED, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician. IN CASE OF FROSTBITE, obtain medical treatment immediately.

CAS: 7727-37-9


CONTENTS: LTRS. CU FT

DO NOT REMOVE THIS PRODUCT LABEL.

IWS GAS AND SUPPLY

111 Buras Drive

Belle Chasse, LA 70037



### 1 ALWAYS KEEP CONTAINER IN UPRIGHT POSITION. 1 DO NOT CHANGE OR FORCE FIT CONNECTIONS. RX ONLY

WARNING: Administration of Nitrogen may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Nitrogen and is familiar with the indications. effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications and side effects and the precautions to be taken.

WARNING: EXTREMELY COLD LIQUID AND GAS UNDER PRESSURE.

CAN CAUSE RAPID SUFFOCATION. CAN CAUSE SEVERE FROSTBITE.

Store and use with adequate ventilation. Do not get liquid in eyes, on skin or clothing. For liquid withdrawal, wear face shield and gloves. Do not drop. Use suitable hand truck for container movement.

Cylinder temperature should not exceed 52°C (125°F). Close valve after each use and when empty. Use a back flow Preventive device in the piping. Use in accordance with the MATERIAL SAFETY DATA SHEET (MSDS).

FIRST AID: IF INHALED, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician.

IN CASE OF FROSTBITE, obtain medical treatment

immediately.

CAS: 7727-37-9

LTRS:

CONTENTS:

CU FT:

DO NOT REMOVE THIS PRODUCT LABEL.



111 Buras Drive Belle Chasse, LA 70037 (504)392-2400

43756 (05/05)

(504) 392-2400

#### **NITROGEN**

nitrogen gas

002-04

002-05

NDC:42241-

#### **Product Information**

**Product Type HUMAN PRESCRIPTION DRUG** Item Code (Source) NDC:42241-002

**Route of Administration** RESPIRATORY (INHALATION)

#### **Active Ingredient/Active Moiety**

**Product** 

Product

**Ingredient Name Basis of Strength** Strength NITROGEN (UNII: N762921K75) (NITROGEN - UNII:N762921K75) **NITROGEN** 995 mL in 1 L

#### **Packaging Marketing End Marketing Start Item Code Package Description** Date Date NDC:42241-396 L in 1 CYLINDER; Type 0: Not a Combination 11/01/2011 002-01 **Product** NDC:42241-651 L in 1 CYLINDER; Type 0: Not a Combination 2 11/01/2011 002-02 Product 3 NDC:42241-2973 L in 1 CYLINDER; Type 0: Not a Combination 11/01/2011 002-03 **Product** NDC:42241-3256 L in 1 CYLINDER; Type 0: Not a Combination

5946 L in 1 CYLINDER; Type 0: Not a Combination

11/01/2011

11/01/2011

6	NDC:42241- 002-06	6512 L in 1 CYLINDER; Type 0: Not a Combination Product	11/01/2011	
7	NDC:42241- 002-07	6626 L in 1 CYLINDER; Type 0: Not a Combination Product	11/01/2011	
8	NDC:42241- 002-08	7220 L in 1 CYLINDER; Type 0: Not a Combination Product	11/01/2011	
9	NDC:42241- 002-09	7900 L in 1 CYLINDER; Type 0: Not a Combination Product	11/01/2011	
10	NDC:42241- 002-10	8608 L in 1 CYLINDER; Type 0: Not a Combination Product	11/01/2011	
11	NDC:42241- 002-11	180 L in 1 DEWAR; Type 0: Not a Combination Product	11/01/2011	
12	NDC:42241- 002-12	200 L in 1 DEWAR; Type 0: Not a Combination Product	11/01/2011	
13	NDC:42241- 002-13	230 L in 1 DEWAR; Type 0: Not a Combination Product	11/01/2011	

Marketing Information						
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date			
NDA	NDA205766	11/01/2011				

## **Labeler -** INDUSTRIAL WELDING SUPPLY CO. OF HARVEY, INC. (050958362)

Establishment								
Na me	Address	ID/FEI	<b>Business Operations</b>					
INDUSTRIAL WELDING SUPPLY CO. OF HARVEY, INC.		050958362	manufacture(42241-002)					

Revised: 12/2025 INDUSTRIAL WELDING SUPPLY CO. OF HARVEY, INC.