

MEIJER ALOE GEL - lidocaine, menthol gel

Meijer Distribution Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredient

Lidocaine 0.7%

Menthol 0.2%

Purpose

External Analgesic

Uses

- temporary relief of pain and itching
- helps relieve and soothes pain from sunburn, minor burns, cuts, scrapes, skin irritations and insect bites

Warnings

For external use only

Do not use

in large quantities, particularly over raw surfaces or blistered areas.

When using this product

- avoid contact with eyes

Stop use and ask a doctor if

- condition worsens or if symptoms persist for more than 7 days.
- symptoms clear up and occur again within a few days.

Keep out of reach of children

If swallowed get medical help or contact a Poison Control Center right away

Directions

- adults and children 2 years of age and older: apply to affected areas not more than 3 to 4 times daily
- children under 2 years of age: do not use, ask a doctor

Inactive ingredients

Water, Alcohol Denat., Glycerin, Polysorbate 20, Carbomer, Aloe Barbadensis Leaf Juice,

Benzophenone-4, Tocopherol, Imidazolidinyl Urea, Blue 1.

Principal Display Panel

meijer

After Sun

Aloe Vera

with Lidocaine and Menthol

Cools and Soothes

NET WT. 16 OZ. (454 g)



MEIJER 16 OZ. ALOE W/LIDO
DIE LINE DOES NOT PRINT

Drug Facts

Active ingredients
Lidocaine 0.7%
Menthol 0.2%

Purpose
External Analgesic
External Analgesic

Uses • temporary relief of pain and itching
• helps relieve and soothes pain from sunburn, minor burns, cuts, scrapes, skin irritations and insect bites.

Warnings
For external use only
Do not use in large quantities, particularly over raw surfaces or blistered areas.

When using this product
• avoid contact with eyes.

Stop use and ask a doctor if
• condition worsens or if symptoms persist for more than 7 days.
• symptoms clear up and occur again within a few days.

Keep out of reach of children.
If swallowed get medical help or contact a Poison Control Center right away.

Drug Facts (continued)

Directions
• adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily
• children under 2 years of age: do not use, ask a doctor

Inactive ingredients Water, Alcohol, Denat., Glycerin, Polysorbate 20, Carbomer, Aloe Barbadensis Leaf Juice, Benzophenone-4, Tocopherol, Imidazolidinyl Urea, Blue 1.

SDA-FL-386



DST. BY MEIJER
DISTRIBUTION, INC.
2629 WALKER AVE. NW
GRAND RAPIDS, MI 49544
www.meijer.com

Made in USA

93007764



BACK COPY: WHITE
UPC : WHITE BOX
OVERPRINT PMS 286 BLUE BARS

DASHED LINE INDICATES
PRINT AREA (1/16TH IN.
CROSS HATCH)

PRO
Prod
Cust
Quot

MEIJER ALOE GEL

lidocaine, menthol gel

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41250-037
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	0.7 g in 100 g
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	0.2 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYSORBATE 20 (UNII: 7T1F30V5YH)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
SULISOBENZONE (UNII: 1W6L629B4K)	
TOCOPHEROL (UNII: R0ZB2556P8)	
IMIDUREA (UNII: M629807ATL)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41250-037-19	454 g in 1 BOTTLE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	07/17/2013	

Labeler - Meijer Distribution Inc (006959555)

Revised: 7/2013

Meijer Distribution Inc