

**LBEL COULEUR LUXE AMPLIFIER XP AMPLIFYING SPF 15 - ROSE CHAMPAGNE-  
octinoxate and oxybenzone lipstick**

**LBEL COULEUR LUXE AMPLIFIER XP AMPLIFYING SPF 15 - FUCSIA SPLENDIDE-  
octinoxate and oxybenzone lipstick**

**LBEL COULEUR LUXE AMPLIFIER XP AMPLIFYING SPF 15 - ROSE DAMOUR-  
octinoxate and oxybenzone lipstick**

**LBEL COULEUR LUXE AMPLIFIER XP AMPLIFYING SPF 15 - ROSE FORMIDABLE-  
octinoxate and oxybenzone lipstick**

**LBEL COULEUR LUXE AMPLIFIER XP AMPLIFYING SPF 15 - NATURAL PERSISTANT-  
octinoxate and oxybenzone lipstick**

**LBEL COULEUR LUXE AMPLIFIER XP AMPLIFYING SPF 15 - MIEL ECHANTER-  
octinoxate and oxybenzone lipstick**

**LBEL COULEUR LUXE AMPLIFIER XP AMPLIFYING SPF 15 - ROUGE PRODIGEUX-  
octinoxate and oxybenzone lipstick**

**LBEL COULEUR LUXE AMPLIFIER XP AMPLIFYING SPF 15 - MARRON ILLIMITE-  
octinoxate and oxybenzone lipstick**

**LBEL COULEUR LUXE AMPLIFIER XP AMPLIFYING SPF 15 - CHOCOLAT MAJESTIC-  
octinoxate and oxybenzone lipstick**

**LBEL COULEUR LUXE AMPLIFIER XP AMPLIFYING SPF 15 - CAFE SUCCES- octinoxate  
and oxybenzone lipstick**

**LBEL COULEUR LUXE AMPLIFIER XP AMPLIFYING SPF 15 - ROUGE GRANDOISE-  
octinoxate and oxybenzone lipstick**

**LBEL COULEUR LUXE AMPLIFIER XP AMPLIFYING SPF 15 - ROUGE RUBI- octinoxate  
and oxybenzone lipstick**

**LBEL COULEUR LUXE AMPLIFIER XP AMPLIFYING SPF 15 - SAUMON ESSENTIEL-  
octinoxate and oxybenzone lipstick**

**LBEL COULEUR LUXE AMPLIFIER XP AMPLIFYING SPF 15 - BOURGOGNE VIF-  
octinoxate and oxybenzone lipstick**

**LBEL COULEUR LUXE AMPLIFIER XP AMPLIFYING SPF 15 - VIOLET POURPRE-  
octinoxate and oxybenzone lipstick**

**LBEL COULEUR LUXE AMPLIFIER XP AMPLIFYING SPF 15 - CORAIL MAXIMUM-  
octinoxate and oxybenzone lipstick**

**LBEL COULEUR LUXE AMPLIFIER XP AMPLIFYING SPF 15 - ORANGE DELIRANT-  
octinoxate and oxybenzone lipstick**

**LBEL COULEUR LUXE AMPLIFIER XP AMPLIFYING SPF 15 - ROUGE INTENSE-  
octinoxate and oxybenzone lipstick**

**LBEL COULEUR LUXE AMPLIFIER XP AMPLIFYING SPF 15 - ROSE FEMME- octinoxate  
and oxybenzone lipstick**

**LBEL COULEUR LUXE AMPLIFIER XP AMPLIFYING SPF 15 - DORE CHOCOLAT-  
octinoxate and oxybenzone lipstick**

**LBEL COULEUR LUXE AMPLIFIER XP AMPLIFYING SPF 15 - MER DE ROSES- octinoxate  
and oxybenzone lipstick**

**LBEL COULEUR LUXE AMPLIFIER XP AMPLIFYING SPF 15 - ROSE TENTATION-  
octinoxate and oxybenzone lipstick**

**LBEL COULEUR LUXE AMPLIFIER XP AMPLIFYING SPF 15 - ROSE DELICAT-  
octinoxate and oxybenzone lipstick**

**LBEL COULEUR LUXE AMPLIFIER XP AMPLIFYING SPF 15 - FUCSIA DESIR- octinoxate  
and oxybenzone lipstick**

**LBEL COULEUR LUXE AMPLIFIER XP AMPLIFYING SPF 15 - ROUGE PROVOCATION-  
octinoxate and oxybenzone lipstick**

**LBEL COULEUR LUXE AMPLIFIER XP AMPLIFYING SPF 15 - AMPLIFFIER AMANDIER-  
octinoxate and oxybenzone lipstick**

**LBEL COULEUR LUXE AMPLIFIER XP AMPLIFYING SPF 15 - SOBRIETE- octinoxate and oxybenzone lipstick**

**LBEL COULEUR LUXE AMPLIFIER XP AMPLIFYING SPF 15 - FIANCEE- octinoxate and oxybenzone lipstick**

**LBEL COULEUR LUXE AMPLIFIER XP AMPLIFYING SPF 15 - ROMANCE- octinoxate and oxybenzone lipstick**

**LBEL COULEUR LUXE AMPLIFIER XP AMPLIFYING SPF 15 - CARMINE- octinoxate and oxybenzone lipstick**

**LBEL COULEUR LUXE AMPLIFIER XP AMPLIFYING SPF 15 - NOBLESSE- octinoxate and oxybenzone lipstick**

**LBEL COULEUR LUXE AMPLIFIER XP AMPLIFYING SPF 15 - MALBEC- octinoxate and oxybenzone lipstick**

**LBEL COULEUR LUXE AMPLIFIER XP AMPLIFYING SPF 15 - ROSE FUCSIA- octinoxate and oxybenzone lipstick**

**Ventura Corporation LTD.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**L'BEL COULEUR LUXE AMPLIFIER XP  
amplifying lipstick SPF 15**

### ***Drug Facts***

#### **Active Ingredients**

Octinoxate 4.7 %, Oxybenzone 0.9%

#### **Purpose**

Sunscreen

#### **Uses**

- Helps prevent sunburn

#### **Warnings**

- Skin Cancer / Skin Aging Alert; Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.
- For external use only.
- Do not use on damage or broken skin.
- When using this product keep out of eyes. Rinse with water to remove.
- Stop use and ask a doctor if rash occurs.
- Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

#### **Directions**

- Apply liberally and evenly 15 minutes before sun exposure.
- Children under 6 months of age: Ask a doctor.
- Reapply at least every 2 hours.
- Use a water resistant sunscreen if swimming or sweating.
- Apply lipstick following the curves of natural lip line. For added definition, use with a lip pencil.

#### **Other information**

- Protect the product in this container from excessive heat and direct sun.

#### **Inactive ingredients**

ISOSTEARYL NEOPENTANOATE, DIISOPROPYL DIMER DILINOLEATE, METHYL HYDROGENATED ROSINATE, POLYETHYLENE, MICA, CASTOR ISOSTEARATE BEESWAX SUCCINATE, HYDROGENATED POLYCYCLOPENTADIENE, SILICA, COPERNICIA CERIFERA CERA (COPERNICIA CERIFERA (CARNAUBA ) WAX), CANDELILLA CERA (EUPHORBIA CERIFERA (CANDELILLA) WAX), OZOKERITE, ETHYLHEXYL PALMITATE, ISODODECANE, HYDROGENATED POLYISOBUTENE, PARAFFIN, POLYGLYCERYL-3 DIISOSTEARATE, GLYCERYL ISOSTEARATE, ISOSTEARYL ALCOHOL, DIPALMITOYL HYDROXYPROLINE, CERAMIDE 3, BUTYROSPERMUM PARKII BUTTER (BUTYROSPERMUM PARKII (SHEA) BUTTER), BETA-SITOSTEROL, DIMETHICONE, PROPYLPARABEN, LUFFA CYLINDRICA SEED OIL, SILICA Silylate, METHYLPARABEN, DISTEARDIMONIUM HECTORITE, PARFUM (FRAGRANCE), PEG-40 HYDROGENATED CASTOR OIL, POLYSORBATE 80, PPG-26-BUTETH-26, BHT, TRIMETHYLSILOXYSILICATE, HEDERA HELIX LEAF/STEM EXTRACT (HEDERA HELIX (IVY) LEAF/STEM EXTRACT), RETINYL PALMITATE, TOCOPHERYL ACETATE, BIOFLAVONOIDS, ALLANTOIN, ASCORBYL PALMITATE. MAY CONTAIN: CI 77019 (MICA), CI 77163 (BISMUTH OXYCHLORIDE), CI 15850 (RED 7 LAKE), CI 77742 (MANGANESE VIOLET), CI 77491 (IRON OXIDES), CI 77891 (TITANIUM DIOXIDE ), CI 19140 (YELLOW 5 LAKE), CI 45380 (RED 21 LAKE), CI 15850 (RED 6 LAKE), CI 45410 (RED 27 LAKE), CI 77499 (IRON OXIDES), CALCIUM SODIUM BOROSILICATE, CI 77492 (IRON OXIDES), TALC, CI 42090 (BLUE 1 LAKE), CI 75470 (CARMINE), C9-15 FLUOROALCOHOL PHOSPHATE, LAUROYL LYSINE.

Distributed by Ventura Corporation, Ltd, San Juan, Puerto Rico 00926

#### **PRINCIPAL DISPLAY PANEL - 4 g Tube Box - ROSE CHAMPAGNE**

COULEUR LUXE AMPLIFIER XP

amplifying lipstick

SPF 15

4 g e (.14 oz.)

**L'BEL**



**PRINCIPAL DISPLAY PANEL - 4 g Tube Box - FUCSIA SPLENDIDE**

COULEUR LUXE AMPLIFIER XP

amplifying lipstick

SPF 15

4 g e (.14 oz.)

L'BEL



**PRINCIPAL DISPLAY PANEL - 4 g Tube Box - ROSE D'AMOUR**

COULEUR LUXE AMPLIFIER XP  
 amplifying lipstick  
 SPF 15

4 g e (.14 oz.)  
 L'BEL



**PRINCIPAL DISPLAY PANEL - 4 g Tube Box - ROSE FORMIDABLE**

COULEUR LUXE AMPLIFIER XP  
 amplifying lipstick  
 SPF 15

4 g e (.14 oz.)  
**L'BEL**





**PRINCIPAL DISPLAY PANEL - 4 g Tube Box - NATUREL PERSISTANT**

COULEUR LUXE AMPLIFIER XP  
 amplifying lipstick  
 SPF 15

4 g e (.14 oz.)  
**L'BEL**



**PRINCIPAL DISPLAY PANEL - 4 g Tube Box - MIEL ECHANTER**

**COULEUR LUXE AMPLIFIER XP**

**amplifying lipstick**

**SPF 15**

**4 g e (.14 oz.)**

**L'BEL**





US: Distributed by Veritas International  
 Ltd. DBA Bekomp USA, San Francisco,  
 CA 94111 P.O. Distributed by Veritas  
 Corporation, Ltd. San Juan, Puerto Rico  
 00964. Made in Colombia. www.lbel.com

MIEL ECHANTER

**Other information** ■ Protect the product in this container from excessive heat and direct sun.  
 ■ Apply lipstick following the curves of natural lip line. For added definition, use with a lip pencil.

**Inactive Ingredients** isostearyl neopentanoate, diisopropyl dimer dilinoleate, methyl hydrogenated rosinat, polyethylene, mica, castor isostearate beeswax succinate, hydrogenated polycyclopentadiene, silica, copernicia cerifera cera (copernicia cerifera (carnauba) wax), candelilla cera (euphorbia cerifera (candelilla) wax), ozokerite, ethylhexyl palmitate, isododecane, hydrogenated polyisobutene, paraffin, polyglyceryl-3 diisostearate, glyceryl isostearate, isostearyl alcohol, dipalmitoyl hydroxyproline, ceramide 3, butyrospermum parkii butter (butyrospermum

parkii (shea) butter), beta-sitosterol, dimethicone, propylparaben, luffa cylindrica seed oil, silica silylate, methylparaben, disteardimonium hectorite, parfum (fragrance), peg-40 hydrogenated castor oil, polysorbate 80, ppg-26-buteth-26, bht, trimethylsiloxysilicate, hederia helix leaf/stem extract (hederia helix (ivy) leaf/stem extract), retinyl palmitate, tocopheryl acetate, bioflavonoids, allantoin, ascorbyl palmitate, may contain: CI 77019 (mica), CI 77163 (bismuth oxychloride), CI 15850 (red 7 lake), CI 77742 (manganese violet), CI 77491 (iron oxides), CI 77891 (titanium dioxide), CI 19140 (yellow 5 lake), CI 45380 (red 21 lake), CI 15850 (red 6 lake), CI 45410 (red 27 lake), CI 77499 (iron oxides), calcium sodium borosilicate, CI 77492 (iron oxides), talc, CI 42090 (blue 1 lake), CI 75470 (carmine), c9-15 fluoroalcohol phosphate, lauroyl lysine.

**COULEUR LUXE AMPLIFIER XP**

amplifying lipstick  
 SPF 15

4 g e (.14 oz.)



L'BEL

|  |                      |
|--|----------------------|
| <b>Active Ingredients</b> .....        | <b>Purpose</b> ..... |
| Octinoxate 4.7 %, Oxybenzone 0.9%..... | Sunscreen            |

**Uses** ■ Helps prevent sunburn. **Warnings** ■ Skin Cancer / Skin Aging Alert; Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. ■ Rinse with water to remove. ■ Stop use and ask a doctor if rash occurs. ■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. **Directions** ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Children under 6 months of age: Ask a doctor. ■ Reapply at least every 2 hours.

**PRINCIPAL DISPLAY PANEL - 4 g Tube Box - ROUGE PRODIGEUX**

COULEUR LUXE AMPLIFIER XP  
 amplifying lipstick  
 SPF 15

4 g e (.14 oz.)  
 L'BEL



USA: Distributed by Ventura International  
 LLC, DBA Ektopr USA, San Francisco,  
 CA 94111 P.R.: Distributed by Ventura  
 Corporation, Ltd., San Juan, Puerto Rico  
 00936. Made in Colombia. www.lbel.com

ROUGE PRODIGEUX

**Other information** ■ Protect the product in this container from excessive heat and direct sun.  
 ■ Apply lipstick following the curves of natural lip line. For added definition, use with a lip pencil.

**Inactive Ingredients** isostearyl neopentanoate, diisopropyl dimer dilinoleate, methyl hydrogenated rosinat, polyethylene, mica, castor isostearate beeswax succinate, hydrogenated polycyclopentadiene, silica, copernicia cerifera cera (copernicia cerifera (carnauba) wax), candelilla cera (euphorbia cerifera (candelilla) wax), ozokerite, ethylhexyl palmitate, isododecane, hydrogenated polyisobutene, paraffin, polyglyceryl-3 disostearate, glyceryl isostearate, isostearyl alcohol, dipalmitoyl hydroxyproline, ceramide 3, butyrospermum parkii butter (butyrospermum

parkii (shea) butter), beta-sitosterol, dimethicone, propylparaben, lufia cylindrica seed oil, silica silylate, methylparaben, disteardimonium hectorite, parfum (fragrance), peg-40 hydrogenated castor oil, polysorbate 80, ppg-26-buteth-26, bht, trimethylsiloxysilicate, hederia helix leaf/stem extract (hederia helix (ivy) leaf/stem extract), retinyl palmitate, tocopheryl acetate, bioflavonoids, allantoin, ascorbyl palmitate, may contain: CI 77019 (mica), CI 77163 (bismuth oxychloride), CI 15850 (red 7 lake), CI 77742 (manganese violet), CI 77491 (iron oxides), CI 77891 (titanium dioxide), CI 19140 (yellow 5 lake), CI 45380 (red 21 lake), CI 15850 (red 6 lake), CI 45410 (red 27 lake), CI 77499 (iron oxides), calcium sodium borosilicate, CI 77492 (iron oxides), talc, CI 42090 (blue 1 lake), CI 75470 (carmine), c9-15 fluroalcohol phosphate, lauroyl lysine.

**COULEUR LUXE AMPLIFIER XP**  
 amplifying lipstick  
 SPF 15

4 g e (.14 oz.)

L'BEL

**Active Ingredients**.....**Purpose**  
 Octinoxate 4.7 %, Oxybenzone 0.9%.....Sunscreen

**Uses** ■ Helps prevent sunburn. **Warnings** ■ Skin Cancer / Skin Aging Alert: Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. ■ Rinse with water to remove. ■ Stop use and ask a doctor if rash occurs. ■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. **Directions** ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Children under 6 months of age: Ask a doctor. ■ Reapply at least every 2 hours.

**PRINCIPAL DISPLAY PANEL - 4 g Tube Box - MARRON ILLIMITÉ**

**COULEUR LUXE AMPLIFIER XP**

amplifying lipstick

SPF 15

4 g e (.14 oz.)

**L'BEL**



**PRINCIPAL DISPLAY PANEL - 4 g Tube Box - CHOCOLAT MAJESTIC**

COULEUR LUXE AMPLIFIER XP


amplifying lipstick

SPF 15

4 g e (.14 oz.)

L'BEL





US: Distributed by Ventura International  
 Ltd. DBA Belcorp USA, San Francisco  
 CA 94111 P.O. Distributed by Ventura  
 Corporation, Ltd. San Juan, Puerto Rico  
 00982. Made in Colombia. www.lbel.com

CHOCOLAT  
 MAJESTIC

**Other information** ■ Protect the product in this container from excessive heat and direct sun.  
 ■ Apply lipstick following the curves of natural lip line. For added definition, use with a lip pencil.

**Inactive Ingredients** isostearyl neopentanoate, diisopropyl dimer dilinoleate, methyl hydrogenated rosinatate, polyethylene, mica, castor isostearate beeswax succinate, hydrogenated polycyclopentadiene, silica, copemicia cerifera cera (copemicia cerifera (carnauba) wax), candelilla cera (euphorbia cerifera (candelilla) wax), ozokerite, ethylhexyl palmitate, isododecane, hydrogenated polyisobutene, paraffin, polyglyceryl-3 diisostearate, glyceryl isostearate, isostearyl alcohol, dipalmitoyl hydroxyproline, ceramide 3, butyrospermium parkii butter (butyrospermium

parkii (shea) butter), beta-sitosterol, dimethicone, propylparaben, luffa cylindrica seed oil, silica silylate, methylparaben, disteardimonium hectorite, parfum (fragrance), peg-40 hydrogenated castor oil, polysorbate 80, ppg-26-buteth-26, bht, trimethylsiloxysilicate, hederia helix leaf/stem extract (hederia helix (ivy) leaf/stem extract), retinyl palmitate, tocopheryl acetate, bioflavonoids, allantoin, ascorbyl palmitate, may contain: CI 77019 (mica), CI 77163 (bismuth oxychloride), CI 15850 (red 7 lake), CI 77742 (manganese violet), CI 77491 (iron oxides), CI 77891 (titanium dioxide), CI 19140 (yellow 5 lake), CI 45380 (red 21 lake), CI 15850 (red 6 lake), CI 45410 (red 27 lake), CI 77499 (iron oxides), calcium sodium borosilicate, CI 77492 (iron oxides), talc, CI 42090 (blue 1 lake), CI 75470 (carmine), c9-15 fluoroalcohol phosphate, lauroyl lysine.

**COULEUR LUXE AMPLIFIER XP**  
 amplifying lipstick  
 SPF 15

4 g e (.14 oz.)

L'BEL

**Active Ingredients**.....**Purpose**  
 Octinoxate 4.7 %, Oxybenzone 0.9%..... Sunscreen

**Uses** ■ Helps prevent sunburn. **Warnings** ■ Skin Cancer / Skin Aging Alert; Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. ■ Rinse with water to remove. ■ Stop use and ask a doctor if rash occurs. ■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. **Directions** ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Children under 6 months of age: Ask a doctor. ■ Reapply at least every 2 hours.

**PRINCIPAL DISPLAY PANEL - 4 g Tube Box - CAFÉ SUCCÈS**

COULEUR LUXE AMPLIFIER XP  
 amplifying lipstick  
 SPF 15

4 g e (.14 oz.)

L'BEL



**PRINCIPAL DISPLAY PANEL - 4 g Tube Box - ROUGE GRANDOISE**

COULEUR LUXE AMPLIFIER XP  
 amplifying lipstick  
 SPF 15

4 g e (.14 oz.)  
 L'BEL





US: Distributed by Vertine International  
 Ltd. DBA Belpop, USA, San Francisco,  
 CA 94111, P.O. Distributed by Vertina  
 Corporation, Ltd, San Juan, Puerto Rico  
 00926; Made in Colombia. www.lbel.com

ROUGE GRANDJOISE

**Other information** ■ Protect the product in this container from excessive heat and direct sun.  
 ■ Apply lipstick following the curves of natural lip line. For added definition, use with a lip pencil.

**Inactive Ingredients** isostearyl neopentanoate, diisopropyl dimer dilinoleate, methyl hydrogenated rosinatate, polyethylene, mica, castor isostearate beeswax succinate, hydrogenated polycyclopentadiene, silica, copernicia cerifera cera (copernicia cerifera (carnauba) wax), candelilla cera (euphorbia cerifera (candelilla) wax), ozokerite, ethylhexyl palmitate, isododecane, hydrogenated polyisobutene, paraffin, polyglyceryl-3 diisostearate, glyceryl isostearate, isostearyl alcohol, dipalmitoyl hydroxyproline, ceramide 3, butyrospermium parkii butter (butyrospermium

parkii (shea) butter), beta-sitosterol, dimethicone, propylparaben, luffa cylindrica seed oil, silica silylate, methylparaben, disteardimonium hectorite, parfum (fragrance), peg-40 hydrogenated castor oil, polysorbate 80, ppg-26-buteth-26, bht, trimethylsilyoxysilicate, hederia helix leaf/stem extract (hederia helix (ivy) leaf/stem extract), retinyl palmitate, tocopheryl acetate, bioflavonoids, allantoin, ascorbyl palmitate, may contain: CI 77019 (mica), CI 77163 (bismuth oxychloride), CI 15850 (red 7 lake), CI 77742 (manganese violet), CI 77491 (iron oxides), CI 77891 (titanium dioxide), CI 19140 (yellow 5 lake), CI 45380 (red 21 lake), CI 15850 (red 6 lake), CI 45410 (red 27 lake), CI 77499 (iron oxides), calcium sodium borosilicate, CI 77492 (iron oxides), talc, CI 42090 (blue 1 lake), CI 75470 (carmine), c9-15 fluoroalcohol phosphate, lauroyl lysine.

**COULEUR LUXE AMPLIFIER XP**

amplifying lipstick

SPF 15

4 g e (.14 oz.)

L'BEL

| Active Ingredients                | Purpose   |
|-----------------------------------|-----------|
| Octinoxate 4.7 %, Oxybenzone 0.9% | Sunscreen |

**Uses** ■ Helps prevent sunburn. **Warnings** ■ Skin Cancer / Skin Aging Alert: Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. ■ Rinse with water to remove. ■ Stop use and ask a doctor if rash occurs. ■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. **Directions** ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Children under 6 months of age: Ask a doctor. ■ Reapply at least every 2 hours.

**PRINCIPAL DISPLAY PANEL - 4 g Tube Box - ROUGE RUBI**


COULEUR LUXE AMPLIFIER XP

amplifying lipstick

SPF 15

4 g e (.14 oz.)

L'BEL



**PRINCIPAL DISPLAY PANEL - 4 g Tube Box - SAUMON ESSENTIEL**


**COULEUR LUXE AMPLIFIER XP**

amplifying lipstick

SPF 15

4 g e (.14 oz.)

**L'BEL**



**PRINCIPAL DISPLAY PANEL - 4 g Tube Box - BOURGOGNE VIF**

COULEUR LUXE AMPLIFIER XP  
amplifying lipstick  
SPF 15

4 g e (.14 oz.)  
**L'BEL**





**PRINCIPAL DISPLAY PANEL - 4 g Tube Box - VIOLET POURPRE**

**COULEUR LUXE AMPLIFIER XP**  
**amplifying lipstick**  
**SPF 15**

**4 g e (.14 oz.)**  
**L'BEL**

**Other information** ■ Protect the product in this container from excessive heat and direct sun.  
 ■ Apply lipstick following the curves of natural lip line. For added definition, use with a lip pencil.

**Inactive Ingredients** isostearyl neopentanoate, diisopropyl dimer dilinoleate, methyl hydrogenated rosinatate, polyethylene, mica, castor isostearate beeswax succinate, hydrogenated polycyclopentadiene, silica, copernicia cerifera cera (copernicia cerifera (carnauba) wax), candelilla cera (euphorbia cerifera (candelilla) wax), ozokerite, ethylhexyl palmitate, isododecane, hydrogenated polyisobutene, paraffin, polyglyceryl-3 diisostearate, glyceryl isostearate, isostearyl alcohol, dipalmitoyl hydroxyproline, ceramide 3, butyrospermium parkii butter (butyrospermium

parkii (shea) butter), beta-sitosterol, dimethicone, propylparaben, luffa cylindrica seed oil, silica silylate, methylparaben, disteardimonium hectorite, parfum (fragrance), peg-40 hydrogenated castor oil, polysorbate 80, ppg-26-buteth-26, bht, trimethylsiloxy silicate, hederia helix leaf/stem extract (hederia helix (ivy) leaf/stem extract), retinyl palmitate, tocopheryl acetate, bioflavonoids, allantoin, ascorbyl palmitate, may contain: CI 77019 (mica), CI 77163 (bismuth oxychloride), CI 15850 (red 7 lake), CI 77742 (manganese violet), CI 77491 (iron oxides), CI 77891 (titanium dioxide), CI 19140 (yellow 5 lake), CI 45380 (red 21 lake), CI 15850 (red 6 lake), CI 45410 (red 27 lake), CI 77499 (iron oxides), calcium sodium borosilicate, CI 77492 (iron oxides), talc, CI 42090 (blue 1 lake), CI 75470 (carmine), c9-15 fluoroalcohol phosphate, lauroyl lysine.

**COULEUR LUXE AMPLIFIER XP**  
**amplifying lipstick**  
**SPF 15**

4 g e (.14 oz.)

**L'BEL**

**Active Ingredients**.....**Purpose**  
 Octinoxate 4.7 %, Oxybenzone 0.9%.....**Sunscreen**

**Uses** ■ Helps prevent sunburn. **Warnings** ■ Skin Cancer / Skin Aging Alert: Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. ■ Rinse with water to remove. ■ Stop use and ask a doctor if rash occurs. ■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. **Directions** ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Children under 6 months of age: Ask a doctor. ■ Reapply at least every 2 hours.



**PRINCIPAL DISPLAY PANEL - 4 g Tube Box - CORAIL MAXIMUM**

COULEUR LUXE AMPLIFIER XP

amplifying lipstick

SPF 15

4 g e (.14 oz.)

L'BEL





**PRINCIPAL DISPLAY PANEL - 4 g Tube Box - ORANGE DÉLIRANT**

COULEUR LUXE AMPLIFIER XP

amplifying lipstick

SPF 15

4 g e (.14 oz.)

**L'BEL**



**PRINCIPAL DISPLAY PANEL - 4 g Tube Box - ROUGE INTENSE**

COULEUR LUXE AMPLIFIER XP  
 amplifying lipstick  
 SPF 15

4 g e (.14 oz.)  
**L'BEL**



**PRINCIPAL DISPLAY PANEL - 4 g Tube Box - ROSE FEMME**

**COULEUR LUXE AMPLIFIER XP**  
**amplifying lipstick**  
**SPF 15**

**4 g e (.14 oz.)**  
**L'BEL**





**PRINCIPAL DISPLAY PANEL - 4 g Tube Box - DORÉ CHOCOLAT**

**COULEUR LUXE AMPLIFIER XP**

amplifying lipstick

SPF 15

4 g e (.14 oz.)

**L'BEL**



USA: Distributed by Vertice International  
 Ltd. DBA: Belpop USA, San Francisco  
 CA 94111 P.O. Distributed by Vertice  
 Corporation, Ltd., San Juan, Puerto Rico  
 00926. Made in Colombia. www.belpop.com

DORÉ CHOCOLAT

**Other information** ■ Protect the product in this container from excessive heat and direct sun.  
 ■ Apply lipstick following the curves of natural lip line. For added definition, use with a lip pencil.

**Inactive Ingredients** isostearyl neopentanoate, diisopropyl dimer dilinoleate, methyl hydrogenated rosinat, polyethylene, mica, castor isostearate beeswax succinate, hydrogenated polycyclopentadiene, silica, copernicia cerifera cera (copernicia cerifera (camauba) wax), candelilla cera (euphorbia cerifera (candelilla) wax), ozokerite, ethylhexyl palmitate, isododecane, hydrogenated polyisobutene, paraffin, polyglyceryl-3 diisostearate, glyceryl isostearate, isostearyl alcohol, dipalmitoyl hydroxyproline, ceramide 3, butyrospermum parkii butter (butyrospermum

parkii (shea) butter), beta-sitosterol, dimethicone, propylparaben, luffa cylindrica seed oil, silica silylate, methylparaben, disteardimonium hectorite, parfum (fragrance), peg-40 hydrogenated castor oil, polysorbate 80, ppg-26-buteth-26, bht, trimethylsiloxy silicate, hederia helix leaf/stem extract (hederia helix (ivy) leaf/stem extract), retinyl palmitate, tocopheryl acetate, bioflavonoids, allantoin, ascorbyl palmitate, may contain: CI 77019 (mica), CI 77163 (bismuth oxychloride), CI 15850 (red 7 lake), CI 77742 (manganese violet), CI 77491 (iron oxides), CI 77891 (titanium dioxide), CI 19140 (yellow 5 lake), CI 45380 (red 21 lake), CI 15850 (red 6 lake), CI 45410 (red 27 lake), CI 77499 (iron oxides), calcium sodium borosilicate, CI 77492 (iron oxides), talc, CI 42090 (blue 1 lake), CI 75470 (carmine), c9-15 fluoroalcohol phosphate, lauryl lysine.

**COULEUR LUXE AMPLIFIER XP**

amplifying lipstick  
 SPF 15

4 g e (.14 oz.)

L'BEL



|  |                      |
|--|----------------------|
| <b>Active Ingredients</b> .....        | <b>Purpose</b> ..... |
| Octinoxate 4.7 %, Oxybenzone 0.9%..... | Sunscreen            |


**Uses** ■ Helps prevent sunburn. **Warnings** ■ Skin Cancer / Skin Aging Alert; Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. ■ Rinse with water to remove. ■ Stop use and ask a doctor if rash occurs. ■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. **Directions** ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Children under 6 months of age: Ask a doctor. ■ Reapply at least every 2 hours. ▼

**PRINCIPAL DISPLAY PANEL - 4 g Tube Box - MER DE ROSES**

COULEUR LUXE AMPLIFIER XP  
 amplifying lipstick  
 SPF 15

4 g e (.14 oz.)  
 L'BEL





**PRINCIPAL DISPLAY PANEL - 4 g Tube Box - ROSE TENTATION**

COULEUR LUXE AMPLIFIER XP

amplifying lipstick

SPF 15

4 g e (.14 oz.)

L'BEL



**PRINCIPAL DISPLAY PANEL - 4 g Tube Box - ROSE DÉLICAT**

COULEUR LUXE AMPLIFIER XP  
 amplifying lipstick  
 SPF 15

4 g e (.14 oz.)  
**L'BEL**



**PRINCIPAL DISPLAY PANEL - 4 g Tube Box - FUCSIA DÉSIR**

COULEUR LUXE AMPLIFIER XP

amplifying lipstick

SPF 15

4 g e (.14 oz.)

L'BEL





**PRINCIPAL DISPLAY PANEL - 4 g Tube Box - ROUGE PROVOCATION**

**COULEUR LUXE AMPLIFIER XP**

amplifying lipstick

SPF 15

4 g e (.14 oz.)

**L'BEL**





## PRINCIPAL DISPLAY PANEL - 4 g Tube Box - AMPLIFIER AMANDIER

COULEUR LUXE AMPLIFIER XP  
amplifying lipstick  
SPF 15


4 g e (.14 oz.)  
**L'BEL**



**PRINCIPAL DISPLAY PANEL - 4 g Tube Box - SOBRIETE**

**COULEUR LUXE AMPLIFIER XP**  
 amplifying lipstick  
 SPF 15

4 g e (.14 oz.)  
**L'BEL**



**PRINCIPAL DISPLAY PANEL - 4 g Tube Box - FIANCEE**

**COULEUR LUXE AMPLIFIER XP**


**amplifying lipstick**

**SPF 15**

**4 g e (.14 oz.)**

**L'BEL**





**PRINCIPAL DISPLAY PANEL - 4 g Tube Box - ROMANCE**

**COULEUR LUXE AMPLIFIER XP**

amplifying lipstick

SPF 15

4 g e (.14 oz.)

**L'BEL**

FIANCEE

US: Distributed by Ventura International  
 Ltd. DBA Bekomp USA, San Francisco,  
 CA 94111 P.O. Distributed by Ventura  
 Corporation, Ltd. San Juan, Puerto Rico  
 00926. Made in Cambodia. www.lbel.com

**Other information** ■ Protect the product in this container from excessive heat and direct sun.  
 ■ Apply lipstick following the curves of natural lip line. For added definition, use with a lip pencil.

**Inactive Ingredients** isostearyl neopentanoate, diisopropyl dimer dillnoleate, methyl hydrogenated rosinatate, polyethylene, mica, castor isostearate beeswax succinate, hydrogenated polycyclopentadiene, silica, copernicia cerifera cera (copernicia cerifera (carnauba) wax), candelilla cera (euphorbia cerifera (candelilla) wax), ozokerite, ethylhexyl palmitate, isododecane, hydrogenated polyisobutene, paraffin, polyglyceryl-3 diisostearate, glyceryl isostearate, isostearyl alcohol, dipalmitoyl hydroxyproline, ceramide 3, butyrospermum parkii butter (butyrospermum

parkii (shea) butter), beta-sitosterol, dimethicone, propylparaben, luffa cylindrica seed oil, silica silylate, methylparaben, disteardimonium hectorite, parfum (fragrance), peg-40 hydrogenated castor oil, polysorbate 80, ppg-26-buteth-26, bht, trimethylsiloxysilicate, hederia helix leaf/stem extract (hederia helix (ivy) leaf/stem extract), retinyl palmitate, tocopheryl acetate, bioflavonoids, allantoin, ascorbyl palmitate, may contain: CI 77019 (mica), CI 77163 (bismuth oxychloride), CI 15850 (red 7 lake), CI 77742 (manganese violet), CI 77491 (iron oxides), CI 77891 (titanium dioxide), CI 19140 (yellow 5 lake), CI 45380 (red 21 lake), CI 15850 (red 6 lake), CI 45410 (red 27 lake), CI 77499 (iron oxides), calcium sodium borosilicate, CI 77492 (iron oxides), talc, CI 42090 (blue 1 lake), CI 75470 (carmine), c9-15 fluoroalcohol phosphate, lauroyl lysine.

**COULEUR LUXE AMPLIFIER XP**

amplifying lipstick

SPF 15

4 g e (.14 oz.)

**L'BEL**

**Active Ingredients**.....**Purpose**  
 Octinoxate 4.7%, Oxybenzone 0.9%..... Sunscreen

**Uses** ■ Helps prevent sunburn. **Warnings** ■ Skin Cancer / Skin Aging Alert; Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. ■ Rinse with water to remove. ■ Stop use and ask a doctor if rash occurs. ■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. **Directions** ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Children under 6 months of age: Ask a doctor. ■ Reapply at least every 2 hours.





**PRINCIPAL DISPLAY PANEL - 4 g Tube Box - CARMINE**

COULEUR LUXE AMPLIFIER XP

amplifying lipstick

SPF 15

4 g e (.14 oz.)

**L'BEL**



**PRINCIPAL DISPLAY PANEL - 4 g Tube Box - NOBLESSE**

COULEUR LUXE AMPLIFIER XP

amplifying lipstick

SPF 15

4 g e (.14 oz.)

**L'BEL**



**PRINCIPAL DISPLAY PANEL - 4 g Tube Box - MALBEC**

COULEUR LUXE AMPLIFIER XP

amplifying lipstick

SPF 15

4 g e (.14 oz.)

L'BEL





**PRINCIPAL DISPLAY PANEL - 4 g Tube Box - ROSÉ FUCSIA**

COULEUR LUXE AMPLIFIER XP

amplifying lipstick

SPF 15

4 g e (.14 oz.)

**L'BEL**





## L'BEL COULEUR LUXE AMPLIFIER XP AMPLIFYING SPF 15 - ROSE CHAMPAGNE

octinoxate and oxybenzone lipstick

### Product Information

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:13537-527 |
| <b>Route of Administration</b> | TOPICAL        |                           |               |

### Active Ingredient/Active Moiety

| Ingredient Name   | Basis of Strength | Strength       |
|---|-------------------|----------------|
| <b>Octinoxate</b> (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51) | Octinoxate        | 0.047 g in 1 g |
| <b>Oxybenzone</b> (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y) | Oxybenzone        | 0.009 g in 1 g |

### Inactive Ingredients

| Ingredient Name  | Strength |
|--|----------|
| ISOSTEARYL NEOPENTANOATE (UNII: 411THY156Q)            |          |
| DIISOPROPYL DILINOLEATE (UNII: 5323S7S2LR)             |          |
| HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)           |          |
| MICA (UNII: V8A1AW0880)                                |          |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4)                     |          |
| CARNAUBA WAX (UNII: R12CBM0EIZ)                        |          |
| CANDELILLA WAX (UNII: WL0328HX19)                      |          |
| ETHYLHEXYL PALMITATE (UNII: 2865993309)                |          |
| ISODODECANE (UNII: A8289P68Y2)                         |          |
| PARAFFIN (UNII: I9O0E3H2ZE)                            |          |
| POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231QV8)         |          |
| GLYCERYL ISOSTEARATE (UNII: HYE7O27HAO)                |          |
| ISOSTEARYL ALCOHOL (UNII: Q613OCQ44Y)                  |          |
| DIPALMITOYL HYDROXYPROLINE (UNII: E6AHA53N1H)          |          |
| CERAMIDE 3 (UNII: 4370DF050B)                          |          |
| SHEA BUTTER (UNII: K49155WL9Y)                         |          |
| .BETA.-SITOSTEROL (UNII: S347WMO6M4)                   |          |
| DIMETHICONE (UNII: 92RU3N3Y1O)                         |          |
| PROPYLPARABEN (UNII: Z8IX2SC1OH)                       |          |
| LUFFA AEGYPTIACA SEED OIL (UNII: 1A281RJ859)           |          |
| METHYLPARABEN (UNII: A2I8C7HI9T)                       |          |
| DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)           |          |
| POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F) |          |
| POLYSORBATE 80 (UNII: 6OZP39ZG8H)                      |          |
| PPG-26-BUTETH-26 (UNII: 2I1K6TZ4P)                     |          |
| BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)            |          |
| HEDERA HELIX LEAF (UNII: ZP9XFG71A7)                   |          |
| VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)                 |          |
| .ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)          |          |
| ALLANTOIN (UNII: 344S277G0Z)                           |          |
| ASCORBYL PALMITATE (UNII: QN83US2B0N)                  |          |
| BISMUTH OXYCHLORIDE (UNII: 4ZR792I587)                 |          |
| MANGANESE VIOLET (UNII: 72M48QQV8Q)                    |          |
| FERRIC OXIDE RED (UNII: 1K09F3G675)                    |          |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP)                    |          |
| FD&C YELLOW NO. 5 (UNII: I753WB2F1M)                   |          |
| ALUMINUM OXIDE (UNII: LM26O6933)                       |          |
| D&C RED NO. 21 (UNII: 08744Z6JNY)                      |          |
| D&C RED NO. 6 (UNII: 481744AI4O)                       |          |
| FERROSFERRIC OXIDE (UNII: XM0M87F357)                  |          |
| FERRIC OXIDE YELLOW (UNII: EX438O2MRT)                 |          |
| TALC (UNII: 7SEV7J4R1U)                                |          |
| FD&C BLUE NO. 1 (UNII: H3R47K3TBD)                     |          |
| CARMINIC ACID (UNII: CID8Z8N95N)                       |          |
| LAUROYL LYSINE (UNII: 113171Q70B)                      |          |

### Product Characteristics

|       |                   |       |  |
|-------|-------------------|-------|--|
| Color | PINK (Pink pearl) | Score |  |
|-------|-------------------|-------|--|

| <b>Shape</b>                 |  | <b>Size</b>          |                      |                    |
|------------------------------|--|----------------------|----------------------|--------------------|
| <b>Flavor</b>                |  | <b>Imprint Code</b>  |                      |                    |
| <b>Contains</b>              |  |                      |                      |                    |
| <b>Packaging</b>             |  |                      |                      |                    |
| #                            | Item Code                                | Package Description  | Marketing Start Date | Marketing End Date |
| 1                            | NDC:13537-527-02                         | 1 in 1 BOX           |                      |                    |
| 1                            | NDC:13537-527-01                         | 4 g in 1 TUBE        |                      |                    |
| <b>Marketing Information</b> |  |                      |                      |                    |
| Marketing Category           | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date   |                    |
| OTC MONOGRAPH NOT FINAL      | part352                                  | 05/27/2013           |                      |                    |

## LBEL COULEUR LUXE AMPLIFIER XP AMPLIFYING SPF 15 - FUCSIA SPLENDIDE

octinoxate and oxybenzone lipstick

| <b>Product Information</b>  |                   |                           |               |
|---|-------------------|---------------------------|---------------|
| <b>Product Type</b>   | HUMAN OTC DRUG    | <b>Item Code (Source)</b> | NDC:13537-528 |
| <b>Route of Administration</b>                                      | TOPICAL           |                           |               |
| <b>Active Ingredient/Active Moiety</b>                              |                   |                           |               |
| Ingredient Name   | Basis of Strength | Strength                  |               |
| <b>Octinoxate</b> (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51) | Octinoxate        | 0.047 g in 1 g            |               |
| <b>Oxybenzone</b> (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y) | Oxybenzone        | 0.009 g in 1 g            |               |
| <b>Inactive Ingredients</b>   |                   |                           |               |
| Ingredient Name   | Strength          |                           |               |
| <b>ISOSTEARYL NEOPENTANOATE</b> (UNII: 411THY156Q)                  |                   |                           |               |
| <b>DIISOPROPYL DILINOLEATE</b> (UNII: 5323S7S2LR)                   |                   |                           |               |
| <b>HIGH DENSITY POLYETHYLENE</b> (UNII: UG00KM4WR7)                 |                   |                           |               |
| <b>MICA</b> (UNII: V8A1AW0880)                                      |                   |                           |               |
| <b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)                           |                   |                           |               |
| <b>CARNAUBA WAX</b> (UNII: R12CBM0EIZ)                              |                   |                           |               |
| <b>CANDELILLA WAX</b> (UNII: WL0328HX19)                            |                   |                           |               |
| <b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)                      |                   |                           |               |
| <b>ISODODECANE</b> (UNII: A8289P68Y2)                               |                   |                           |               |
| <b>PARAFFIN</b> (UNII: I9O0E3H2ZE)                                  |                   |                           |               |
| <b>POLYGLYCERYL-3 DIISOSTEARATE</b> (UNII: 46P231IQV8)              |                   |                           |               |
| <b>GLYCERYL ISOSTEARATE</b> (UNII: HYE7O27HAO)                      |                   |                           |               |
| <b>ISOSTEARYL ALCOHOL</b> (UNII: Q6130CQ44Y)                        |                   |                           |               |
| <b>DIPALMITOYL HYDROXYPROLINE</b> (UNII: E6AHA53N1H)                |                   |                           |               |

|  |
|--|
| CERAMIDE 3 (UNII: 4370DF050B)                          |
| SHEA BUTTER (UNII: K49155WL9Y)                         |
| .BETA.-SITOSTEROL (UNII: S347WMO6M4)                   |
| DIMETHICONE (UNII: 92RU3N3Y1O)                         |
| PROPYLPARABEN (UNII: Z8IX2SC1OH)                       |
| LUFFA AEGYPTIACA SEED OIL (UNII: 1A281RJ859)           |
| METHYLPARABEN (UNII: A2I8C7HI9T)                       |
| DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)           |
| POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F) |
| POLYSORBATE 80 (UNII: 6OZP39ZG8H)                      |
| PPG-26-BUTETH-26 (UNII: 2II1K6TZ4P)                    |
| BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)            |
| HEDERA HELIX LEAF (UNII: ZP9XFG71A7)                   |
| VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)                 |
| .ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)          |
| ALLANTOIN (UNII: 344S277G0Z)                           |
| ASCORBYL PALMITATE (UNII: QN83US2B0N)                  |
| BISMUTH OXYCHLORIDE (UNII: 4ZR792I587)                 |
| MANGANESE VIOLET (UNII: 72M48QQV8Q)                    |
| FERRIC OXIDE RED (UNII: 1K09F3G675)                    |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP)                    |
| FD&C YELLOW NO. 5 (UNII: I753WB2F1M)                   |
| ALUMINUM OXIDE (UNII: LM26O6933)                       |
| D&C RED NO. 21 (UNII: 08744Z6JNY)                      |
| D&C RED NO. 6 (UNII: 481744AI4O)                       |
| FERROSFERRIC OXIDE (UNII: XM0M87F357)                  |
| FERRIC OXIDE YELLOW (UNII: EX438O2MRT)                 |
| TALC (UNII: 7SEV7J4R1U)                                |
| FD&C BLUE NO. 1 (UNII: H3R47K3TBD)                     |
| CARMINIC ACID (UNII: CID8Z8N95N)                       |
| LAUROYL LYSINE (UNII: 113171Q70B)                      |

### Product Characteristics

|          |                |              |  |
|----------|----------------|--------------|--|
| Color    | PINK (Fuchsia) | Score        |  |
| Shape    |                | Size         |  |
| Flavor   |                | Imprint Code |  |
| Contains |                |              |  |

### Packaging

| # | Item Code        | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---------------------|----------------------|--------------------|
| 1 | NDC:13537-528-02 | 1 in 1 BOX          |                      |                    |
| 1 | NDC:13537-528-01 | 4 g in 1 TUBE       |                      |                    |

### Marketing Information

| Marketing Category      | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|-------------------------|--|----------------------|--------------------|
| OTC MONOGRAPH NOT FINAL | part352                                  | 05/27/2013           |                    |



# LBEL COULEUR LUXE AMPLIFIER XP AMPLIFYING SPF 15 - ROSE DAMOUR

octinoxate and oxybenzone lipstick

## Product Information

|                         |                |                    |               |
|-------------------------|----------------|--------------------|---------------|
| Product Type            | HUMAN OTC DRUG | Item Code (Source) | NDC:13537-529 |
| Route of Administration | TOPICAL        |                    |               |

## Active Ingredient/Active Moiety

| Ingredient Name  | Basis of Strength | Strength       |
|--|-------------------|----------------|
| Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51) | Octinoxate        | 0.047 g in 1 g |
| Oxybenzone (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y) | Oxybenzone        | 0.009 g in 1 g |

## Inactive Ingredients

| Ingredient Name  | Strength |
|--|----------|
| ISOSTEARYL NEOPENTANOATE (UNII: 411THY156Q)            |          |
| DIISOPROPYL DILINOLEATE (UNII: 5323S7S2LR)             |          |
| HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)           |          |
| MICA (UNII: V8A1AW0880)                                |          |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4)                     |          |
| CARNAUBA WAX (UNII: R12CBM0EIZ)                        |          |
| CANDELILLA WAX (UNII: WL0328HX19)                      |          |
| ETHYLHEXYL PALMITATE (UNII: 2865993309)                |          |
| ISODODECANE (UNII: A8289P68Y2)                         |          |
| PARAFFIN (UNII: I9O0E3H2ZE)                            |          |
| POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8)        |          |
| GLYCERYL ISOSTEARATE (UNII: HYE7O27HAO)                |          |
| ISOSTEARYL ALCOHOL (UNII: Q613OCQ44Y)                  |          |
| DIPALMITOYL HYDROXYPROLINE (UNII: E6AHA53N1H)          |          |
| CERAMIDE 3 (UNII: 4370DF050B)                          |          |
| SHEA BUTTER (UNII: K49155WL9Y)                         |          |
| .BETA.-SITOSTEROL (UNII: S347WMO6M4)                   |          |
| DIMETHICONE (UNII: 92RU3N3Y1O)                         |          |
| PROPYLPARABEN (UNII: Z8IX2SC1OH)                       |          |
| LUFFA AEGYPTIACA SEED OIL (UNII: 1A281RJ859)           |          |
| METHYLPARABEN (UNII: A2I8C7HI9T)                       |          |
| DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)           |          |
| POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F) |          |
| POLYSORBATE 80 (UNII: 6OZP39ZG8H)                      |          |
| PPG-26-BUTETH-26 (UNII: 2II1K6TZ4P)                    |          |
| BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)            |          |
| HEDERA HELIX LEAF (UNII: ZP9XFG71A7)                   |          |
| VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)                 |          |
| .ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)          |          |

|  |
|--|
| ALLANTOIN (UNII: 344S277G0Z)           |
| ASCORBYL PALMITATE (UNII: QN83US2B0N)  |
| BISMUTH OXYCHLORIDE (UNII: 4ZR792I587) |
| MANGANESE VIOLET (UNII: 72M48QQV8Q)    |
| FERRIC OXIDE RED (UNII: 1K09F3G675)    |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP)    |
| FD&C YELLOW NO. 5 (UNII: I753WB2F1M)   |
| ALUMINUM OXIDE (UNII: LM26O6933)       |
| D&C RED NO. 21 (UNII: 08744Z6JNY)      |
| D&C RED NO. 6 (UNII: 481744AI4O)       |
| FERROSFERRIC OXIDE (UNII: XM0M87F357)  |
| FERRIC OXIDE YELLOW (UNII: EX438O2MRT) |
| TALC (UNII: 7SEV7J4R1U)                |
| FD&C BLUE NO. 1 (UNII: HBR47K3TBD)     |
| CARMINIC ACID (UNII: CID8Z8N95N)       |
| LAUROYL LYSINE (UNII: 113171Q70B)      |

### Product Characteristics

|          |                     |              |  |
|----------|---------------------|--------------|--|
| Color    | PINK (Natural pink) | Score        |  |
| Shape    |                     | Size         |  |
| Flavor   |                     | Imprint Code |  |
| Contains |                     |              |  |

### Packaging

| # | Item Code        | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---------------------|----------------------|--------------------|
| 1 | NDC:13537-529-02 | 1 in 1 BOX          |                      |                    |
| 1 | NDC:13537-529-01 | 4 g in 1 TUBE       |                      |                    |

### Marketing Information

| Marketing Category      | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|-------------------------|--|----------------------|--------------------|
| OTC MONOGRAPH NOT FINAL | part352                                  | 05/27/2013           |                    |

## LBEL COULEUR LUXE AMPLIFIER XP AMPLIFYING SPF 15 - ROSE FORMIDABLE

octinoxate and oxybenzone lipstick

### Product Information

|                         |                |                    |               |
|-------------------------|----------------|--------------------|---------------|
| Product Type            | HUMAN OTC DRUG | Item Code (Source) | NDC:13537-530 |
| Route of Administration | TOPICAL        |                    |               |

### Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|-----------------|-------------------|----------|
|-----------------|-------------------|----------|

|   |            |                |
|---|------------|----------------|
| <b>Octinoxate</b> (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51) | Octinoxate | 0.047 g in 1 g |
| <b>Oxybenzone</b> (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y) | Oxybenzone | 0.009 g in 1 g |

## Inactive Ingredients

| Ingredient Name   | Strength |
|---|----------|
| <b>ISOSTEARYL NEOPENTANOATE</b> (UNII: 411THY156Q)            |          |
| <b>DIISOPROPYL DILINOLEATE</b> (UNII: 5323S7S2LR)             |          |
| <b>HIGH DENSITY POLYETHYLENE</b> (UNII: UG00KM4WR7)           |          |
| <b>MICA</b> (UNII: V8A1AW0880)                                |          |
| <b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)                     |          |
| <b>CARNAUBA WAX</b> (UNII: R12CBM0EIZ)                        |          |
| <b>CANDELILLA WAX</b> (UNII: WL0328HX19)                      |          |
| <b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)                |          |
| <b>ISODODECANE</b> (UNII: A8289P68Y2)                         |          |
| <b>PARAFFIN</b> (UNII: I9O0E3H2ZE)                            |          |
| <b>POLYGLYCERYL-3 DIISOSTEARATE</b> (UNII: 46P231IQV8)        |          |
| <b>GLYCERYL ISOSTEARATE</b> (UNII: HYE7O27HAO)                |          |
| <b>ISOSTEARYL ALCOHOL</b> (UNII: Q613OCQ44Y)                  |          |
| <b>DIPALMITOYL HYDROXYPROLINE</b> (UNII: E6AHA53N1H)          |          |
| <b>CERAMIDE 3</b> (UNII: 4370DF050B)                          |          |
| <b>SHEA BUTTER</b> (UNII: K49155WL9Y)                         |          |
| <b>.BETA.-SITOSTEROL</b> (UNII: S347WMO6M4)                   |          |
| <b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)                         |          |
| <b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)                       |          |
| <b>LUFFA AEGYPTIACA SEED OIL</b> (UNII: 1A281RJ859)           |          |
| <b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)                       |          |
| <b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)           |          |
| <b>POLYOXYL 40 HYDROGENATED CASTOR OIL</b> (UNII: 7YC686GQ8F) |          |
| <b>POLYSORBATE 80</b> (UNII: 6OZP39ZG8H)                      |          |
| <b>PPG-26-BUTETH-26</b> (UNII: 2IIIK6TZ4P)                    |          |
| <b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)            |          |
| <b>HEDERA HELIX LEAF</b> (UNII: ZP9XFG71A7)                   |          |
| <b>VITAMIN A PALMITATE</b> (UNII: 1D1K0N0VVC)                 |          |
| <b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)          |          |
| <b>ALLANTOIN</b> (UNII: 344S277G0Z)                           |          |
| <b>ASCORBYL PALMITATE</b> (UNII: QN83US2B0N)                  |          |
| <b>BISMUTH OXYCHLORIDE</b> (UNII: 4ZR792I587)                 |          |
| <b>MANGANESE VIOLET</b> (UNII: 72M48QQV8Q)                    |          |
| <b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)                    |          |
| <b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)                    |          |
| <b>FD&amp;C YELLOW NO. 5</b> (UNII: I753WB2F1M)               |          |
| <b>ALUMINUM OXIDE</b> (UNII: LM26O6933)                       |          |
| <b>D&amp;C RED NO. 21</b> (UNII: 08744Z6JNY)                  |          |
| <b>D&amp;C RED NO. 6</b> (UNII: 481744AI4O)                   |          |
| <b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)                  |          |
| <b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)                 |          |
| <b>TALC</b> (UNII: 7SEV7J4R1U)                                |          |
| <b>FD&amp;C BLUE NO. 1</b> (UNII: H3R47K3TBD)                 |          |
| <b>CARMINIC ACID</b> (UNII: CID8Z8N95N)                       |          |

LAUROYL LYSINE (UNII: 113171Q70B)

### Product Characteristics

|          |                           |              |  |
|----------|---------------------------|--------------|--|
| Color    | PINK (Intense pink pearl) | Score        |  |
| Shape    |                           | Size         |  |
| Flavor   |                           | Imprint Code |  |
| Contains |                           |              |  |

### Packaging

| # | Item Code        | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---------------------|----------------------|--------------------|
| 1 | NDC:13537-530-02 | 1 in 1 BOX          |                      |                    |
| 1 | NDC:13537-530-01 | 4 g in 1 TUBE       |                      |                    |

### Marketing Information

| Marketing Category      | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|-------------------------|--|----------------------|--------------------|
| OTC MONOGRAPH NOT FINAL | part352                                  | 05/27/2013           |                    |

## LBEL COULEUR LUXE AMPLIFIER XP AMPLIFYING SPF 15 - NATURAL PERSISTANT

octinoxate and oxybenzone lipstick

### Product Information

|                         |                |                    |               |
|-------------------------|----------------|--------------------|---------------|
| Product Type            | HUMAN OTC DRUG | Item Code (Source) | NDC:13537-531 |
| Route of Administration | TOPICAL        |                    |               |

### Active Ingredient/Active Moiety

| Ingredient Name  | Basis of Strength | Strength       |
|--|-------------------|----------------|
| Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51) | Octinoxate        | 0.047 g in 1 g |
| Oxybenzone (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y) | Oxybenzone        | 0.009 g in 1 g |

### Inactive Ingredients

| Ingredient Name                              | Strength |
|--|----------|
| ISOSTEARYL NEOPENTANOATE (UNII: 411THY156Q)  |          |
| DIISOPROPYL DILINOLEATE (UNII: 5323S7S2LR)   |          |
| HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7) |          |
| MICA (UNII: V8A1AW0880)                      |          |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4)           |          |
| CARNAUBA WAX (UNII: R12CBM0EIZ)              |          |
| CANDELILLA WAX (UNII: WL0328HX19)            |          |
| ETHYLHEXYL PALMITATE (UNII: 2865993309)      |          |
| ISODODECANE (UNII: A8289P68Y2)               |          |



|  |
|--|
| PARAFFIN (UNII: I9O0E3H2ZE)                            |
| POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8)        |
| GLYCERYL ISOSTEARATE (UNII: HYE7O27HAO)                |
| ISOSTEARYL ALCOHOL (UNII: Q613OCQ44Y)                  |
| DIPALMITOYL HYDROXYPROLINE (UNII: E6AHA53N1H)          |
| CERAMIDE 3 (UNII: 4370DF050B)                          |
| SHEA BUTTER (UNII: K49155WL9Y)                         |
| .BETA.-SITOSTEROL (UNII: S347WMO6M4)                   |
| DIMETHICONE (UNII: 92RU3N3Y1O)                         |
| PROPYLPARABEN (UNII: Z8IX2SC1OH)                       |
| LUFFA AEGYPTIACA SEED OIL (UNII: 1A281RJ859)           |
| METHYLPARABEN (UNII: A2I8C7HI9T)                       |
| DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)           |
| POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F) |
| POLYSORBATE 80 (UNII: 6OZP39ZG8H)                      |
| PPG-26-BUTETH-26 (UNII: 2II1K6TZ4P)                    |
| BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)            |
| HEDERA HELIX LEAF (UNII: ZP9XFG71A7)                   |
| VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)                 |
| .ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)          |
| ALLANTOIN (UNII: 344S277G0Z)                           |
| ASCORBYL PALMITATE (UNII: QN83US2B0N)                  |
| BISMUTH OXYCHLORIDE (UNII: 4ZR792I587)                 |
| MANGANESE VIOLET (UNII: 72M48QQV8Q)                    |
| FERRIC OXIDE RED (UNII: 1K09F3G675)                    |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP)                    |
| FD&C YELLOW NO. 5 (UNII: I753WB2F1M)                   |
| ALUMINUM OXIDE (UNII: LM26O6933)                       |
| D&C RED NO. 21 (UNII: 08744Z6JNY)                      |
| D&C RED NO. 6 (UNII: 481744A4O)                        |
| FERROSFERRIC OXIDE (UNII: XM0M87F357)                  |
| FERRIC OXIDE YELLOW (UNII: EX438O2MRT)                 |
| TALC (UNII: 7SEV7J4R1U)                                |
| FD&C BLUE NO. 1 (UNII: HBR47K3TBD)                     |
| CARMINIC ACID (UNII: CID8Z8N95N)                       |
| LAUROYL LYSINE (UNII: 113171Q70B)                      |

### Product Characteristics

|          |                      |              |  |
|----------|----------------------|--------------|--|
| Color    | BROWN (Light coffee) | Score        |  |
| Shape    |                      | Size         |  |
| Flavor   |                      | Imprint Code |  |
| Contains |                      |              |  |

### Packaging

| # | Item Code        | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---------------------|----------------------|--------------------|
| 1 | NDC:13537-531-02 | 1 in 1 BOX          |                      |                    |
| 1 | NDC:13537-531-01 | 4 g in 1 TUBE       |                      |                    |

## Marketing Information

| Marketing Category      | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|-------------------------|--|----------------------|--------------------|
| OTC MONOGRAPH NOT FINAL | part352                                  | 05/27/2013           |                    |

## LBEL COULEUR LUXE AMPLIFIER XP AMPLIFYING SPF 15 - MIEL ECHANTER

octinoxate and oxybenzone lipstick

### Product Information

|                         |                |                    |               |
|-------------------------|----------------|--------------------|---------------|
| Product Type            | HUMAN OTC DRUG | Item Code (Source) | NDC:13537-532 |
| Route of Administration | TOPICAL        |                    |               |

### Active Ingredient/Active Moiety

| Ingredient Name  | Basis of Strength | Strength       |
|--|-------------------|----------------|
| Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51) | Octinoxate        | 0.047 g in 1 g |
| Oxybenzone (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y) | Oxybenzone        | 0.009 g in 1 g |

### Inactive Ingredients

| Ingredient Name  | Strength |
|--|----------|
| ISOSTEARYL NEOPENTANOATE (UNII: 411THY156Q)            |          |
| DIISOPROPYL DILINOLEATE (UNII: 5323S7S2LR)             |          |
| HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)           |          |
| MICA (UNII: V8A1AW0880)                                |          |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4)                     |          |
| CARNAUBA WAX (UNII: R12CBM0EIZ)                        |          |
| CANDELILLA WAX (UNII: WL0328HX19)                      |          |
| ETHYLHEXYL PALMITATE (UNII: 2865993309)                |          |
| ISODODECANE (UNII: A8289P68Y2)                         |          |
| PARAFFIN (UNII: I9O0E3H2ZE)                            |          |
| POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8)        |          |
| GLYCERYL ISOSTEARATE (UNII: HYE7O27HAO)                |          |
| ISOSTEARYL ALCOHOL (UNII: Q6130CQ44Y)                  |          |
| DIPALMITOYL HYDROXYPROLINE (UNII: E6AHA53N1H)          |          |
| CERAMIDE 3 (UNII: 4370DF050B)                          |          |
| SHEA BUTTER (UNII: K49155WL9Y)                         |          |
| .BETA.-SITOSTEROL (UNII: S347WMO6M4)                   |          |
| DIMETHICONE (UNII: 92RU3N3Y1O)                         |          |
| PROPYLPARABEN (UNII: Z8IX2SC1OH)                       |          |
| LUFFA AEGYPTIACA SEED OIL (UNII: 1A281RJ859)           |          |
| METHYLPARABEN (UNII: A2I8C7HI9T)                       |          |
| DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)           |          |
| POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F) |          |
| POLYSORBATE 80 (UNII: 6OZP39ZG8H)                      |          |

|   |
|---|
| PPG-26-BUTETH-26 (UNII: 2II1K6TZ4P)           |
| BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)   |
| HEDERA HELIX LEAF (UNII: ZP9XFG71A7)          |
| VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)        |
| .ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0) |
| ALLANTOIN (UNII: 344S277G0Z)                  |
| ASCORBYL PALMITATE (UNII: QN83US2B0N)         |
| BISMUTH OXYCHLORIDE (UNII: 4ZR792I587)        |
| MANGANESE VIOLET (UNII: 72M48QQV8Q)           |
| FERRIC OXIDE RED (UNII: 1K09F3G675)           |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP)           |
| FD&C YELLOW NO. 5 (UNII: I753WB2F1M)          |
| ALUMINUM OXIDE (UNII: LM26O6933)              |
| D&C RED NO. 21 (UNII: 08744Z6JNY)             |
| D&C RED NO. 6 (UNII: 481744AI4O)              |
| FERROSFERRIC OXIDE (UNII: XM0M87F357)         |
| FERRIC OXIDE YELLOW (UNII: EX438O2MRT)        |
| TALC (UNII: 7SEV7J4R1U)                       |
| FD&C BLUE NO. 1 (UNII: H3R47K3TBD)            |
| CARMINIC ACID (UNII: CID8Z8N95N)              |
| LAUROYL LYSINE (UNII: 113171Q70B)             |

### Product Characteristics

|          |                             |              |  |
|----------|-----------------------------|--------------|--|
| Color    | BROWN (Pearl orange coffee) | Score        |  |
| Shape    |                             | Size         |  |
| Flavor   |                             | Imprint Code |  |
| Contains |                             |              |  |

### Packaging

| # | Item Code        | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---------------------|----------------------|--------------------|
| 1 | NDC:13537-532-02 | 1 in 1 BOX          |                      |                    |
| 1 | NDC:13537-532-01 | 4 g in 1 TUBE       |                      |                    |

### Marketing Information

| Marketing Category      | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|-------------------------|--|----------------------|--------------------|
| OTC MONOGRAPH NOT FINAL | part352                                  | 05/27/2013           |                    |

## LBEL COULEUR LUXE AMPLIFIER XP AMPLIFYING SPF 15 - ROUGE PRODIGEUX

octinoxate and oxybenzone lipstick

### Product Information

|              |                |                    |               |
|--------------|----------------|--------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:13537-533 |
|--------------|----------------|--------------------|---------------|

**Route of Administration**

TOPICAL

**Active Ingredient/Active Moiety**

| <b>Ingredient Name</b>  | <b>Basis of Strength</b> | <b>Strength</b> |
|---|--------------------------|-----------------|
| <b>Octinoxate</b> (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51) | Octinoxate               | 0.047 g in 1 g  |
| <b>Oxybenzone</b> (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y) | Oxybenzone               | 0.009 g in 1 g  |

**Inactive Ingredients**

| <b>Ingredient Name</b>  | <b>Strength</b> |
|---|-----------------|
| <b>ISOSTEARYL NEOPENTANOATE</b> (UNII: 411THY156Q)            |                 |
| <b>DIISOPROPYL DILINOLEATE</b> (UNII: 5323S7S2LR)             |                 |
| <b>HIGH DENSITY POLYETHYLENE</b> (UNII: UG00KM4WR7)           |                 |
| <b>MICA</b> (UNII: V8A1AW0880)                                |                 |
| <b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)                     |                 |
| <b>CARNAUBA WAX</b> (UNII: R12CBM0EIZ)                        |                 |
| <b>CANDELILLA WAX</b> (UNII: WL0328HX19)                      |                 |
| <b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)                |                 |
| <b>ISODODECANE</b> (UNII: A8289P68Y2)                         |                 |
| <b>PARAFFIN</b> (UNII: I9O0E3H2ZE)                            |                 |
| <b>POLYGLYCERYL-3 DIISOSTEARATE</b> (UNII: 46P231IQV8)        |                 |
| <b>GLYCERYL ISOSTEARATE</b> (UNII: HYE7O27HAO)                |                 |
| <b>ISOSTEARYL ALCOHOL</b> (UNII: Q613OCQ44Y)                  |                 |
| <b>DIPALMITOYL HYDROXYPROLINE</b> (UNII: E6AHA53N1H)          |                 |
| <b>CERAMIDE 3</b> (UNII: 4370DF050B)                          |                 |
| <b>SHEA BUTTER</b> (UNII: K49155WL9Y)                         |                 |
| <b>.BETA.-SITOSTEROL</b> (UNII: S347WMO6M4)                   |                 |
| <b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)                         |                 |
| <b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)                       |                 |
| <b>LUFFA AEGYPTIACA SEED OIL</b> (UNII: 1A281RJ859)           |                 |
| <b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)                       |                 |
| <b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)           |                 |
| <b>POLYOXYL 40 HYDROGENATED CASTOR OIL</b> (UNII: 7YC686GQ8F) |                 |
| <b>POLYSORBATE 80</b> (UNII: 6OZP39ZG8H)                      |                 |
| <b>PPG-26-BUTETH-26</b> (UNII: 2II1K6TZ4P)                    |                 |
| <b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)            |                 |
| <b>HEDERA HELIX LEAF</b> (UNII: ZP9XFG71A7)                   |                 |
| <b>VITAMIN A PALMITATE</b> (UNII: 1D1K0N0VVC)                 |                 |
| <b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)          |                 |
| <b>ALLANTOIN</b> (UNII: 344S277G0Z)                           |                 |
| <b>ASCORBYL PALMITATE</b> (UNII: QN83US2B0N)                  |                 |
| <b>BISMUTH OXYCHLORIDE</b> (UNII: 4ZR792I587)                 |                 |
| <b>MANGANESE VIOLET</b> (UNII: 72M48QQV8Q)                    |                 |
| <b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)                    |                 |
| <b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)                    |                 |
| <b>FD&amp;C YELLOW NO. 5</b> (UNII: I753WB2F1M)               |                 |
| <b>ALUMINUM OXIDE</b> (UNII: LM26O6933)                       |                 |
| <b>D&amp;C RED NO. 21</b> (UNII: 08744Z6JNY)                  |                 |
| <b>D&amp;C RED NO. 6</b> (UNII: 481744AI4O)                   |                 |



|   |  |
|---|--|
| FERROSO FERRIC OXIDE (UNII: XM0M87F357) |  |
| FERRIC OXIDE YELLOW (UNII: EX438O2MRT)  |  |
| TALC (UNII: 7SEV7J4R1U)                 |  |
| FD&C BLUE NO. 1 (UNII: H3R47K3TBD)      |  |
| CARMINIC ACID (UNII: CID8Z8N95N)        |  |
| LAUROYL LYSINE (UNII: 113171Q70B)       |  |

| Product Characteristics |     |              |  |
|-------------------------|-----|--------------|--|
| Color                   | RED | Score        |  |
| Shape                   |     | Size         |  |
| Flavor                  |     | Imprint Code |  |
| Contains                |     |              |  |

| Packaging |                  |                     |                      |                    |
|-----------|------------------|---------------------|----------------------|--------------------|
| #         | Item Code        | Package Description | Marketing Start Date | Marketing End Date |
| 1         | NDC:13537-533-02 | 1 in 1 BOX          |                      |                    |
| 1         | NDC:13537-533-01 | 4 g in 1 TUBE       |                      |                    |

| Marketing Information   |  |                      |                    |
|-------------------------|--|----------------------|--------------------|
| Marketing Category      | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
| OTC MONOGRAPH NOT FINAL | part352                                  | 05/27/2013           |                    |

**LBEL COULEUR LUXE AMPLIFIER XP AMPLIFYING SPF 15 - MARRON ILLIMITE**  
 octinoxate and oxybenzone lipstick

| Product Information     |                |                    |               |
|-------------------------|----------------|--------------------|---------------|
| Product Type            | HUMAN OTC DRUG | Item Code (Source) | NDC:13537-534 |
| Route of Administration | TOPICAL        |                    |               |

| Active Ingredient/Active Moiety                              |                   |                |
|--|-------------------|----------------|
| Ingredient Name  | Basis of Strength | Strength       |
| Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51) | Octinoxate        | 0.047 g in 1 g |
| Oxybenzone (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y) | Oxybenzone        | 0.009 g in 1 g |

| Inactive Ingredients                         |          |
|--|----------|
| Ingredient Name                              | Strength |
| ISOSTEARYL NEOPENTANOATE (UNII: 411THY156Q)  |          |
| DIISOPROPYL DILINOLEATE (UNII: 5323S7S2LR)   |          |
| HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7) |          |

|  |  |
|--|--|
| MICA (UNII: V8A1AW0880)                                |  |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4)                     |  |
| CARNAUBA WAX (UNII: R12CBM0EIZ)                        |  |
| CANDELILLA WAX (UNII: WL0328HX19)                      |  |
| ETHYLHEXYL PALMITATE (UNII: 2865993309)                |  |
| ISODODECANE (UNII: A8289P68Y2)                         |  |
| PARAFFIN (UNII: I9O0E3H2ZE)                            |  |
| POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8)        |  |
| GLYCERYL ISOSTEARATE (UNII: HYE7O27HAO)                |  |
| ISOSTEARYL ALCOHOL (UNII: Q613OCQ44Y)                  |  |
| DIPALMITOYL HYDROXYPROLINE (UNII: E6AHA53N1H)          |  |
| CERAMIDE 3 (UNII: 4370DF050B)                          |  |
| SHEA BUTTER (UNII: K49155WL9Y)                         |  |
| .BETA.-SITOSTEROL (UNII: S347WMO6M4)                   |  |
| DIMETHICONE (UNII: 92RU3N3Y1O)                         |  |
| PROPYLPARABEN (UNII: Z8IX2SC1OH)                       |  |
| LUFFA AEGYPTIACA SEED OIL (UNII: 1A281RJ859)           |  |
| METHYLPARABEN (UNII: A2I8C7HI9T)                       |  |
| DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)           |  |
| POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F) |  |
| POLYSORBATE 80 (UNII: 6OZP39ZG8H)                      |  |
| PPG-26-BUTETH-26 (UNII: 2IIIK6TZ4P)                    |  |
| BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)            |  |
| HEDERA HELIX LEAF (UNII: ZP9XFG71A7)                   |  |
| VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)                 |  |
| .ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)          |  |
| ALLANTOIN (UNII: 344S277G0Z)                           |  |
| ASCORBYL PALMITATE (UNII: QN83US2B0N)                  |  |
| BISMUTH OXYCHLORIDE (UNII: 4ZR792I587)                 |  |
| MANGANESE VIOLET (UNII: 72M48QQV8Q)                    |  |
| FERRIC OXIDE RED (UNII: 1K09F3G675)                    |  |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP)                    |  |
| FD&C YELLOW NO. 5 (UNII: I753WB2F1M)                   |  |
| ALUMINUM OXIDE (UNII: LM26O6933)                       |  |
| D&C RED NO. 21 (UNII: 08744Z6JNY)                      |  |
| D&C RED NO. 6 (UNII: 481744AI4O)                       |  |
| FERROSFERRIC OXIDE (UNII: XM0M87F357)                  |  |
| FERRIC OXIDE YELLOW (UNII: EX438O2MRT)                 |  |
| TALC (UNII: 7SEV7J4R1U)                                |  |
| FD&C BLUE NO. 1 (UNII: HBR47K3TBD)                     |  |
| CARMINIC ACID (UNII: CID8Z8N95N)                       |  |
| LAUROYL LYSINE (UNII: 113171Q70B)                      |  |

| Product Characteristics |              |              |
|-------------------------|--------------|--------------|
| Color                   | RED (Maroon) | Score        |
| Shape                   |              | Size         |
| Flavor                  |              | Imprint Code |
| Contains                |              |              |

**Packaging**

| # | Item Code        | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---------------------|----------------------|--------------------|
| 1 | NDC:13537-534-02 | 1 in 1 BOX          |                      |                    |
| 1 | NDC:13537-534-01 | 4 g in 1 TUBE       |                      |                    |

**Marketing Information**

| Marketing Category      | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|-------------------------|--|----------------------|--------------------|
| OTC MONOGRAPH NOT FINAL | part352                                  | 05/27/2013           |                    |

**LBEL COULEUR LUXE AMPLIFIER XP AMPLIFYING SPF 15 - CHOCOLAT MAJESTIC**

octinoxate and oxybenzone lipstick

**Product Information**

|                         |                |                    |               |
|-------------------------|----------------|--------------------|---------------|
| Product Type            | HUMAN OTC DRUG | Item Code (Source) | NDC:13537-535 |
| Route of Administration | TOPICAL        |                    |               |

**Active Ingredient/Active Moiety**

| Ingredient Name  | Basis of Strength | Strength       |
|--|-------------------|----------------|
| Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51) | Octinoxate        | 0.047 g in 1 g |
| Oxybenzone (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y) | Oxybenzone        | 0.009 g in 1 g |

**Inactive Ingredients**

| Ingredient Name                                 | Strength |
|---|----------|
| ISOSTEARYL NEOPENTANOATE (UNII: 411THY156Q)     |          |
| DIISOPROPYL DILINOLEATE (UNII: 5323S7S2LR)      |          |
| HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)    |          |
| MICA (UNII: V8A1AW0880)                         |          |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4)              |          |
| CARNAUBA WAX (UNII: R12CBM0EIZ)                 |          |
| CANDELILLA WAX (UNII: WL0328HX19)               |          |
| ETHYLHEXYL PALMITATE (UNII: 2865993309)         |          |
| ISODODECANE (UNII: A8289P68Y2)                  |          |
| PARAFFIN (UNII: I9O0E3H2ZE)                     |          |
| POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8) |          |
| GLYCERYL ISOSTEARATE (UNII: HYE7O27HAO)         |          |
| ISOSTEARYL ALCOHOL (UNII: Q613OCQ44Y)           |          |
| DIPALMITOYL HYDROXYPROLINE (UNII: E6AHA53N1H)   |          |
| CERAMIDE 3 (UNII: 4370DF050B)                   |          |
| SHEA BUTTER (UNII: K49155WL9Y)                  |          |
| .BETA.-SITOSTEROL (UNII: S347WMO6M4)            |          |
| DIMETHICONE (UNII: 92RU3N3Y1O)                  |          |

|  |  |
|--|--|
| PROPYLPARABEN (UNII: Z8IX2SC1OH)                       |  |
| LUFFA AEGYPTIACA SEED OIL (UNII: 1A281RJ859)           |  |
| METHYLPARABEN (UNII: A2I8C7HI9T)                       |  |
| DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)           |  |
| POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F) |  |
| POLYSORBATE 80 (UNII: 6OZP39ZG8H)                      |  |
| PPG-26-BUTETH-26 (UNII: 2II1K6TZ4P)                    |  |
| BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)            |  |
| HEDERA HELIX LEAF (UNII: ZP9XFG71A7)                   |  |
| VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)                 |  |
| .ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)          |  |
| ALLANTOIN (UNII: 344S277G0Z)                           |  |
| ASCORBYL PALMITATE (UNII: QN83US2B0N)                  |  |
| BISMUTH OXYCHLORIDE (UNII: 4ZR792I587)                 |  |
| MANGANESE VIOLET (UNII: 72M48QQV8Q)                    |  |
| FERRIC OXIDE RED (UNII: 1K09F3G675)                    |  |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP)                    |  |
| FD&C YELLOW NO. 5 (UNII: I753WB2F1M)                   |  |
| ALUMINUM OXIDE (UNII: LM26O6933)                       |  |
| D&C RED NO. 21 (UNII: 08744Z6JNY)                      |  |
| D&C RED NO. 6 (UNII: 481744AI4O)                       |  |
| FERROSFERRIC OXIDE (UNII: XM0M87F357)                  |  |
| FERRIC OXIDE YELLOW (UNII: EX438O2MRT)                 |  |
| TALC (UNII: 7SEV7J4R1U)                                |  |
| FD&C BLUE NO. 1 (UNII: H3R47K3TBD)                     |  |
| CARMINIC ACID (UNII: CID8Z8N95N)                       |  |
| LAUROYL LYSINE (UNII: 113171Q70B)                      |  |

### Product Characteristics

|          |                    |              |  |
|----------|--------------------|--------------|--|
| Color    | BROWN (Dark brown) | Score        |  |
| Shape    |                    | Size         |  |
| Flavor   |                    | Imprint Code |  |
| Contains |                    |              |  |

### Packaging

| # | Item Code        | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---------------------|----------------------|--------------------|
| 1 | NDC:13537-535-02 | 1 in 1 BOX          |                      |                    |
| 1 | NDC:13537-535-01 | 4 g in 1 TUBE       |                      |                    |

### Marketing Information

| Marketing Category      | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|-------------------------|--|----------------------|--------------------|
| OTC MONOGRAPH NOT FINAL | part352                                  | 05/27/2013           |                    |

**LBEL COULEUR LUXE AMPLIFIER XP AMPLIFYING SPF 15 - CAFE SUCCES**

octinoxate and oxybenzone lipstick

### Product Information

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:13537-536 |
| <b>Route of Administration</b> | TOPICAL        |                           |               |

### Active Ingredient/Active Moiety

| <b>Ingredient Name</b>  | <b>Basis of Strength</b> | <b>Strength</b> |
|---|--------------------------|-----------------|
| <b>Octinoxate</b> (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51) | Octinoxate               | 0.047 g in 1 g  |
| <b>Oxybenzone</b> (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y) | Oxybenzone               | 0.009 g in 1 g  |

### Inactive Ingredients

| <b>Ingredient Name</b>                                 | <b>Strength</b> |
|--|-----------------|
| ISO STEARYL NEOPENTANOATE (UNII: 411THY156Q)           |                 |
| DIISOPROPYL DILINOLEATE (UNII: 5323S7S2LR)             |                 |
| HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)           |                 |
| MICA (UNII: V8A1AW0880)                                |                 |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4)                     |                 |
| CARNAUBA WAX (UNII: R12CBM0EIZ)                        |                 |
| CANDELILLA WAX (UNII: WL0328HX19)                      |                 |
| ETHYLHEXYL PALMITATE (UNII: 2865993309)                |                 |
| ISODODECANE (UNII: A8289P68Y2)                         |                 |
| PARAFFIN (UNII: I9O0E3H2ZE)                            |                 |
| POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8)        |                 |
| GLYCERYL ISOSTEARATE (UNII: HYE7O27HAO)                |                 |
| ISO STEARYL ALCOHOL (UNII: Q613OCQ44Y)                 |                 |
| DIPALMITOYL HYDROXYPROLINE (UNII: E6AHA53N1H)          |                 |
| CERAMIDE 3 (UNII: 4370DF050B)                          |                 |
| SHEA BUTTER (UNII: K49155WL9Y)                         |                 |
| .BETA.-SITOSTEROL (UNII: S347WMO6M4)                   |                 |
| DIMETHICONE (UNII: 92RU3N3Y1O)                         |                 |
| PROPYLPARABEN (UNII: Z8IX2SC1OH)                       |                 |
| LUFFA AEGYPTIACA SEED OIL (UNII: 1A281RJ859)           |                 |
| METHYLPARABEN (UNII: A2I8C7HI9T)                       |                 |
| DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)           |                 |
| POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F) |                 |
| POLYSORBATE 80 (UNII: 6OZP39ZG8H)                      |                 |
| PPG-26-BUTETH-26 (UNII: 2IIK6TZ4P)                     |                 |
| BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)            |                 |
| HEDERA HELIX LEAF (UNII: ZP9XFG71A7)                   |                 |
| VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)                 |                 |
| .ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)          |                 |
| ALLANTOIN (UNII: 344S277G0Z)                           |                 |
| ASCORBYL PALMITATE (UNII: QN83US2B0N)                  |                 |
| BISMUTH OXYCHLORIDE (UNII: 4ZR792I587)                 |                 |
| MANGANESE VIOLET (UNII: 72M48QQV8Q)                    |                 |



|   |  |
|---|--|
| FERRIC OXIDE RED (UNII: 1K09F3G675)     |  |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP)     |  |
| FD&C YELLOW NO. 5 (UNII: I753WB2F1M)    |  |
| ALUMINUM OXIDE (UNII: LM26O6933)        |  |
| D&C RED NO. 21 (UNII: 08744Z6JNY)       |  |
| D&C RED NO. 6 (UNII: 481744AI4O)        |  |
| FERROSO FERRIC OXIDE (UNII: XM0M87F357) |  |
| FERRIC OXIDE YELLOW (UNII: EX438O2MRT)  |  |
| TALC (UNII: 7SEV7J4R1U)                 |  |
| FD&C BLUE NO. 1 (UNII: HBR47K3TBD)      |  |
| CARMINIC ACID (UNII: CID8Z8N95N)        |  |
| LAUROYL LYSINE (UNII: 113171Q70B)       |  |

### Product Characteristics

|          |                |              |  |
|----------|----------------|--------------|--|
| Color    | BROWN (Coffee) | Score        |  |
| Shape    |                | Size         |  |
| Flavor   |                | Imprint Code |  |
| Contains |                |              |  |

### Packaging

| # | Item Code        | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---------------------|----------------------|--------------------|
| 1 | NDC:13537-536-02 | 1 in 1 BOX          |                      |                    |
| 1 | NDC:13537-536-01 | 4 g in 1 TUBE       |                      |                    |

### Marketing Information

| Marketing Category      | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|-------------------------|--|----------------------|--------------------|
| OTC MONOGRAPH NOT FINAL | part352                                  | 05/27/2013           |                    |

## LBEL COULEUR LUXE AMPLIFIER XP AMPLIFYING SPF 15 - ROUGE GRANDOISE

octinoxate and oxybenzone lipstick

### Product Information

|                         |                |                    |               |
|-------------------------|----------------|--------------------|---------------|
| Product Type            | HUMAN OTC DRUG | Item Code (Source) | NDC:13537-537 |
| Route of Administration | TOPICAL        |                    |               |

### Active Ingredient/Active Moiety

| Ingredient Name  | Basis of Strength | Strength       |
|--|-------------------|----------------|
| Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51) | Octinoxate        | 0.047 g in 1 g |
| Oxybenzone (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y) | Oxybenzone        | 0.009 g in 1 g |

## Inactive Ingredients

| Ingredient Name  | Strength |
|--|----------|
| ISOSTEARYL NEOPENTANOATE (UNII: 411THY156Q)            |          |
| DIISOPROPYL DILINOLEATE (UNII: 5323S7S2LR)             |          |
| HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)           |          |
| MICA (UNII: V8A1AW0880)                                |          |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4)                     |          |
| CARNAUBA WAX (UNII: R12CBM0EIZ)                        |          |
| CANDELILLA WAX (UNII: WL0328HX19)                      |          |
| ETHYLHEXYL PALMITATE (UNII: 2865993309)                |          |
| ISODODECANE (UNII: A8289P68Y2)                         |          |
| PARAFFIN (UNII: I9O0E3H2ZE)                            |          |
| POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8)        |          |
| GLYCERYL ISOSTEARATE (UNII: HYE7O27HAO)                |          |
| ISOSTEARYL ALCOHOL (UNII: Q6130CQ44Y)                  |          |
| DIPALMITOYL HYDROXYPROLINE (UNII: E6AHA53N1H)          |          |
| CERAMIDE 3 (UNII: 4370DF050B)                          |          |
| SHEA BUTTER (UNII: K49155WL9Y)                         |          |
| .BETA.-SITOSTEROL (UNII: S347WMO6M4)                   |          |
| DIMETHICONE (UNII: 92RU3N3Y1O)                         |          |
| PROPYLPARABEN (UNII: Z8IX2SC1OH)                       |          |
| LUFFA AEGYPTIACA SEED OIL (UNII: 1A281RJ859)           |          |
| METHYLPARABEN (UNII: A2I8C7HI9T)                       |          |
| DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)           |          |
| POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F) |          |
| POLYSORBATE 80 (UNII: 6OZP39ZG8H)                      |          |
| PPG-26-BUTETH-26 (UNII: 2IIIK6TZ4P)                    |          |
| BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)            |          |
| HEDERA HELIX LEAF (UNII: ZP9XFG71A7)                   |          |
| VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)                 |          |
| .ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)          |          |
| ALLANTOIN (UNII: 344S277G0Z)                           |          |
| ASCORBYL PALMITATE (UNII: QN83US2B0N)                  |          |
| BISMUTH OXYCHLORIDE (UNII: 4ZR792I587)                 |          |
| MANGANESE VIOLET (UNII: 72M48QQV8Q)                    |          |
| FERRIC OXIDE RED (UNII: 1K09F3G675)                    |          |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP)                    |          |
| FD&C YELLOW NO. 5 (UNII: I753WB2F1M)                   |          |
| ALUMINUM OXIDE (UNII: LM26O6933)                       |          |
| D&C RED NO. 21 (UNII: 08744Z6JNY)                      |          |
| D&C RED NO. 6 (UNII: 481744AI4O)                       |          |
| FERRUS FERRIC OXIDE (UNII: XM0M87F357)                 |          |
| FERRIC OXIDE YELLOW (UNII: EX438O2MRT)                 |          |
| TALC (UNII: 7SEV7J4R1U)                                |          |
| FD&C BLUE NO. 1 (UNII: HBR47K3TBD)                     |          |
| CARMINIC ACID (UNII: CID8Z8N95N)                       |          |
| LAUROYL LYSINE (UNII: 113171Q70B)                      |          |

## Product Characteristics

|                 |                   |                     |  |
|-----------------|-------------------|---------------------|--|
| <b>Color</b>    | RED (Intense red) | <b>Score</b>        |  |
| <b>Shape</b>    |                   | <b>Size</b>         |  |
| <b>Flavor</b>   |                   | <b>Imprint Code</b> |  |
| <b>Contains</b> |                   |                     |  |

### Packaging

| # | Item Code        | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---------------------|----------------------|--------------------|
| 1 | NDC:13537-537-02 | 1 in 1 BOX          |                      |                    |
| 1 | NDC:13537-537-01 | 4 g in 1 TUBE       |                      |                    |

### Marketing Information

| Marketing Category      | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|-------------------------|--|----------------------|--------------------|
| OTC MONOGRAPH NOT FINAL | part352                                  | 05/27/2013           |                    |

## LBEL COULEUR LUXE AMPLIFIER XP AMPLIFYING SPF 15 - ROUGE RUBI

octinoxate and oxybenzone lipstick

### Product Information

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:13537-538 |
| <b>Route of Administration</b> | TOPICAL        |                           |               |

### Active Ingredient/Active Moiety

| Ingredient Name   | Basis of Strength | Strength       |
|---|-------------------|----------------|
| <b>Octinoxate</b> (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51) | Octinoxate        | 0.047 g in 1 g |
| <b>Oxybenzone</b> (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y) | Oxybenzone        | 0.009 g in 1 g |

### Inactive Ingredients

| Ingredient Name                                 | Strength |
|---|----------|
| ISOSTEARYL NEOPENTANOATE (UNII: 411THY156Q)     |          |
| DIISOPROPYL DILINOLEATE (UNII: 5323S7S2LR)      |          |
| HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)    |          |
| MICA (UNII: V8A1AW0880)                         |          |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4)              |          |
| CARNAUBA WAX (UNII: R12CBM0EIZ)                 |          |
| CANDELILLA WAX (UNII: WL0328HX19)               |          |
| ETHYLHEXYL PALMITATE (UNII: 2865993309)         |          |
| ISODODECANE (UNII: A8289P68Y2)                  |          |
| PARAFFIN (UNII: I9O0E3H2ZE)                     |          |
| POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8) |          |
| GLYCERYL ISOSTEARATE (UNII: HYE7O27HAO)         |          |
| ISOSTEARYL ALCOHOL (UNII: Q613OCQ44Y)           |          |
| DIPALMITOYL HYDROXYPROLINE (UNII: E6AHA53N1H)   |          |

|  |
|--|
| CERAMIDE 3 (UNII: 4370DF050B)                          |
| SHEA BUTTER (UNII: K49155WL9Y)                         |
| .BETA.-SITOSTEROL (UNII: S347WMO6M4)                   |
| DIMETHICONE (UNII: 92RU3N3Y1O)                         |
| PROPYLPARABEN (UNII: Z8IX2SC1OH)                       |
| LUFFA AEGYPTIACA SEED OIL (UNII: 1A281RJ859)           |
| METHYLPARABEN (UNII: A2I8C7HI9T)                       |
| DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)           |
| POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F) |
| POLYSORBATE 80 (UNII: 6OZP39ZG8H)                      |
| PPG-26-BUTETH-26 (UNII: 2IIIK6TZ4P)                    |
| BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)            |
| HEDERA HELIX LEAF (UNII: ZP9XFG71A7)                   |
| VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)                 |
| .ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)          |
| ALLANTOIN (UNII: 344S277G0Z)                           |
| ASCORBYL PALMITATE (UNII: QN83US2B0N)                  |
| BISMUTH OXYCHLORIDE (UNII: 4ZR792I587)                 |
| MANGANESE VIOLET (UNII: 72M48QQV8Q)                    |
| FERRIC OXIDE RED (UNII: 1K09F3G675)                    |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP)                    |
| FD&C YELLOW NO. 5 (UNII: I753WB2F1M)                   |
| ALUMINUM OXIDE (UNII: LM26O6933)                       |
| D&C RED NO. 21 (UNII: 08744Z6JNY)                      |
| D&C RED NO. 6 (UNII: 481744AI4O)                       |
| FERROSFERRIC OXIDE (UNII: XM0M87F357)                  |
| FERRIC OXIDE YELLOW (UNII: EX438O2MRT)                 |
| TALC (UNII: 7SEV7J4R1U)                                |
| FD&C BLUE NO. 1 (UNII: H3R47K3TBD)                     |
| CARMINIC ACID (UNII: CID8Z8N95N)                       |
| LAUROYL LYSINE (UNII: 113171Q70B)                      |

### Product Characteristics

|                 |                         |                     |  |
|-----------------|-------------------------|---------------------|--|
| <b>Color</b>    | RED (Intense red pearl) | <b>Score</b>        |  |
| <b>Shape</b>    |                         | <b>Size</b>         |  |
| <b>Flavor</b>   |                         | <b>Imprint Code</b> |  |
| <b>Contains</b> |                         |                     |  |

### Packaging

| # | Item Code        | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---------------------|----------------------|--------------------|
| 1 | NDC:13537-538-02 | 1 in 1 BOX          |                      |                    |
| 1 | NDC:13537-538-01 | 4 g in 1 TUBE       |                      |                    |

### Marketing Information

| Marketing Category      | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|-------------------------|--|----------------------|--------------------|
| OTC MONOGRAPH NOT FINAL | part352                                  | 05/27/2013           |                    |

# LBEL COULEUR LUXE AMPLIFIER XP AMPLIFYING SPF 15 - SAUMON ESSENTIEL

octinoxate and oxybenzone lipstick

## Product Information

|                         |                |                    |               |
|-------------------------|----------------|--------------------|---------------|
| Product Type            | HUMAN OTC DRUG | Item Code (Source) | NDC:13537-539 |
| Route of Administration | TOPICAL        |                    |               |

## Active Ingredient/Active Moiety

| Ingredient Name  | Basis of Strength | Strength       |
|--|-------------------|----------------|
| Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51) | Octinoxate        | 0.047 g in 1 g |
| Oxybenzone (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y) | Oxybenzone        | 0.009 g in 1 g |

## Inactive Ingredients

| Ingredient Name  | Strength |
|--|----------|
| ISO STEARYL NEOPENTANOATE (UNII: 411THY156Q)           |          |
| DIISOPROPYL DILINOLEATE (UNII: 5323S7S2LR)             |          |
| HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)           |          |
| MICA (UNII: V8A1AW0880)                                |          |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4)                     |          |
| CARNAUBA WAX (UNII: R12CBM0EIZ)                        |          |
| CANDELILLA WAX (UNII: WL0328HX19)                      |          |
| ETHYLHEXYL PALMITATE (UNII: 2865993309)                |          |
| ISODODECANE (UNII: A8289P68Y2)                         |          |
| PARAFFIN (UNII: I9O0E3H2ZE)                            |          |
| POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8)        |          |
| GLYCERYL ISOSTEARATE (UNII: HYE7O27HAO)                |          |
| ISOSTEARYL ALCOHOL (UNII: Q613OCQ44Y)                  |          |
| DIPALMITOYL HYDROXYPROLINE (UNII: E6AHA53N1H)          |          |
| CERAMIDE 3 (UNII: 4370DF050B)                          |          |
| SHEA BUTTER (UNII: K49155WL9Y)                         |          |
| .BETA.-SITOSTEROL (UNII: S347WMO6M4)                   |          |
| DIMETHICONE (UNII: 92RU3N3Y1O)                         |          |
| PROPYLPARABEN (UNII: Z8IX2SC1OH)                       |          |
| LUFFA AEGYPTIACA SEED OIL (UNII: 1A281RJ859)           |          |
| METHYLPARABEN (UNII: A2I8C7HI9T)                       |          |
| DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)           |          |
| POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F) |          |
| POLYSORBATE 80 (UNII: 6OZP39ZG8H)                      |          |
| PPG-26-BUTETH-26 (UNII: 2IHK6TZ4P)                     |          |
| BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)            |          |
| HEDERA HELIX LEAF (UNII: ZP9XFG71A7)                   |          |
| VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)                 |          |
| .ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)          |          |



|  |  |
|--|--|
| ALLANTOIN (UNII: 344S277G0Z)           |  |
| ASCORBYL PALMITATE (UNII: QN83US2B0N)  |  |
| BISMUTH OXYCHLORIDE (UNII: 4ZR792I587) |  |
| MANGANESE VIOLET (UNII: 72M48QQV8Q)    |  |
| FERRIC OXIDE RED (UNII: 1K09F3G675)    |  |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP)    |  |
| FD&C YELLOW NO. 5 (UNII: I753WB2F1M)   |  |
| ALUMINUM OXIDE (UNII: LM26O6933)       |  |
| D&C RED NO. 21 (UNII: 08744Z6JNY)      |  |
| D&C RED NO. 6 (UNII: 481744AI4O)       |  |
| FERROSFERRIC OXIDE (UNII: XM0M87F357)  |  |
| FERRIC OXIDE YELLOW (UNII: EX438O2MRT) |  |
| TALC (UNII: 7SEV7J4R1U)                |  |
| FD&C BLUE NO. 1 (UNII: HBR47K3TBD)     |  |
| CARMINIC ACID (UNII: CID8Z8N95N)       |  |
| LAUROYL LYSINE (UNII: 113171Q70B)      |  |

### Product Characteristics

|          |                        |              |  |
|----------|------------------------|--------------|--|
| Color    | RED (Pearl Salmon red) | Score        |  |
| Shape    |                        | Size         |  |
| Flavor   |                        | Imprint Code |  |
| Contains |                        |              |  |

### Packaging

| # | Item Code        | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---------------------|----------------------|--------------------|
| 1 | NDC:13537-539-02 | 1 in 1 BOX          |                      |                    |
| 1 | NDC:13537-539-01 | 4 g in 1 TUBE       |                      |                    |

### Marketing Information

| Marketing Category      | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|-------------------------|--|----------------------|--------------------|
| OTC MONOGRAPH NOT FINAL | part352                                  | 05/27/2013           |                    |

## LBEL COULEUR LUXE AMPLIFIER XP AMPLIFYING SPF 15 - BOURGOGNE VIF

octinoxate and oxybenzone lipstick

### Product Information

|                         |                |                    |               |
|-------------------------|----------------|--------------------|---------------|
| Product Type            | HUMAN OTC DRUG | Item Code (Source) | NDC:13537-540 |
| Route of Administration | TOPICAL        |                    |               |

### Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|-----------------|-------------------|----------|
|-----------------|-------------------|----------|

|   |            |                |
|---|------------|----------------|
| <b>Octinoxate</b> (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51) | Octinoxate | 0.047 g in 1 g |
| <b>Oxybenzone</b> (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y) | Oxybenzone | 0.009 g in 1 g |

## Inactive Ingredients

| Ingredient Name   | Strength |
|---|----------|
| <b>ISOSTEARYL NEOPENTANOATE</b> (UNII: 411THY156Q)            |          |
| <b>DIISOPROPYL DILINOLEATE</b> (UNII: 5323S7S2LR)             |          |
| <b>HIGH DENSITY POLYETHYLENE</b> (UNII: UG00KM4WR7)           |          |
| <b>MICA</b> (UNII: V8A1AW0880)                                |          |
| <b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)                     |          |
| <b>CARNAUBA WAX</b> (UNII: R12CBM0EIZ)                        |          |
| <b>CANDELILLA WAX</b> (UNII: WL0328HX19)                      |          |
| <b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)                |          |
| <b>ISODODECANE</b> (UNII: A8289P68Y2)                         |          |
| <b>PARAFFIN</b> (UNII: I9O0E3H2ZE)                            |          |
| <b>POLYGLYCERYL-3 DIISOSTEARATE</b> (UNII: 46P231IQV8)        |          |
| <b>GLYCERYL ISOSTEARATE</b> (UNII: HYE7O27HAO)                |          |
| <b>ISOSTEARYL ALCOHOL</b> (UNII: Q613OCQ44Y)                  |          |
| <b>DIPALMITOYL HYDROXYPROLINE</b> (UNII: E6AHA53N1H)          |          |
| <b>CERAMIDE 3</b> (UNII: 4370DF050B)                          |          |
| <b>SHEA BUTTER</b> (UNII: K49155WL9Y)                         |          |
| <b>.BETA.-SITOSTEROL</b> (UNII: S347WMO6M4)                   |          |
| <b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)                         |          |
| <b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)                       |          |
| <b>LUFFA AEGYPTIACA SEED OIL</b> (UNII: 1A281RJ859)           |          |
| <b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)                       |          |
| <b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)           |          |
| <b>POLYOXYL 40 HYDROGENATED CASTOR OIL</b> (UNII: 7YC686GQ8F) |          |
| <b>POLYSORBATE 80</b> (UNII: 6OZP39ZG8H)                      |          |
| <b>PPG-26-BUTETH-26</b> (UNII: 2IIIK6TZ4P)                    |          |
| <b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)            |          |
| <b>HEDERA HELIX LEAF</b> (UNII: ZP9XFG71A7)                   |          |
| <b>VITAMIN A PALMITATE</b> (UNII: 1D1K0N0VVC)                 |          |
| <b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)          |          |
| <b>ALLANTOIN</b> (UNII: 344S277G0Z)                           |          |
| <b>ASCORBYL PALMITATE</b> (UNII: QN83US2B0N)                  |          |
| <b>BISMUTH OXYCHLORIDE</b> (UNII: 4ZR792I587)                 |          |
| <b>MANGANESE VIOLET</b> (UNII: 72M48QQV8Q)                    |          |
| <b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)                    |          |
| <b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)                    |          |
| <b>FD&amp;C YELLOW NO. 5</b> (UNII: I753WB2F1M)               |          |
| <b>ALUMINUM OXIDE</b> (UNII: LM26O6933)                       |          |
| <b>D&amp;C RED NO. 21</b> (UNII: 08744Z6JNY)                  |          |
| <b>D&amp;C RED NO. 6</b> (UNII: 481744AI4O)                   |          |
| <b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)                  |          |
| <b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)                 |          |
| <b>TALC</b> (UNII: 7SEV7J4R1U)                                |          |
| <b>FD&amp;C BLUE NO. 1</b> (UNII: HBR47K3TBD)                 |          |
| <b>CARMINIC ACID</b> (UNII: CID8Z8N95N)                       |          |

LAUROYL LYSINE (UNII: 113171Q70B)

### Product Characteristics

|          |                      |              |  |
|----------|----------------------|--------------|--|
| Color    | RED (Pearl burgundy) | Score        |  |
| Shape    |                      | Size         |  |
| Flavor   |                      | Imprint Code |  |
| Contains |                      |              |  |

### Packaging

| # | Item Code        | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---------------------|----------------------|--------------------|
| 1 | NDC:13537-540-02 | 1 in 1 BOX          |                      |                    |
| 1 | NDC:13537-540-01 | 4 g in 1 TUBE       |                      |                    |

### Marketing Information

| Marketing Category      | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|-------------------------|--|----------------------|--------------------|
| OTC MONOGRAPH NOT FINAL | part352                                  | 05/27/2013           |                    |

## LBEL COULEUR LUXE AMPLIFIER XP AMPLIFYING SPF 15 - VIOLET POURPRE

octinoxate and oxybenzone lipstick

### Product Information

|                         |                |                    |               |
|-------------------------|----------------|--------------------|---------------|
| Product Type            | HUMAN OTC DRUG | Item Code (Source) | NDC:13537-541 |
| Route of Administration | TOPICAL        |                    |               |

### Active Ingredient/Active Moiety

| Ingredient Name  | Basis of Strength | Strength       |
|--|-------------------|----------------|
| Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51) | Octinoxate        | 0.047 g in 1 g |
| Oxybenzone (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y) | Oxybenzone        | 0.009 g in 1 g |

### Inactive Ingredients

| Ingredient Name                              | Strength |
|--|----------|
| ISOSTEARYL NEOPENTANOATE (UNII: 411THY156Q)  |          |
| DIISOPROPYL DILINOLEATE (UNII: 5323S7S2LR)   |          |
| HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7) |          |
| MICA (UNII: V8A1AW0880)                      |          |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4)           |          |
| CARNAUBA WAX (UNII: R12CBM0EIZ)              |          |
| CANDELILLA WAX (UNII: WL0328HX19)            |          |
| ETHYLHEXYL PALMITATE (UNII: 2865993309)      |          |
| ISODODECANE (UNII: A8289P68Y2)               |          |

|  |
|--|
| PARAFFIN (UNII: I9O0E3H2ZE)                            |
| POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8)        |
| GLYCERYL ISOSTEARATE (UNII: HYE7O27HAO)                |
| ISOSTEARYL ALCOHOL (UNII: Q613OCQ44Y)                  |
| DIPALMITOYL HYDROXYPROLINE (UNII: E6AHA53N1H)          |
| CERAMIDE 3 (UNII: 4370DF050B)                          |
| SHEA BUTTER (UNII: K49155WL9Y)                         |
| .BETA.-SITOSTEROL (UNII: S347WMO6M4)                   |
| DIMETHICONE (UNII: 92RU3N3Y1O)                         |
| PROPYLPARABEN (UNII: Z8IX2SC1OH)                       |
| LUFFA AEGYPTIACA SEED OIL (UNII: 1A281RJ859)           |
| METHYLPARABEN (UNII: A2I8C7HI9T)                       |
| DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)           |
| POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F) |
| POLYSORBATE 80 (UNII: 6OZP39ZG8H)                      |
| PPG-26-BUTETH-26 (UNII: 2II1K6TZ4P)                    |
| BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)            |
| HEDERA HELIX LEAF (UNII: ZP9XFG71A7)                   |
| VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)                 |
| .ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)          |
| ALLANTOIN (UNII: 344S277G0Z)                           |
| ASCORBYL PALMITATE (UNII: QN83US2B0N)                  |
| BISMUTH OXYCHLORIDE (UNII: 4ZR792I587)                 |
| MANGANESE VIOLET (UNII: 72M48QQV8Q)                    |
| FERRIC OXIDE RED (UNII: 1K09F3G675)                    |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP)                    |
| FD&C YELLOW NO. 5 (UNII: I753WB2F1M)                   |
| ALUMINUM OXIDE (UNII: LM26O6933)                       |
| D&C RED NO. 21 (UNII: 08744Z6JNY)                      |
| D&C RED NO. 6 (UNII: 481744A14O)                       |
| FERROSFERRIC OXIDE (UNII: XM0M87F357)                  |
| FERRIC OXIDE YELLOW (UNII: EX438O2MRT)                 |
| TALC (UNII: 7SEV7J4R1U)                                |
| FD&C BLUE NO. 1 (UNII: H3R47K3TBD)                     |
| CARMINIC ACID (UNII: CID8Z8N95N)                       |
| LAUROYL LYSINE (UNII: 113171Q70B)                      |

### Product Characteristics

|          |                            |              |  |
|----------|----------------------------|--------------|--|
| Color    | PURPLE (Pearl dark purple) | Score        |  |
| Shape    |                            | Size         |  |
| Flavor   |                            | Imprint Code |  |
| Contains |                            |              |  |

### Packaging

| # | Item Code        | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---------------------|----------------------|--------------------|
| 1 | NDC:13537-541-02 | 1 in 1 BOX          |                      |                    |
| 1 | NDC:13537-541-01 | 4 g in 1 TUBE       |                      |                    |

## Marketing Information

| Marketing Category      | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|-------------------------|--|----------------------|--------------------|
| OTC MONOGRAPH NOT FINAL | part352                                  | 05/27/2013           |                    |

## LBEL COULEUR LUXE AMPLIFIER XP AMPLIFYING SPF 15 - CORAIL MAXIMUM

octinoxate and oxybenzone lipstick

### Product Information

|                         |                |                    |               |
|-------------------------|----------------|--------------------|---------------|
| Product Type            | HUMAN OTC DRUG | Item Code (Source) | NDC:13537-542 |
| Route of Administration | TOPICAL        |                    |               |

### Active Ingredient/Active Moiety

| Ingredient Name  | Basis of Strength | Strength       |
|--|-------------------|----------------|
| Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51) | Octinoxate        | 0.047 g in 1 g |
| Oxybenzone (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y) | Oxybenzone        | 0.009 g in 1 g |

### Inactive Ingredients

| Ingredient Name  | Strength |
|--|----------|
| ISOSTEARYL NEOPENTANOATE (UNII: 411THY156Q)            |          |
| DIISOPROPYL DILINOLEATE (UNII: 5323S7S2LR)             |          |
| HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)           |          |
| MICA (UNII: V8A1AW0880)                                |          |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4)                     |          |
| CARNAUBA WAX (UNII: R12CBM0EIZ)                        |          |
| CANDELILLA WAX (UNII: WL0328HX19)                      |          |
| ETHYLHEXYL PALMITATE (UNII: 2865993309)                |          |
| ISODODECANE (UNII: A8289P68Y2)                         |          |
| PARAFFIN (UNII: I9O0E3H2ZE)                            |          |
| POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8)        |          |
| GLYCERYL ISOSTEARATE (UNII: HYE7O27HAO)                |          |
| ISOSTEARYL ALCOHOL (UNII: Q613OCQ44Y)                  |          |
| DIPALMITOYL HYDROXYPROLINE (UNII: E6AHA53N1H)          |          |
| CERAMIDE 3 (UNII: 4370DF050B)                          |          |
| SHEA BUTTER (UNII: K49155WL9Y)                         |          |
| .BETA.-SITOSTEROL (UNII: S347WMO6M4)                   |          |
| DIMETHICONE (UNII: 92RU3N3Y1O)                         |          |
| PROPYLPARABEN (UNII: Z8IX2SC1OH)                       |          |
| LUFFA AEGYPTIACA SEED OIL (UNII: 1A281RJ859)           |          |
| METHYLPARABEN (UNII: A2I8C7HI9T)                       |          |
| DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)           |          |
| POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F) |          |
| POLYSORBATE 80 (UNII: 6OZP39ZG8H)                      |          |



|   |
|---|
| PPG-26-BUTETH-26 (UNII: 2IIIK6TZ4P)           |
| BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)   |
| HEDERA HELIX LEAF (UNII: ZP9XFG71A7)          |
| VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)        |
| .ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0) |
| ALLANTOIN (UNII: 344S277G0Z)                  |
| ASCORBYL PALMITATE (UNII: QN83US2B0N)         |
| BISMUTH OXYCHLORIDE (UNII: 4ZR792I587)        |
| MANGANESE VIOLET (UNII: 72M48QQV8Q)           |
| FERRIC OXIDE RED (UNII: 1K09F3G675)           |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP)           |
| FD&C YELLOW NO. 5 (UNII: I753WB2F1M)          |
| ALUMINUM OXIDE (UNII: LM26O6933)              |
| D&C RED NO. 21 (UNII: 08744Z6JNY)             |
| D&C RED NO. 6 (UNII: 481744A14O)              |
| FERROSFERRIC OXIDE (UNII: XM0M87F357)         |
| FERRIC OXIDE YELLOW (UNII: EX438O2MRT)        |
| TALC (UNII: 7SEV7J4R1U)                       |
| FD&C BLUE NO. 1 (UNII: H3R47K3TBD)            |
| CARMINIC ACID (UNII: CID8Z8N95N)              |
| LAUROYL LYSINE (UNII: 113171Q70B)             |

**Product Characteristics**

|                 |                       |                     |  |
|-----------------|-----------------------|---------------------|--|
| <b>Color</b>    | ORANGE (Light orange) | <b>Score</b>        |  |
| <b>Shape</b>    |                       | <b>Size</b>         |  |
| <b>Flavor</b>   |                       | <b>Imprint Code</b> |  |
| <b>Contains</b> |                       |                     |  |

**Packaging**

| # | Item Code        | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---------------------|----------------------|--------------------|
| 1 | NDC:13537-542-02 | 1 in 1 BOX          |                      |                    |
| 1 | NDC:13537-542-01 | 4 g in 1 TUBE       |                      |                    |

**Marketing Information**

| Marketing Category      | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|-------------------------|--|----------------------|--------------------|
| OTC MONOGRAPH NOT FINAL | part352                                  | 05/27/2013           |                    |

**LBEL COULEUR LUXE AMPLIFIER XP AMPLIFYING SPF 15 - ORANGE DELIRANT**

octinoxate and oxybenzone lipstick

**Product Information**

|                     |                |                           |               |
|---------------------|----------------|---------------------------|---------------|
| <b>Product Type</b> | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:13537-543 |
|---------------------|----------------|---------------------------|---------------|

**Route of Administration**

TOPICAL

**Active Ingredient/Active Moiety**

| <b>Ingredient Name</b>  | <b>Basis of Strength</b> | <b>Strength</b> |
|---|--------------------------|-----------------|
| <b>Octinoxate</b> (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51) | Octinoxate               | 0.047 g in 1 g  |
| <b>Oxybenzone</b> (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y) | Oxybenzone               | 0.009 g in 1 g  |

**Inactive Ingredients**

| <b>Ingredient Name</b>  | <b>Strength</b> |
|---|-----------------|
| <b>ISOSTEARYL NEOPENTANOATE</b> (UNII: 411THY156Q)            |                 |
| <b>DIISOPROPYL DILINOLEATE</b> (UNII: 5323S7S2LR)             |                 |
| <b>HIGH DENSITY POLYETHYLENE</b> (UNII: UG00KM4WR7)           |                 |
| <b>MICA</b> (UNII: V8A1AW0880)                                |                 |
| <b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)                     |                 |
| <b>CARNAUBA WAX</b> (UNII: R12CBM0EIZ)                        |                 |
| <b>CANDELILLA WAX</b> (UNII: WL0328HX19)                      |                 |
| <b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)                |                 |
| <b>ISODODECANE</b> (UNII: A8289P68Y2)                         |                 |
| <b>PARAFFIN</b> (UNII: I9O0E3H2ZE)                            |                 |
| <b>POLYGLYCERYL-3 DIISOSTEARATE</b> (UNII: 46P231IQV8)        |                 |
| <b>GLYCERYL ISOSTEARATE</b> (UNII: HYE7O27HAO)                |                 |
| <b>ISOSTEARYL ALCOHOL</b> (UNII: Q613OCQ44Y)                  |                 |
| <b>DIPALMITOYL HYDROXYPROLINE</b> (UNII: E6AHA53N1H)          |                 |
| <b>CERAMIDE 3</b> (UNII: 4370DF050B)                          |                 |
| <b>SHEA BUTTER</b> (UNII: K49155WL9Y)                         |                 |
| <b>.BETA.-SITOSTEROL</b> (UNII: S347WMO6M4)                   |                 |
| <b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)                         |                 |
| <b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)                       |                 |
| <b>LUFFA AEGYPTIACA SEED OIL</b> (UNII: 1A281RJ859)           |                 |
| <b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)                       |                 |
| <b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)           |                 |
| <b>POLYOXYL 40 HYDROGENATED CASTOR OIL</b> (UNII: 7YC686GQ8F) |                 |
| <b>POLYSORBATE 80</b> (UNII: 6OZP39ZG8H)                      |                 |
| <b>PPG-26-BUTETH-26</b> (UNII: 2I1K6TZ4P)                     |                 |
| <b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)            |                 |
| <b>HEDERA HELIX LEAF</b> (UNII: ZP9XFG71A7)                   |                 |
| <b>VITAMIN A PALMITATE</b> (UNII: 1D1K0N0VVC)                 |                 |
| <b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)          |                 |
| <b>ALLANTOIN</b> (UNII: 344S277G0Z)                           |                 |
| <b>ASCORBYL PALMITATE</b> (UNII: QN83US2B0N)                  |                 |
| <b>BISMUTH OXYCHLORIDE</b> (UNII: 4ZR792I587)                 |                 |
| <b>MANGANESE VIOLET</b> (UNII: 72M48QQV8Q)                    |                 |
| <b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)                    |                 |
| <b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)                    |                 |
| <b>FD&amp;C YELLOW NO. 5</b> (UNII: I753WB2F1M)               |                 |
| <b>ALUMINUM OXIDE</b> (UNII: LM26O6933)                       |                 |
| <b>D&amp;C RED NO. 21</b> (UNII: 08744Z6JNY)                  |                 |
| <b>D&amp;C RED NO. 6</b> (UNII: 481744AI4O)                   |                 |

|   |  |
|---|--|
| FERROSO FERRIC OXIDE (UNII: XM0M87F357) |  |
| FERRIC OXIDE YELLOW (UNII: EX438O2MRT)  |  |
| TALC (UNII: 7SEV7J4R1U)                 |  |
| FD&C BLUE NO. 1 (UNII: H3R47K3TBD)      |  |
| CARMINIC ACID (UNII: CID8Z8N95N)        |  |
| LAUROYL LYSINE (UNII: 113171Q70B)       |  |

### Product Characteristics

|          |                         |              |  |
|----------|-------------------------|--------------|--|
| Color    | ORANGE (Intense orange) | Score        |  |
| Shape    |                         | Size         |  |
| Flavor   |                         | Imprint Code |  |
| Contains |                         |              |  |

### Packaging

| # | Item Code        | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---------------------|----------------------|--------------------|
| 1 | NDC:13537-543-02 | 1 in 1 BOX          |                      |                    |
| 1 | NDC:13537-543-01 | 4 g in 1 TUBE       |                      |                    |

### Marketing Information

| Marketing Category      | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|-------------------------|--|----------------------|--------------------|
| OTC MONOGRAPH NOT FINAL | part352                                  | 05/27/2013           |                    |

## LBEL COULEUR LUXE AMPLIFIER XP AMPLIFYING SPF 15 - ROUGE INTENSE

octinoxate and oxybenzone lipstick

### Product Information

|                         |                |                    |               |
|-------------------------|----------------|--------------------|---------------|
| Product Type            | HUMAN OTC DRUG | Item Code (Source) | NDC:13537-544 |
| Route of Administration | TOPICAL        |                    |               |

### Active Ingredient/Active Moiety

| Ingredient Name  | Basis of Strength | Strength       |
|--|-------------------|----------------|
| Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51) | Octinoxate        | 0.047 g in 1 g |
| Oxybenzone (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y) | Oxybenzone        | 0.009 g in 1 g |

### Inactive Ingredients

| Ingredient Name                              | Strength |
|--|----------|
| ISOSTEARYL NEOPENTANOATE (UNII: 411THY156Q)  |          |
| DIISOPROPYL DILINOLEATE (UNII: 5323S7S2LR)   |          |
| HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7) |          |

|  |  |
|--|--|
| MICA (UNII: V8A1AW0880)                                |  |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4)                     |  |
| CARNAUBA WAX (UNII: R12CBM0EIZ)                        |  |
| CANDELILLA WAX (UNII: WL0328HX19)                      |  |
| ETHYLHEXYL PALMITATE (UNII: 2865993309)                |  |
| ISODODECANE (UNII: A8289P68Y2)                         |  |
| PARAFFIN (UNII: I9O0E3H2ZE)                            |  |
| POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8)        |  |
| GLYCERYL ISOSTEARATE (UNII: HYE7O27HAO)                |  |
| ISOSTEARYL ALCOHOL (UNII: Q613OCQ44Y)                  |  |
| DIPALMITOYL HYDROXYPROLINE (UNII: E6AHA53N1H)          |  |
| CERAMIDE 3 (UNII: 4370DF050B)                          |  |
| SHEA BUTTER (UNII: K49155WL9Y)                         |  |
| .BETA.-SITOSTEROL (UNII: S347WMO6M4)                   |  |
| DIMETHICONE (UNII: 92RU3N3Y1O)                         |  |
| PROPYLPARABEN (UNII: Z8IX2SC1OH)                       |  |
| LUFFA AEGYPTIACA SEED OIL (UNII: 1A281RJ859)           |  |
| METHYLPARABEN (UNII: A2I8C7HI9T)                       |  |
| DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)           |  |
| POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F) |  |
| POLYSORBATE 80 (UNII: 6OZP39ZG8H)                      |  |
| PPG-26-BUTETH-26 (UNII: 2IIIK6TZ4P)                    |  |
| BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)            |  |
| HEDERA HELIX LEAF (UNII: ZP9XFG71A7)                   |  |
| VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)                 |  |
| .ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)          |  |
| ALLANTOIN (UNII: 344S277G0Z)                           |  |
| ASCORBYL PALMITATE (UNII: QN83US2B0N)                  |  |
| BISMUTH OXYCHLORIDE (UNII: 4ZR792I587)                 |  |
| MANGANESE VIOLET (UNII: 72M48QQV8Q)                    |  |
| FERRIC OXIDE RED (UNII: 1K09F3G675)                    |  |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP)                    |  |
| FD&C YELLOW NO. 5 (UNII: I753WB2F1M)                   |  |
| ALUMINUM OXIDE (UNII: LM26O6933)                       |  |
| D&C RED NO. 21 (UNII: 08744Z6JNY)                      |  |
| D&C RED NO. 6 (UNII: 481744AI4O)                       |  |
| FERROSFERRIC OXIDE (UNII: XM0M87F357)                  |  |
| FERRIC OXIDE YELLOW (UNII: EX438O2MRT)                 |  |
| TALC (UNII: 7SEV7J4R1U)                                |  |
| FD&C BLUE NO. 1 (UNII: HBR47K3TBD)                     |  |
| CARMINIC ACID (UNII: CID8Z8N95N)                       |  |
| LAUROYL LYSINE (UNII: 113171Q70B)                      |  |

### Product Characteristics

|                 |                             |                     |  |
|-----------------|-----------------------------|---------------------|--|
| <b>Color</b>    | RED (Intense yellowish red) | <b>Score</b>        |  |
| <b>Shape</b>    |                             | <b>Size</b>         |  |
| <b>Flavor</b>   |                             | <b>Imprint Code</b> |  |
| <b>Contains</b> |                             |                     |  |

**Packaging**

| # | Item Code        | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---------------------|----------------------|--------------------|
| 1 | NDC:13537-544-02 | 1 in 1 BOX          |                      |                    |
| 1 | NDC:13537-544-01 | 4 g in 1 TUBE       |                      |                    |

**Marketing Information**

| Marketing Category      | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|-------------------------|--|----------------------|--------------------|
| OTC MONOGRAPH NOT FINAL | part352                                  | 05/27/2013           |                    |

**LBEL COULEUR LUXE AMPLIFIER XP AMPLIFYING SPF 15 - ROSE FEMME**

octinoxate and oxybenzone lipstick

**Product Information**

|                         |                |                    |               |
|-------------------------|----------------|--------------------|---------------|
| Product Type            | HUMAN OTC DRUG | Item Code (Source) | NDC:13537-545 |
| Route of Administration | TOPICAL        |                    |               |

**Active Ingredient/Active Moiety**

| Ingredient Name  | Basis of Strength | Strength       |
|--|-------------------|----------------|
| Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51) | Octinoxate        | 0.047 g in 1 g |
| Oxybenzone (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y) | Oxybenzone        | 0.009 g in 1 g |

**Inactive Ingredients**

| Ingredient Name                                 | Strength |
|---|----------|
| ISOSTEARYL NEOPENTANOATE (UNII: 411THY156Q)     |          |
| DIISOPROPYL DILINOLEATE (UNII: 5323S7S2LR)      |          |
| HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)    |          |
| MICA (UNII: V8A1AW0880)                         |          |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4)              |          |
| CARNAUBA WAX (UNII: R12CBM0EIZ)                 |          |
| CANDELILLA WAX (UNII: WL0328HX19)               |          |
| ETHYLHEXYL PALMITATE (UNII: 2865993309)         |          |
| ISODODECANE (UNII: A8289P68Y2)                  |          |
| PARAFFIN (UNII: I9O0E3H2ZE)                     |          |
| POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8) |          |
| GLYCERYL ISOSTEARATE (UNII: HYE7O27HAO)         |          |
| ISOSTEARYL ALCOHOL (UNII: Q613OCQ44Y)           |          |
| DIPALMITOYL HYDROXYPROLINE (UNII: E6AHA53N1H)   |          |
| CERAMIDE 3 (UNII: 4370DF050B)                   |          |
| SHEA BUTTER (UNII: K49155WL9Y)                  |          |
| .BETA.-SITOSTEROL (UNII: S347WMO6M4)            |          |
| DIMETHICONE (UNII: 92RU3N3Y1O)                  |          |
| PROPYLPARABEN (UNII: Z8IX2SC1OH)                |          |



|  |
|--|
| LUFFA AEGYPTIACA SEED OIL (UNII: 1A281RJ859)           |
| METHYL PARABEN (UNII: A2I8C7HI9T)                      |
| DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)           |
| POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F) |
| POLYSORBATE 80 (UNII: 6OZP39ZG8H)                      |
| PPG-26-BUTETH-26 (UNII: 2IIIK6TZ4P)                    |
| BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)            |
| HEDERA HELIX LEAF (UNII: ZP9XFG71A7)                   |
| VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)                 |
| .ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)          |
| ALLANTOIN (UNII: 344S277G0Z)                           |
| ASCORBYL PALMITATE (UNII: QN83US2B0N)                  |
| BISMUTH OXYCHLORIDE (UNII: 4ZR792I587)                 |
| MANGANESE VIOLET (UNII: 72M48QQV8Q)                    |
| FERRIC OXIDE RED (UNII: 1K09F3G675)                    |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP)                    |
| FD&C YELLOW NO. 5 (UNII: I753WB2F1M)                   |
| ALUMINUM OXIDE (UNII: LM26O6933)                       |
| D&C RED NO. 21 (UNII: 08744Z6JNY)                      |
| D&C RED NO. 6 (UNII: 481744AI4O)                       |
| FERROSFERRIC OXIDE (UNII: XM0M87F357)                  |
| FERRIC OXIDE YELLOW (UNII: EX438O2MRT)                 |
| TALC (UNII: 7SEV7J4R1U)                                |
| FD&C BLUE NO. 1 (UNII: HBR47K3TBD)                     |
| CARMINIC ACID (UNII: CID8Z8N95N)                       |
| LAUROYL LYSINE (UNII: 113171Q70B)                      |

### Product Characteristics

|          |                          |              |  |
|----------|--------------------------|--------------|--|
| Color    | PINK (Pearl bluish pink) | Score        |  |
| Shape    |                          | Size         |  |
| Flavor   |                          | Imprint Code |  |
| Contains |                          |              |  |

### Packaging

| # | Item Code        | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---------------------|----------------------|--------------------|
| 1 | NDC:13537-545-02 | 1 in 1 BOX          |                      |                    |
| 1 | NDC:13537-545-01 | 4 g in 1 TUBE       |                      |                    |

### Marketing Information

| Marketing Category      | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|-------------------------|--|----------------------|--------------------|
| OTC MONOGRAPH NOT FINAL | part352                                  | 05/27/2013           |                    |

**LBEL COULEUR LUXE AMPLIFIER XP AMPLIFYING SPF 15 - DORE CHOCOLAT**

octinoxate and oxybenzone lipstick

### Product Information

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:13537-546 |
| <b>Route of Administration</b> | TOPICAL        |                           |               |

### Active Ingredient/Active Moiety

| <b>Ingredient Name</b>  | <b>Basis of Strength</b> | <b>Strength</b> |
|---|--------------------------|-----------------|
| <b>Octinoxate</b> (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51) | Octinoxate               | 0.047 g in 1 g  |
| <b>Oxybenzone</b> (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y) | Oxybenzone               | 0.009 g in 1 g  |

### Inactive Ingredients

| <b>Ingredient Name</b>                                 | <b>Strength</b> |
|--|-----------------|
| ISO STEARYL NEOPENTANOATE (UNII: 411THY156Q)           |                 |
| DIISOPROPYL DILINOLEATE (UNII: 5323S7S2LR)             |                 |
| HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)           |                 |
| MICA (UNII: V8A1AW0880)                                |                 |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4)                     |                 |
| CARNAUBA WAX (UNII: R12CBM0EIZ)                        |                 |
| CANDELILLA WAX (UNII: WL0328HX19)                      |                 |
| ETHYLHEXYL PALMITATE (UNII: 2865993309)                |                 |
| ISODODECANE (UNII: A8289P68Y2)                         |                 |
| PARAFFIN (UNII: I9O0E3H2ZE)                            |                 |
| POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8)        |                 |
| GLYCERYL ISOSTEARATE (UNII: HYE7O27HAO)                |                 |
| ISO STEARYL ALCOHOL (UNII: Q613OCQ44Y)                 |                 |
| DIPALMITOYL HYDROXYPROLINE (UNII: E6AHA53N1H)          |                 |
| CERAMIDE 3 (UNII: 4370DF050B)                          |                 |
| SHEA BUTTER (UNII: K49155WL9Y)                         |                 |
| .BETA.-SITOSTEROL (UNII: S347WMO6M4)                   |                 |
| DIMETHICONE (UNII: 92RU3N3Y1O)                         |                 |
| PROPYLPARABEN (UNII: Z8IX2SC1OH)                       |                 |
| LUFFA AEGYPTIACA SEED OIL (UNII: 1A281RJ859)           |                 |
| METHYLPARABEN (UNII: A2I8C7HI9T)                       |                 |
| DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)           |                 |
| POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F) |                 |
| POLYSORBATE 80 (UNII: 6OZP39ZG8H)                      |                 |
| PPG-26-BUTETH-26 (UNII: 2IIK6TZ4P)                     |                 |
| BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)            |                 |
| HEDERA HELIX LEAF (UNII: ZP9XFG71A7)                   |                 |
| VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)                 |                 |
| .ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)          |                 |
| ALLANTOIN (UNII: 344S277G0Z)                           |                 |
| ASCORBYL PALMITATE (UNII: QN83US2B0N)                  |                 |
| BISMUTH OXYCHLORIDE (UNII: 4ZR792I587)                 |                 |
| MANGANESE VIOLET (UNII: 72M48QQV8Q)                    |                 |

|   |  |
|---|--|
| FERRIC OXIDE RED (UNII: 1K09F3G675)     |  |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP)     |  |
| FD&C YELLOW NO. 5 (UNII: I753WB2F1M)    |  |
| ALUMINUM OXIDE (UNII: LM26O6933)        |  |
| D&C RED NO. 21 (UNII: 08744Z6JNY)       |  |
| D&C RED NO. 6 (UNII: 481744AI4O)        |  |
| FERROSO FERRIC OXIDE (UNII: XM0M87F357) |  |
| FERRIC OXIDE YELLOW (UNII: EX438O2MRT)  |  |
| TALC (UNII: 7SEV7J4R1U)                 |  |
| FD&C BLUE NO. 1 (UNII: HBR47K3TBD)      |  |
| CARMINIC ACID (UNII: CID8Z8N95N)        |  |
| LAUROYL LYSINE (UNII: 113171Q70B)       |  |

### Product Characteristics

|          |                            |              |  |
|----------|----------------------------|--------------|--|
| Color    | BROWN (Pearl copper brown) | Score        |  |
| Shape    |                            | Size         |  |
| Flavor   |                            | Imprint Code |  |
| Contains |                            |              |  |

### Packaging

| # | Item Code        | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---------------------|----------------------|--------------------|
| 1 | NDC:13537-546-02 | 1 in 1 BOX          |                      |                    |
| 1 | NDC:13537-546-01 | 4 g in 1 TUBE       |                      |                    |

### Marketing Information

| Marketing Category      | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|-------------------------|--|----------------------|--------------------|
| OTC MONOGRAPH NOT FINAL | part352                                  | 05/27/2013           |                    |

## LBEL COULEUR LUXE AMPLIFIER XP AMPLIFYING SPF 15 - MER DE ROSES

octinoxate and oxybenzone lipstick

### Product Information

|                         |                |                    |               |
|-------------------------|----------------|--------------------|---------------|
| Product Type            | HUMAN OTC DRUG | Item Code (Source) | NDC:13537-547 |
| Route of Administration | TOPICAL        |                    |               |

### Active Ingredient/Active Moiety

| Ingredient Name  | Basis of Strength | Strength       |
|--|-------------------|----------------|
| Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51) | Octinoxate        | 0.047 g in 1 g |
| Oxybenzone (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y) | Oxybenzone        | 0.009 g in 1 g |

## Inactive Ingredients

| Ingredient Name  | Strength |
|--|----------|
| ISOSTEARYL NEOPENTANOATE (UNII: 411THY156Q)            |          |
| DIISOPROPYL DILINOLEATE (UNII: 5323S7S2LR)             |          |
| HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)           |          |
| MICA (UNII: V8A1AW0880)                                |          |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4)                     |          |
| CARNAUBA WAX (UNII: R12CBM0EIZ)                        |          |
| CANDELILLA WAX (UNII: WL0328HX19)                      |          |
| ETHYLHEXYL PALMITATE (UNII: 2865993309)                |          |
| ISODODECANE (UNII: A8289P68Y2)                         |          |
| PARAFFIN (UNII: I9O0E3H2ZE)                            |          |
| POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8)        |          |
| GLYCERYL ISOSTEARATE (UNII: HYE7O27HAO)                |          |
| ISOSTEARYL ALCOHOL (UNII: Q6130CQ44Y)                  |          |
| DIPALMITOYL HYDROXYPROLINE (UNII: E6AHA53N1H)          |          |
| CERAMIDE 3 (UNII: 4370DF050B)                          |          |
| SHEA BUTTER (UNII: K49155WL9Y)                         |          |
| .BETA.-SITOSTEROL (UNII: S347WMO6M4)                   |          |
| DIMETHICONE (UNII: 92RU3N3Y1O)                         |          |
| PROPYLPARABEN (UNII: Z8IX2SC1OH)                       |          |
| LUFFA AEGYPTIACA SEED OIL (UNII: 1A281RJ859)           |          |
| METHYLPARABEN (UNII: A2I8C7HI9T)                       |          |
| DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)           |          |
| POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F) |          |
| POLYSORBATE 80 (UNII: 6OZP39ZG8H)                      |          |
| PPG-26-BUTETH-26 (UNII: 2IIIK6TZ4P)                    |          |
| BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)            |          |
| HEDERA HELIX LEAF (UNII: ZP9XFG71A7)                   |          |
| VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)                 |          |
| .ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)          |          |
| ALLANTOIN (UNII: 344S277G0Z)                           |          |
| ASCORBYL PALMITATE (UNII: QN83US2B0N)                  |          |
| BISMUTH OXYCHLORIDE (UNII: 4ZR792I587)                 |          |
| MANGANESE VIOLET (UNII: 72M48QQV8Q)                    |          |
| FERRIC OXIDE RED (UNII: 1K09F3G675)                    |          |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP)                    |          |
| FD&C YELLOW NO. 5 (UNII: I753WB2F1M)                   |          |
| ALUMINUM OXIDE (UNII: LM26O6933)                       |          |
| D&C RED NO. 21 (UNII: 08744Z6JNY)                      |          |
| D&C RED NO. 6 (UNII: 481744AI4O)                       |          |
| FERROSFERRIC OXIDE (UNII: XM0M87F357)                  |          |
| FERRIC OXIDE YELLOW (UNII: EX438O2MRT)                 |          |
| TALC (UNII: 7SEV7J4R1U)                                |          |
| FD&C BLUE NO. 1 (UNII: HBR47K3TBD)                     |          |
| CARMINIC ACID (UNII: CID8Z8N95N)                       |          |
| LAUROYL LYSINE (UNII: 113171Q70B)                      |          |

## Product Characteristics

|                 |                           |                     |  |
|-----------------|---------------------------|---------------------|--|
| <b>Color</b>    | YELLOW (Pearl coral gold) | <b>Score</b>        |  |
| <b>Shape</b>    |                           | <b>Size</b>         |  |
| <b>Flavor</b>   |                           | <b>Imprint Code</b> |  |
| <b>Contains</b> |                           |                     |  |

### Packaging

| # | Item Code        | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---------------------|----------------------|--------------------|
| 1 | NDC:13537-547-02 | 1 in 1 BOX          |                      |                    |
| 1 | NDC:13537-547-01 | 4 g in 1 TUBE       |                      |                    |

### Marketing Information

| Marketing Category      | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|-------------------------|--|----------------------|--------------------|
| OTC MONOGRAPH NOT FINAL | part352                                  | 05/27/2013           |                    |

## LBEL COULEUR LUXE AMPLIFIER XP AMPLIFYING SPF 15 - ROSE TENTATION

octinoxate and oxybenzone lipstick

### Product Information

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:13537-548 |
| <b>Route of Administration</b> | TOPICAL        |                           |               |

### Active Ingredient/Active Moiety

| Ingredient Name   | Basis of Strength | Strength       |
|---|-------------------|----------------|
| <b>Octinoxate</b> (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51) | Octinoxate        | 0.047 g in 1 g |
| <b>Oxybenzone</b> (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y) | Oxybenzone        | 0.009 g in 1 g |

### Inactive Ingredients

| Ingredient Name  | Strength |
|--|----------|
| <b>ISOSTEARYL NEOPENTANOATE</b> (UNII: 411THY156Q)     |          |
| <b>DIISOPROPYL DILINOLEATE</b> (UNII: 5323S7S2LR)      |          |
| <b>HIGH DENSITY POLYETHYLENE</b> (UNII: UG00KM4WR7)    |          |
| <b>MICA</b> (UNII: V8A1AW0880)                         |          |
| <b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)              |          |
| <b>CARNAUBA WAX</b> (UNII: R12CBM0EIZ)                 |          |
| <b>CANDELILLA WAX</b> (UNII: WL0328HX19)               |          |
| <b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)         |          |
| <b>ISODODECANE</b> (UNII: A8289P68Y2)                  |          |
| <b>PARAFFIN</b> (UNII: I9O0E3H2ZE)                     |          |
| <b>POLYGLYCERYL-3 DIISOSTEARATE</b> (UNII: 46P231IQV8) |          |
| <b>GLYCERYL ISOSTEARATE</b> (UNII: HYE7O27HAO)         |          |
| <b>ISOSTEARYL ALCOHOL</b> (UNII: Q613OCQ44Y)           |          |



|  |  |
|--|--|
| DIPALMITO YL HYDROXYPROLINE (UNII: E6AHA53N1H)         |  |
| CERAMIDE 3 (UNII: 4370DF050B)                          |  |
| SHEA BUTTER (UNII: K49155WL9Y)                         |  |
| .BETA.-SITOSTEROL (UNII: S347WMO6M4)                   |  |
| DIMETHICONE (UNII: 92RU3N3Y1O)                         |  |
| PROPYLPARABEN (UNII: Z8IX2SC1OH)                       |  |
| LUFFA AEGYPTIACA SEED OIL (UNII: 1A281RJ859)           |  |
| METHYLPARABEN (UNII: A2I8C7HI9T)                       |  |
| DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)           |  |
| POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F) |  |
| POLYSORBATE 80 (UNII: 6OZP39ZG8H)                      |  |
| PPG-26-BUTETH-26 (UNII: 2I1K6TZ4P)                     |  |
| BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)            |  |
| HEDERA HELIX LEAF (UNII: ZP9XFG71A7)                   |  |
| VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)                 |  |
| .ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)          |  |
| ALLANTOIN (UNII: 344S277G0Z)                           |  |
| ASCORBYL PALMITATE (UNII: QN83US2B0N)                  |  |
| BISMUTH OXYCHLORIDE (UNII: 4ZR792I587)                 |  |
| MANGANESE VIOLET (UNII: 72M48QQV8Q)                    |  |
| FERRIC OXIDE RED (UNII: 1K09F3G675)                    |  |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP)                    |  |
| FD&C YELLOW NO. 5 (UNII: I753WB2F1M)                   |  |
| ALUMINUM OXIDE (UNII: LM26O6933)                       |  |
| D&C RED NO. 21 (UNII: 08744Z6JNY)                      |  |
| D&C RED NO. 6 (UNII: 481744A14O)                       |  |
| FERROSFERRIC OXIDE (UNII: XM0M87F357)                  |  |
| FERRIC OXIDE YELLOW (UNII: EX438O2MRT)                 |  |
| TALC (UNII: 7SEV7J4R1U)                                |  |
| FD&C BLUE NO. 1 (UNII: H3R47K3TBD)                     |  |
| CARMINIC ACID (UNII: CID8Z8N95N)                       |  |
| LAUROYL LYSINE (UNII: 113171Q70B)                      |  |

### Product Characteristics

|          |                           |              |  |
|----------|---------------------------|--------------|--|
| Color    | PINK (Pearl reddish pink) | Score        |  |
| Shape    |                           | Size         |  |
| Flavor   |                           | Imprint Code |  |
| Contains |                           |              |  |

### Packaging

| # | Item Code        | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---------------------|----------------------|--------------------|
| 1 | NDC:13537-548-02 | 1 in 1 BOX          |                      |                    |
| 1 | NDC:13537-548-01 | 4 g in 1 TUBE       |                      |                    |

### Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
|--------------------|--|----------------------|--------------------|

**LBEL COULEUR LUXE AMPLIFIER XP AMPLIFYING SPF 15 - ROSE  
DELICAT**

octinoxate and oxybenzone lipstick

**Product Information**

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:13537-549 |
| <b>Route of Administration</b> | TOPICAL        |                           |               |

**Active Ingredient/Active Moiety**

| <b>Ingredient Name</b>  | <b>Basis of Strength</b> | <b>Strength</b> |
|---|--------------------------|-----------------|
| <b>Octinoxate</b> (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51) | Octinoxate               | 0.047 g in 1 g  |
| <b>Oxybenzone</b> (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y) | Oxybenzone               | 0.009 g in 1 g  |

**Inactive Ingredients**

| <b>Ingredient Name</b>  | <b>Strength</b> |
|---|-----------------|
| <b>ISO STEARYL NEOPENTANOATE</b> (UNII: 411THY156Q)           |                 |
| <b>DIISOPROPYL DILINOLEATE</b> (UNII: 5323S7S2LR)             |                 |
| <b>HIGH DENSITY POLYETHYLENE</b> (UNII: UG00KM4WR7)           |                 |
| <b>MICA</b> (UNII: V8A1AW0880)                                |                 |
| <b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)                     |                 |
| <b>CARNAUBA WAX</b> (UNII: R12CBM0EIZ)                        |                 |
| <b>CANDELILLA WAX</b> (UNII: WL0328HX19)                      |                 |
| <b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)                |                 |
| <b>ISODODECANE</b> (UNII: A8289P68Y2)                         |                 |
| <b>PARAFFIN</b> (UNII: I9O0E3H2ZE)                            |                 |
| <b>POLYGLYCERYL-3 DIISOSTEARATE</b> (UNII: 46P231IQV8)        |                 |
| <b>GLYCERYL ISOSTEARATE</b> (UNII: HYE7O27HAO)                |                 |
| <b>ISO STEARYL ALCOHOL</b> (UNII: Q613OCQ44Y)                 |                 |
| <b>DIPALMITOYL HYDROXYPROLINE</b> (UNII: E6AHA53N1H)          |                 |
| <b>CERAMIDE 3</b> (UNII: 4370DF050B)                          |                 |
| <b>SHEA BUTTER</b> (UNII: K49155WL9Y)                         |                 |
| <b>.BETA.-SITOSTEROL</b> (UNII: S347WMO6M4)                   |                 |
| <b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)                         |                 |
| <b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)                       |                 |
| <b>LUFFA AEGYPTIACA SEED OIL</b> (UNII: 1A281RJ859)           |                 |
| <b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)                       |                 |
| <b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)           |                 |
| <b>POLYOXYL 40 HYDROGENATED CASTOR OIL</b> (UNII: 7YC686GQ8F) |                 |
| <b>POLYSORBATE 80</b> (UNII: 6OZP39ZG8H)                      |                 |
| <b>PPG-26-BUTETH-26</b> (UNII: 2II1K6TZ4P)                    |                 |
| <b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)            |                 |
| <b>HEDERA HELIX LEAF</b> (UNII: ZP9XFG71A7)                   |                 |
| <b>VITAMIN A PALMITATE</b> (UNII: 1D1K0N0VVC)                 |                 |

|   |
|---|
| .ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0) |
| ALLANTOIN (UNII: 344S277G0Z)                  |
| ASCORBYL PALMITATE (UNII: QN83US2B0N)         |
| BISMUTH OXYCHLORIDE (UNII: 4ZR792I587)        |
| MANGANESE VIOLET (UNII: 72M48QQV8Q)           |
| FERRIC OXIDE RED (UNII: 1K09F3G675)           |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP)           |
| FD&C YELLOW NO. 5 (UNII: I753WB2F1M)          |
| ALUMINUM OXIDE (UNII: LM26O6933)              |
| D&C RED NO. 21 (UNII: 08744Z6JNY)             |
| D&C RED NO. 6 (UNII: 481744AI4O)              |
| FERROSFERRIC OXIDE (UNII: XM0M87F357)         |
| FERRIC OXIDE YELLOW (UNII: EX438O2MRT)        |
| TALC (UNII: 7SEV7J4R1U)                       |
| FD&C BLUE NO. 1 (UNII: H3R47K3TBD)            |
| CARMINIC ACID (UNII: CID8Z8N95N)              |
| LAUROYL LYSINE (UNII: 113171Q70B)             |

**Product Characteristics**

|                 |                     |                     |  |
|-----------------|---------------------|---------------------|--|
| <b>Color</b>    | RED (Dark rosewood) | <b>Score</b>        |  |
| <b>Shape</b>    |                     | <b>Size</b>         |  |
| <b>Flavor</b>   |                     | <b>Imprint Code</b> |  |
| <b>Contains</b> |                     |                     |  |

**Packaging**

| # | Item Code        | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---------------------|----------------------|--------------------|
| 1 | NDC:13537-549-02 | 1 in 1 BOX          |                      |                    |
| 1 | NDC:13537-549-01 | 4 g in 1 TUBE       |                      |                    |

**Marketing Information**

| Marketing Category      | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|-------------------------|--|----------------------|--------------------|
| OTC MONOGRAPH NOT FINAL | part352                                  | 05/27/2013           |                    |

**LBEL COULEUR LUXE AMPLIFIER XP AMPLIFYING SPF 15 - FUCSIA DESIR**  
 octinoxate and oxybenzone lipstick

**Product Information**

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:13537-550 |
| <b>Route of Administration</b> | TOPICAL        |                           |               |

**Active Ingredient/Active Moiety**

| Ingredient Name | Basis of Strength | Strength |
|-----------------|-------------------|----------|
|-----------------|-------------------|----------|

|   |            |                |
|---|------------|----------------|
| <b>Octinoxate</b> (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51) | Octinoxate | 0.047 g in 1 g |
| <b>Oxybenzone</b> (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y) | Oxybenzone | 0.009 g in 1 g |

## Inactive Ingredients

| Ingredient Name   | Strength |
|---|----------|
| <b>ISOSTEARYL NEOPENTANOATE</b> (UNII: 411THY156Q)            |          |
| <b>DIISOPROPYL DILINOLEATE</b> (UNII: 5323S7S2LR)             |          |
| <b>HIGH DENSITY POLYETHYLENE</b> (UNII: UG00KM4WR7)           |          |
| <b>MICA</b> (UNII: V8A1AW0880)                                |          |
| <b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)                     |          |
| <b>CARNAUBA WAX</b> (UNII: R12CBM0EIZ)                        |          |
| <b>CANDELILLA WAX</b> (UNII: WL0328HX19)                      |          |
| <b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)                |          |
| <b>ISODODECANE</b> (UNII: A8289P68Y2)                         |          |
| <b>PARAFFIN</b> (UNII: I9O0E3H2ZE)                            |          |
| <b>POLYGLYCERYL-3 DIISOSTEARATE</b> (UNII: 46P231IQV8)        |          |
| <b>GLYCERYL ISOSTEARATE</b> (UNII: HYE7O27HAO)                |          |
| <b>ISOSTEARYL ALCOHOL</b> (UNII: Q613OCQ44Y)                  |          |
| <b>DIPALMITOYL HYDROXYPROLINE</b> (UNII: E6AHA53N1H)          |          |
| <b>CERAMIDE 3</b> (UNII: 4370DF050B)                          |          |
| <b>SHEA BUTTER</b> (UNII: K49155WL9Y)                         |          |
| <b>.BETA.-SITOSTEROL</b> (UNII: S347WMO6M4)                   |          |
| <b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)                         |          |
| <b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)                       |          |
| <b>LUFFA AEGYPTIACA SEED OIL</b> (UNII: 1A281RJ859)           |          |
| <b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)                       |          |
| <b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)           |          |
| <b>POLYOXYL 40 HYDROGENATED CASTOR OIL</b> (UNII: 7YC686GQ8F) |          |
| <b>POLYSORBATE 80</b> (UNII: 6OZP39ZG8H)                      |          |
| <b>PPG-26-BUTETH-26</b> (UNII: 2IIIK6TZ4P)                    |          |
| <b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)            |          |
| <b>HEDERA HELIX LEAF</b> (UNII: ZP9XFG71A7)                   |          |
| <b>VITAMIN A PALMITATE</b> (UNII: 1D1K0N0VVC)                 |          |
| <b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)          |          |
| <b>ALLANTOIN</b> (UNII: 344S277G0Z)                           |          |
| <b>ASCORBYL PALMITATE</b> (UNII: QN83US2B0N)                  |          |
| <b>BISMUTH OXYCHLORIDE</b> (UNII: 4ZR792I587)                 |          |
| <b>MANGANESE VIOLET</b> (UNII: 72M48QQV8Q)                    |          |
| <b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)                    |          |
| <b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)                    |          |
| <b>FD&amp;C YELLOW NO. 5</b> (UNII: I753WB2F1M)               |          |
| <b>ALUMINUM OXIDE</b> (UNII: LM26O6933)                       |          |
| <b>D&amp;C RED NO. 21</b> (UNII: 08744Z6JNY)                  |          |
| <b>D&amp;C RED NO. 6</b> (UNII: 481744AI4O)                   |          |
| <b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)                  |          |
| <b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)                 |          |
| <b>TALC</b> (UNII: 7SEV7J4R1U)                                |          |
| <b>FD&amp;C BLUE NO. 1</b> (UNII: HBR47K3TBD)                 |          |
| <b>CARMINIC ACID</b> (UNII: CID8Z8N95N)                       |          |

LAUROYL LYSINE (UNII: 113171Q70B)

### Product Characteristics

|          |                      |              |  |
|----------|----------------------|--------------|--|
| Color    | PINK (Pearl Fuchsia) | Score        |  |
| Shape    |                      | Size         |  |
| Flavor   |                      | Imprint Code |  |
| Contains |                      |              |  |

### Packaging

| # | Item Code        | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---------------------|----------------------|--------------------|
| 1 | NDC:13537-550-02 | 1 in 1 BOX          |                      |                    |
| 1 | NDC:13537-550-01 | 4 g in 1 TUBE       |                      |                    |

### Marketing Information

| Marketing Category      | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|-------------------------|--|----------------------|--------------------|
| OTC MONOGRAPH NOT FINAL | part352                                  | 05/27/2013           |                    |

## LBEL COULEUR LUXE AMPLIFIER XP AMPLIFYING SPF 15 - ROUGE PROVOCATION

octinoxate and oxybenzone lipstick

### Product Information

|                         |                |                    |               |
|-------------------------|----------------|--------------------|---------------|
| Product Type            | HUMAN OTC DRUG | Item Code (Source) | NDC:13537-551 |
| Route of Administration | TOPICAL        |                    |               |

### Active Ingredient/Active Moiety

| Ingredient Name  | Basis of Strength | Strength       |
|--|-------------------|----------------|
| Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51) | Octinoxate        | 0.047 g in 1 g |
| Oxybenzone (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y) | Oxybenzone        | 0.009 g in 1 g |

### Inactive Ingredients

| Ingredient Name                              | Strength |
|--|----------|
| ISOSTEARYL NEOPENTANOATE (UNII: 411THY156Q)  |          |
| DIISOPROPYL DILINOLEATE (UNII: 5323S7S2LR)   |          |
| HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7) |          |
| MICA (UNII: V8A1AW0880)                      |          |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4)           |          |
| CARNAUBA WAX (UNII: R12CBM0EIZ)              |          |
| CANDELILLA WAX (UNII: WL0328HX19)            |          |
| ETHYLHEXYL PALMITATE (UNII: 2865993309)      |          |
| ISODODECANE (UNII: A8289P68Y2)               |          |

|  |  |
|--|--|
| PARAFFIN (UNII: I9O0E3H2ZE)                            |  |
| POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8)        |  |
| GLYCERYL ISOSTEARATE (UNII: HYE7O27HAO)                |  |
| ISOSTEARYL ALCOHOL (UNII: Q613OCQ44Y)                  |  |
| DIPALMITOYL HYDROXYPROLINE (UNII: E6AHA53N1H)          |  |
| CERAMIDE 3 (UNII: 4370DF050B)                          |  |
| SHEA BUTTER (UNII: K49155WL9Y)                         |  |
| .BETA.-SITOSTEROL (UNII: S347WMO6M4)                   |  |
| DIMETHICONE (UNII: 92RU3N3Y1O)                         |  |
| PROPYLPARABEN (UNII: Z8IX2SC1OH)                       |  |
| LUFFA AEGYPTIACA SEED OIL (UNII: 1A281RJ859)           |  |
| METHYLPARABEN (UNII: A2I8C7HI9T)                       |  |
| DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)           |  |
| POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F) |  |
| POLYSORBATE 80 (UNII: 6OZP39ZG8H)                      |  |
| PPG-26-BUTETH-26 (UNII: 2I1K6TZ4P)                     |  |
| BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)            |  |
| HEDERA HELIX LEAF (UNII: ZP9XFG71A7)                   |  |
| VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)                 |  |
| .ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)          |  |
| ALLANTOIN (UNII: 344S277G0Z)                           |  |
| ASCORBYL PALMITATE (UNII: QN83US2B0N)                  |  |
| BISMUTH OXYCHLORIDE (UNII: 4ZR792I587)                 |  |
| MANGANESE VIOLET (UNII: 72M48QQV8Q)                    |  |
| FERRIC OXIDE RED (UNII: 1K09F3G675)                    |  |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP)                    |  |
| FD&C YELLOW NO. 5 (UNII: I753WB2F1M)                   |  |
| ALUMINUM OXIDE (UNII: LM26O6933)                       |  |
| D&C RED NO. 21 (UNII: 08744Z6JNY)                      |  |
| D&C RED NO. 6 (UNII: 481744A14O)                       |  |
| FERROSFERRIC OXIDE (UNII: XM0M87F357)                  |  |
| FERRIC OXIDE YELLOW (UNII: EX438O2MRT)                 |  |
| TALC (UNII: 7SEV7J4R1U)                                |  |
| FD&C BLUE NO. 1 (UNII: H3R47K3TBD)                     |  |
| CARMINIC ACID (UNII: CID8Z8N95N)                       |  |
| LAUROYL LYSINE (UNII: 113171Q70B)                      |  |

### Product Characteristics

|          |                      |              |  |
|----------|----------------------|--------------|--|
| Color    | RED (Dark red matte) | Score        |  |
| Shape    |                      | Size         |  |
| Flavor   |                      | Imprint Code |  |
| Contains |                      |              |  |

### Packaging

| # | Item Code        | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---------------------|----------------------|--------------------|
| 1 | NDC:13537-551-02 | 1 in 1 BOX          |                      |                    |
| 1 | NDC:13537-551-01 | 4 g in 1 TUBE       |                      |                    |



## Marketing Information

| Marketing Category      | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|-------------------------|--|----------------------|--------------------|
| OTC MONOGRAPH NOT FINAL | part352                                  | 05/27/2013           |                    |

## LBEL COULEUR LUXE AMPLIFIER XP AMPLIFYING SPF 15 - AMPLIFFIER AMANDIER

octinoxate and oxybenzone lipstick

### Product Information

|                         |                |                    |               |
|-------------------------|----------------|--------------------|---------------|
| Product Type            | HUMAN OTC DRUG | Item Code (Source) | NDC:13537-552 |
| Route of Administration | TOPICAL        |                    |               |

### Active Ingredient/Active Moiety

| Ingredient Name  | Basis of Strength | Strength       |
|--|-------------------|----------------|
| Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51) | Octinoxate        | 0.047 g in 1 g |
| Oxybenzone (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y) | Oxybenzone        | 0.009 g in 1 g |

### Inactive Ingredients

| Ingredient Name  | Strength |
|--|----------|
| ISO STEARYL NEO PENTANO ATE (UNII: 411THY156Q)         |          |
| DIISOPROPYL DILINOLEATE (UNII: 5323S7S2LR)             |          |
| HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)           |          |
| MICA (UNII: V8A1AW0880)                                |          |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4)                     |          |
| CARNAUBA WAX (UNII: R12CBM0EIZ)                        |          |
| CANDELILLA WAX (UNII: WL0328HX19)                      |          |
| ETHYLHEXYL PALMITATE (UNII: 2865993309)                |          |
| ISODODECANE (UNII: A8289P68Y2)                         |          |
| PARAFFIN (UNII: I9O0E3H2ZE)                            |          |
| POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8)        |          |
| GLYCERYL ISOSTEARATE (UNII: HYE7O27HAO)                |          |
| ISO STEARYL ALCOHOL (UNII: Q613OCQ44Y)                 |          |
| DIPALMITOYL HYDROXYPROLINE (UNII: E6AHA53N1H)          |          |
| CERAMIDE 3 (UNII: 4370DF050B)                          |          |
| SHEA BUTTER (UNII: K49155WL9Y)                         |          |
| .BETA.-SITOSTEROL (UNII: S347WMO6M4)                   |          |
| DIMETHICONE (UNII: 92RU3N3Y1O)                         |          |
| PROPYLPARABEN (UNII: Z8IX2SC1OH)                       |          |
| LUFFA AEGYPTIACA SEED OIL (UNII: 1A281RJ859)           |          |
| METHYLPARABEN (UNII: A2I8C7HI9T)                       |          |
| DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)           |          |
| POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F) |          |
| POLYSORBATE 80 (UNII: 6OZP39ZG8H)                      |          |

|   |
|---|
| PPG-26-BUTETH-26 (UNII: 2IIIK6TZ4P)           |
| BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)   |
| HEDERA HELIX LEAF (UNII: ZP9XFG71A7)          |
| VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)        |
| .ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0) |
| ALLANTOIN (UNII: 344S277G0Z)                  |
| ASCORBYL PALMITATE (UNII: QN83US2B0N)         |
| BISMUTH OXYCHLORIDE (UNII: 4ZR792I587)        |
| MANGANESE VIOLET (UNII: 72M48QQV8Q)           |
| FERRIC OXIDE RED (UNII: 1K09F3G675)           |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP)           |
| FD&C YELLOW NO. 5 (UNII: I753WB2F1M)          |
| ALUMINUM OXIDE (UNII: LM26O6933)              |
| D&C RED NO. 21 (UNII: 08744Z6JNY)             |
| D&C RED NO. 6 (UNII: 481744AI4O)              |
| FERROSFERRIC OXIDE (UNII: XM0M87F357)         |
| FERRIC OXIDE YELLOW (UNII: EX438O2MRT)        |
| TALC (UNII: 7SEV7J4R1U)                       |
| FD&C BLUE NO. 1 (UNII: H3R47K3TBD)            |
| CARMINIC ACID (UNII: CID8Z8N95N)              |
| LAUROYL LYSINE (UNII: 113171Q70B)             |

### Product Characteristics

|                 |                            |                     |  |
|-----------------|----------------------------|---------------------|--|
| <b>Color</b>    | BROWN (Dark reddish brown) | <b>Score</b>        |  |
| <b>Shape</b>    |                            | <b>Size</b>         |  |
| <b>Flavor</b>   |                            | <b>Imprint Code</b> |  |
| <b>Contains</b> |                            |                     |  |

### Packaging

| # | Item Code        | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---------------------|----------------------|--------------------|
| 1 | NDC:13537-552-02 | 1 in 1 BOX          |                      |                    |
| 1 | NDC:13537-552-01 | 4 g in 1 TUBE       |                      |                    |

### Marketing Information

| Marketing Category      | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|-------------------------|--|----------------------|--------------------|
| OTC MONOGRAPH NOT FINAL | part352                                  | 05/27/2013           |                    |

## LBEL COULEUR LUXE AMPLIFIER XP AMPLIFYING SPF 15 - SOBRIETE

octinoxate and oxybenzone lipstick

### Product Information

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:13537-553 |
| <b>Route of Administration</b> | TOPICAL        |                           |               |

**Active Ingredient/Active Moiety**

| <b>Ingredient Name</b>  | <b>Basis of Strength</b> | <b>Strength</b> |
|---|--------------------------|-----------------|
| <b>Octinoxate</b> (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51) | Octinoxate               | 0.047 g in 1 g  |
| <b>Oxybenzone</b> (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y) | Oxybenzone               | 0.009 g in 1 g  |

**Inactive Ingredients**

| <b>Ingredient Name</b>  | <b>Strength</b> |
|---|-----------------|
| <b>ISOSTEARYL NEOPENTANOATE</b> (UNII: 411THY156Q)            |                 |
| <b>DIISOPROPYL DILINOLEATE</b> (UNII: 5323S7S2LR)             |                 |
| <b>HIGH DENSITY POLYETHYLENE</b> (UNII: UG00KM4WR7)           |                 |
| <b>MICA</b> (UNII: V8A1AW0880)                                |                 |
| <b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)                     |                 |
| <b>CARNAUBA WAX</b> (UNII: R12CBM0EIZ)                        |                 |
| <b>CANDELILLA WAX</b> (UNII: WL0328HX19)                      |                 |
| <b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)                |                 |
| <b>ISODODECANE</b> (UNII: A8289P68Y2)                         |                 |
| <b>PARAFFIN</b> (UNII: I9O0E3H2ZE)                            |                 |
| <b>POLYGLYCERYL-3 DIISOSTEARATE</b> (UNII: 46P231IQV8)        |                 |
| <b>GLYCERYL ISOSTEARATE</b> (UNII: HYE7O27HAO)                |                 |
| <b>ISOSTEARYL ALCOHOL</b> (UNII: Q613OCQ44Y)                  |                 |
| <b>DIPALMITOYL HYDROXYPROLINE</b> (UNII: E6AHA53N1H)          |                 |
| <b>CERAMIDE 3</b> (UNII: 4370DF050B)                          |                 |
| <b>SHEA BUTTER</b> (UNII: K49155WL9Y)                         |                 |
| <b>.BETA.-SITOSTEROL</b> (UNII: S347WMO6M4)                   |                 |
| <b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)                         |                 |
| <b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)                       |                 |
| <b>LUFFA AEGYPTIACA SEED OIL</b> (UNII: 1A281RJ859)           |                 |
| <b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)                       |                 |
| <b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)           |                 |
| <b>POLYOXYL 40 HYDROGENATED CASTOR OIL</b> (UNII: 7YC686GQ8F) |                 |
| <b>POLYSORBATE 80</b> (UNII: 6OZP39ZG8H)                      |                 |
| <b>PPG-26-BUTETH-26</b> (UNII: 2IIIK6TZ4P)                    |                 |
| <b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)            |                 |
| <b>HEDERA HELIX LEAF</b> (UNII: ZP9XFG71A7)                   |                 |
| <b>VITAMIN A PALMITATE</b> (UNII: 1D1K0N0VVC)                 |                 |
| <b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)          |                 |
| <b>ALLANTOIN</b> (UNII: 344S277G0Z)                           |                 |
| <b>ASCORBYL PALMITATE</b> (UNII: QN83US2B0N)                  |                 |
| <b>BISMUTH OXYCHLORIDE</b> (UNII: 4ZR792I587)                 |                 |
| <b>MANGANESE VIOLET</b> (UNII: 72M48QQV8Q)                    |                 |
| <b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)                    |                 |
| <b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)                    |                 |
| <b>FD&amp;C YELLOW NO. 5</b> (UNII: I753WB2F1M)               |                 |
| <b>ALUMINUM OXIDE</b> (UNII: LM26O6933)                       |                 |
| <b>D&amp;C RED NO. 21</b> (UNII: 08744Z6JNY)                  |                 |
| <b>D&amp;C RED NO. 6</b> (UNII: 481744AI4O)                   |                 |
| <b>FERROSO FERRIC OXIDE</b> (UNII: XM0M87F357)                |                 |

|  |  |
|--|--|
| FERRIC OXIDE YELLOW (UNII: EX438O2MRT) |  |
| TALC (UNII: 7SEV7J4R1U)                |  |
| FD&C BLUE NO. 1 (UNII: H3R47K3TBD)     |  |
| CARMINIC ACID (UNII: CID8Z8N95N)       |  |
| LAUROYL LYSINE (UNII: 113171Q70B)      |  |

### Product Characteristics

|          |                             |              |  |
|----------|-----------------------------|--------------|--|
| Color    | BROWN (Light reddish brown) | Score        |  |
| Shape    |                             | Size         |  |
| Flavor   |                             | Imprint Code |  |
| Contains |                             |              |  |

### Packaging

| # | Item Code        | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---------------------|----------------------|--------------------|
| 1 | NDC:13537-553-02 | 1 in 1 BOX          |                      |                    |
| 1 | NDC:13537-553-01 | 4 g in 1 TUBE       |                      |                    |

### Marketing Information

| Marketing Category      | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|-------------------------|--|----------------------|--------------------|
| OTC MONOGRAPH NOT FINAL | part352                                  | 05/27/2013           |                    |

## LBEL COULEUR LUXE AMPLIFIER XP AMPLIFYING SPF 15 - FIANCEE

octinoxate and oxybenzone lipstick

### Product Information

|                         |                |                    |               |
|-------------------------|----------------|--------------------|---------------|
| Product Type            | HUMAN OTC DRUG | Item Code (Source) | NDC:13537-554 |
| Route of Administration | TOPICAL        |                    |               |

### Active Ingredient/Active Moiety

| Ingredient Name  | Basis of Strength | Strength       |
|--|-------------------|----------------|
| Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51) | Octinoxate        | 0.047 g in 1 g |
| Oxybenzone (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y) | Oxybenzone        | 0.009 g in 1 g |

### Inactive Ingredients

| Ingredient Name                              | Strength |
|--|----------|
| ISOSTEARYL NEOPENTANOATE (UNII: 411THY156Q)  |          |
| DIISOPROPYL DILINOLEATE (UNII: 5323S7S2LR)   |          |
| HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7) |          |
| MICA (UNII: V8A1AW0880)                      |          |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4)           |          |

|  |  |
|--|--|
| CARNAUBA WAX (UNII: R12CBM0EIZ)                        |  |
| CANDELILLA WAX (UNII: WL0328HX19)                      |  |
| ETHYLHEXYL PALMITATE (UNII: 2865993309)                |  |
| ISODODECANE (UNII: A8289P68Y2)                         |  |
| PARAFFIN (UNII: I9O0E3H2ZE)                            |  |
| POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8)        |  |
| GLYCERYL ISO STEARATE (UNII: HYE7O27HAO)               |  |
| ISO STEARYL ALCOHOL (UNII: Q6130CQ44Y)                 |  |
| DIPALMITOYL HYDROXYPROLINE (UNII: E6AHA53N1H)          |  |
| CERAMIDE 3 (UNII: 4370DF050B)                          |  |
| SHEA BUTTER (UNII: K49155WL9Y)                         |  |
| .BETA.-SITOSTEROL (UNII: S347WMO6M4)                   |  |
| DIMETHICONE (UNII: 92RU3N3Y1O)                         |  |
| PROPYLPARABEN (UNII: Z8IX2SC1OH)                       |  |
| LUFFA AEGYPTIACA SEED OIL (UNII: 1A281RJ859)           |  |
| METHYLPARABEN (UNII: A2I8C7HI9T)                       |  |
| DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)           |  |
| POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F) |  |
| POLYSORBATE 80 (UNII: 6OZP39ZG8H)                      |  |
| PPG-26-BUTETH-26 (UNII: 2IIIK6TZ4P)                    |  |
| BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)            |  |
| HEDERA HELIX LEAF (UNII: ZP9XFG71A7)                   |  |
| VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)                 |  |
| .ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)          |  |
| ALLANTOIN (UNII: 344S277G0Z)                           |  |
| ASCORBYL PALMITATE (UNII: QN83US2B0N)                  |  |
| BISMUTH OXYCHLORIDE (UNII: 4ZR792I587)                 |  |
| MANGANESE VIOLET (UNII: 72M48QQV8Q)                    |  |
| FERRIC OXIDE RED (UNII: 1K09F3G675)                    |  |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP)                    |  |
| FD&C YELLOW NO. 5 (UNII: I753WB2F1M)                   |  |
| ALUMINUM OXIDE (UNII: LM26O6933)                       |  |
| D&C RED NO. 21 (UNII: 08744Z6JNY)                      |  |
| D&C RED NO. 6 (UNII: 481744AI4O)                       |  |
| FERROSFERRIC OXIDE (UNII: XM0M87F357)                  |  |
| FERRIC OXIDE YELLOW (UNII: EX438O2MRT)                 |  |
| TALC (UNII: 7SEV7J4R1U)                                |  |
| FD&C BLUE NO. 1 (UNII: HBR47K3TBD)                     |  |
| CARMINIC ACID (UNII: CID8Z8N95N)                       |  |
| LAUROYL LYSINE (UNII: 113171Q70B)                      |  |

### Product Characteristics

|          |                     |              |  |
|----------|---------------------|--------------|--|
| Color    | PINK (Intense pink) | Score        |  |
| Shape    |                     | Size         |  |
| Flavor   |                     | Imprint Code |  |
| Contains |                     |              |  |

### Packaging

| # | Item Code        | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---------------------|----------------------|--------------------|
| 1 | NDC:13537-554-02 | 1 in 1 BOX          |                      |                    |
| 1 | NDC:13537-554-01 | 4 g in 1 TUBE       |                      |                    |

### Marketing Information

| Marketing Category      | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|-------------------------|--|----------------------|--------------------|
| OTC MONOGRAPH NOT FINAL | part352                                  | 05/27/2013           |                    |

## LBEL COULEUR LUXE AMPLIFIER XP AMPLIFYING SPF 15 - ROMANCE

octinoxate and oxybenzone lipstick

### Product Information

|                         |                |                    |               |
|-------------------------|----------------|--------------------|---------------|
| Product Type            | HUMAN OTC DRUG | Item Code (Source) | NDC:13537-555 |
| Route of Administration | TOPICAL        |                    |               |

### Active Ingredient/Active Moiety

| Ingredient Name  | Basis of Strength | Strength      |
|--|-------------------|---------------|
| Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51) | Octinoxate        | 0.047 g in 1g |
| Oxybenzone (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y) | Oxybenzone        | 0.009 g in 1g |

### Inactive Ingredients

| Ingredient Name                                 | Strength |
|---|----------|
| ISO STEARYL NEO PENTANO ATE (UNII: 411THY156Q)  |          |
| DIISOPROPYL DILINOLEATE (UNII: 5323S7S2LR)      |          |
| HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)    |          |
| MICA (UNII: V8A1AW0880)                         |          |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4)              |          |
| CARNAUBA WAX (UNII: R12CBM0EIZ)                 |          |
| CANDELILLA WAX (UNII: WL0328HX19)               |          |
| ETHYLHEXYL PALMITATE (UNII: 2865993309)         |          |
| ISODODECANE (UNII: A8289P68Y2)                  |          |
| PARAFFIN (UNII: I9O0E3H2ZE)                     |          |
| POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8) |          |
| GLYCERYL ISOSTEARATE (UNII: HYE7O27HAO)         |          |
| ISO STEARYL ALCOHOL (UNII: Q613OCQ44Y)          |          |
| DIPALMITOYL HYDROXYPROLINE (UNII: E6AHA53N1H)   |          |
| CERAMIDE 3 (UNII: 4370DF050B)                   |          |
| SHEA BUTTER (UNII: K49155WL9Y)                  |          |
| .BETA.-SITOSTEROL (UNII: S347WMO6M4)            |          |
| DIMETHICONE (UNII: 92RU3N3Y1O)                  |          |
| PROPYLPARABEN (UNII: Z8IX2SC1OH)                |          |
| LUFFA AEGYPTIACA SEED OIL (UNII: 1A281RJ859)    |          |
| METHYLPARABEN (UNII: A2I8C7HI9T)                |          |

|   |
|---|
| <b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)           |
| <b>POLYOXYL 40 HYDROGENATED CASTOR OIL</b> (UNII: 7YC686GQ8F) |
| <b>POLYSORBATE 80</b> (UNII: 6OZP39ZG8H)                      |
| <b>PPG-26-BUTETH-26</b> (UNII: 2I1K6TZ4P)                     |
| <b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)            |
| <b>HEDERA HELIX LEAF</b> (UNII: ZP9XFG71A7)                   |
| <b>VITAMIN A PALMITATE</b> (UNII: 1D1K0N0VVC)                 |
| <b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)          |
| <b>ALLANTOIN</b> (UNII: 344S277G0Z)                           |
| <b>ASCORBYL PALMITATE</b> (UNII: QN83US2B0N)                  |
| <b>BISMUTH OXYCHLORIDE</b> (UNII: 4ZR792I587)                 |
| <b>MANGANESE VIOLET</b> (UNII: 72M48QQV8Q)                    |
| <b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)                    |
| <b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)                    |
| <b>FD&amp;C YELLOW NO. 5</b> (UNII: I753WB2F1M)               |
| <b>ALUMINUM OXIDE</b> (UNII: LM26O6933)                       |
| <b>D&amp;C RED NO. 21</b> (UNII: 08744Z6JNY)                  |
| <b>D&amp;C RED NO. 6</b> (UNII: 481744A4O)                    |
| <b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)                  |
| <b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)                 |
| <b>TALC</b> (UNII: 7SEV7J4R1U)                                |
| <b>FD&amp;C BLUE NO. 1</b> (UNII: HBR47K3TBD)                 |
| <b>CARMINIC ACID</b> (UNII: CID8Z8N95N)                       |
| <b>LAUROYL LYSINE</b> (UNII: 113171Q70B)                      |

**Product Characteristics**

|                 |                        |                     |  |
|-----------------|------------------------|---------------------|--|
| <b>Color</b>    | PINK (Dark brown pink) | <b>Score</b>        |  |
| <b>Shape</b>    |                        | <b>Size</b>         |  |
| <b>Flavor</b>   |                        | <b>Imprint Code</b> |  |
| <b>Contains</b> |                        |                     |  |

**Packaging**

| # | Item Code        | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---------------------|----------------------|--------------------|
| 1 | NDC:13537-555-02 | 1 in 1 BOX          |                      |                    |
| 1 | NDC:13537-555-01 | 4 g in 1 TUBE       |                      |                    |

**Marketing Information**

| Marketing Category      | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|-------------------------|--|----------------------|--------------------|
| OTC MONOGRAPH NOT FINAL | part352                                  | 05/27/2013           |                    |

**LBEL COULEUR LUXE AMPLIFIER XP AMPLIFYING SPF 15 - CARMINE**  
 octinoxate and oxybenzone lipstick

**Product Information**



|  |  |                           |                 |
|--|--|---------------------------|-----------------|
| <b>Product Type</b>                    | HUMAN OTC DRUG   | <b>Item Code (Source)</b> | NDC:13537-556   |
| <b>Route of Administration</b>         | TOPICAL  |                           |                 |
| <b>Active Ingredient/Active Moiety</b> |  |                           |                 |
|  | <b>Ingredient Name</b>                                       | <b>Basis of Strength</b>  | <b>Strength</b> |
|  | Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51) | Octinoxate                | 0.047 g in 1 g  |
|  | Oxybenzone (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y) | Oxybenzone                | 0.009 g in 1 g  |
| <b>Inactive Ingredients</b>            |  |                           |                 |
|  | <b>Ingredient Name</b>                                       |                           | <b>Strength</b> |
|  | ISOSTEARYL NEOPENTANOATE (UNII: 411THY156Q)                  |                           |                 |
|  | DIISOPROPYL DILINOLEATE (UNII: 5323S7S2LR)                   |                           |                 |
|  | HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)                 |                           |                 |
|  | MICA (UNII: V8A1AW0880)                                      |                           |                 |
|  | SILICON DIOXIDE (UNII: ETJ7Z6XBU4)                           |                           |                 |
|  | CARNAUBA WAX (UNII: R12CBM0EIZ)                              |                           |                 |
|  | CANDELILLA WAX (UNII: WL0328HX19)                            |                           |                 |
|  | ETHYLHEXYL PALMITATE (UNII: 2865993309)                      |                           |                 |
|  | ISODODECANE (UNII: A8289P68Y2)                               |                           |                 |
|  | PARAFFIN (UNII: I9O0E3H2ZE)                                  |                           |                 |
|  | POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8)              |                           |                 |
|  | GLYCERYL ISOSTEARATE (UNII: HYE7O27HAO)                      |                           |                 |
|  | ISOSTEARYL ALCOHOL (UNII: Q613OCQ44Y)                        |                           |                 |
|  | DIPALMITOYL HYDROXYPROLINE (UNII: E6AHA53N1H)                |                           |                 |
|  | CERAMIDE 3 (UNII: 4370DF050B)                                |                           |                 |
|  | SHEA BUTTER (UNII: K49155WL9Y)                               |                           |                 |
|  | .BETA.-SITOSTEROL (UNII: S347WMO6M4)                         |                           |                 |
|  | DIMETHICONE (UNII: 92RU3N3Y1O)                               |                           |                 |
|  | PROPYLPARABEN (UNII: Z8IX2SC1OH)                             |                           |                 |
|  | LUFFA AEGYPTIACA SEED OIL (UNII: 1A281RJ859)                 |                           |                 |
|  | METHYLPARABEN (UNII: A2I8C7HI9T)                             |                           |                 |
|  | DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)                 |                           |                 |
|  | POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F)       |                           |                 |
|  | POLYSORBATE 80 (UNII: 6OZP39ZG8H)                            |                           |                 |
|  | PPG-26-BUTETH-26 (UNII: 2II1K6TZ4P)                          |                           |                 |
|  | BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)                  |                           |                 |
|  | HEDERA HELIX LEAF (UNII: ZP9XFG71A7)                         |                           |                 |
|  | VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)                       |                           |                 |
|  | .ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)                |                           |                 |
|  | ALLANTOIN (UNII: 344S277G0Z)                                 |                           |                 |
|  | ASCORBYL PALMITATE (UNII: QN83US2B0N)                        |                           |                 |
|  | BISMUTH OXYCHLORIDE (UNII: 4ZR792I587)                       |                           |                 |
|  | MANGANESE VIOLET (UNII: 72M48QQV8Q)                          |                           |                 |
|  | FERRIC OXIDE RED (UNII: 1K09F3G675)                          |                           |                 |
|  | TITANIUM DIOXIDE (UNII: 15FIX9V2JP)                          |                           |                 |
|  | FD&C YELLOW NO. 5 (UNII: I753WB2F1M)                         |                           |                 |
|  | ALUMINUM OXIDE (UNII: LM26O6933)                             |                           |                 |

|   |  |
|---|--|
| D&C RED NO. 21 (UNII: 08744Z6JNY)       |  |
| D&C RED NO. 6 (UNII: 481744A14O)        |  |
| FERROSO FERRIC OXIDE (UNII: XM0M87F357) |  |
| FERRIC OXIDE YELLOW (UNII: EX438O2MRT)  |  |
| TALC (UNII: 7SEV7J4R1U)                 |  |
| FD&C BLUE NO. 1 (UNII: HBR47K3TBD)      |  |
| CARMINIC ACID (UNII: CID8Z8N95N)        |  |
| LAUROYL LYSINE (UNII: 113171Q70B)       |  |

### Product Characteristics

|          |                       |              |  |
|----------|-----------------------|--------------|--|
| Color    | RED (Dark orange red) | Score        |  |
| Shape    |                       | Size         |  |
| Flavor   |                       | Imprint Code |  |
| Contains |                       |              |  |

### Packaging

| # | Item Code        | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---------------------|----------------------|--------------------|
| 1 | NDC:13537-556-02 | 1 in 1 BOX          |                      |                    |
| 1 | NDC:13537-556-01 | 4 g in 1 TUBE       |                      |                    |

### Marketing Information

| Marketing Category      | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|-------------------------|--|----------------------|--------------------|
| OTC MONOGRAPH NOT FINAL | part352                                  | 05/27/2013           |                    |

## LBEL COULEUR LUXE AMPLIFIER XP AMPLIFYING SPF 15 - NOBLESSE

octinoxate and oxybenzone lipstick

### Product Information

|                         |                |                    |               |
|-------------------------|----------------|--------------------|---------------|
| Product Type            | HUMAN OTC DRUG | Item Code (Source) | NDC:13537-557 |
| Route of Administration | TOPICAL        |                    |               |

### Active Ingredient/Active Moiety

| Ingredient Name  | Basis of Strength | Strength       |
|--|-------------------|----------------|
| Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51) | Octinoxate        | 0.047 g in 1 g |
| Oxybenzone (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y) | Oxybenzone        | 0.009 g in 1 g |

### Inactive Ingredients

| Ingredient Name                              | Strength |
|--|----------|
| ISOSTEARYL NEOPENTANOATE (UNII: 411THY156Q)  |          |
| DIISOPROPYL DILINOLEATE (UNII: 5323S7S2LR)   |          |
| HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7) |          |

|  |  |
|--|--|
| MICA (UNII: V8A1AW0880)                                |  |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4)                     |  |
| CARNAUBA WAX (UNII: R12CBM0EIZ)                        |  |
| CANDELILLA WAX (UNII: WL0328HX19)                      |  |
| ETHYLHEXYL PALMITATE (UNII: 2865993309)                |  |
| ISODODECANE (UNII: A8289P68Y2)                         |  |
| PARAFFIN (UNII: I9O0E3H2ZE)                            |  |
| POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8)        |  |
| GLYCERYL ISOSTEARATE (UNII: HYE7O27HAO)                |  |
| ISOSTEARYL ALCOHOL (UNII: Q613OCQ44Y)                  |  |
| DIPALMITOYL HYDROXYPROLINE (UNII: E6AHA53N1H)          |  |
| CERAMIDE 3 (UNII: 4370DF050B)                          |  |
| SHEA BUTTER (UNII: K49155WL9Y)                         |  |
| .BETA.-SITOSTEROL (UNII: S347WMO6M4)                   |  |
| DIMETHICONE (UNII: 92RU3N3Y1O)                         |  |
| PROPYLPARABEN (UNII: Z8IX2SC1OH)                       |  |
| LUFFA AEGYPTIACA SEED OIL (UNII: 1A281RJ859)           |  |
| METHYLPARABEN (UNII: A2I8C7H9T)                        |  |
| DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)           |  |
| POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F) |  |
| POLYSORBATE 80 (UNII: 6OZP39ZG8H)                      |  |
| PPG-26-BUTETH-26 (UNII: 2I1K6TZ4P)                     |  |
| BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)            |  |
| HEDERA HELIX LEAF (UNII: ZP9XFG71A7)                   |  |
| VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)                 |  |
| .ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)          |  |
| ALLANTOIN (UNII: 344S277G0Z)                           |  |
| ASCORBYL PALMITATE (UNII: QN83US2B0N)                  |  |
| BISMUTH OXYCHLORIDE (UNII: 4ZR792I587)                 |  |
| MANGANESE VIOLET (UNII: 72M48QQV8Q)                    |  |
| FERRIC OXIDE RED (UNII: 1K09F3G675)                    |  |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP)                    |  |
| FD&C YELLOW NO. 5 (UNII: I753WB2F1M)                   |  |
| ALUMINUM OXIDE (UNII: LM26O6933)                       |  |
| D&C RED NO. 21 (UNII: 08744Z6JNY)                      |  |
| D&C RED NO. 6 (UNII: 481744AI4O)                       |  |
| FERROSFERRIC OXIDE (UNII: XM0M87F357)                  |  |
| FERRIC OXIDE YELLOW (UNII: EX438O2MRT)                 |  |
| TALC (UNII: 7SEV7J4R1U)                                |  |
| FD&C BLUE NO. 1 (UNII: H3R47K3TBD)                     |  |
| CARMINIC ACID (UNII: CID8Z8N95N)                       |  |
| LAUROYL LYSINE (UNII: 113171Q70B)                      |  |

### Product Characteristics

|          |                 |              |  |
|----------|-----------------|--------------|--|
| Color    | RED (Pearl red) | Score        |  |
| Shape    |                 | Size         |  |
| Flavor   |                 | Imprint Code |  |
| Contains |                 |              |  |

**Packaging**

| # | Item Code        | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---------------------|----------------------|--------------------|
| 1 | NDC:13537-557-02 | 1 in 1 BOX          |                      |                    |
| 1 | NDC:13537-557-01 | 4 g in 1 TUBE       |                      |                    |

**Marketing Information**

| Marketing Category      | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|-------------------------|--|----------------------|--------------------|
| OTC MONOGRAPH NOT FINAL | part352                                  | 05/27/2013           |                    |

**LBEL COULEUR LUXE AMPLIFIER XP AMPLIFYING SPF 15 - MALBEC**

octinoxate and oxybenzone lipstick

**Product Information**

|                         |                |                    |               |
|-------------------------|----------------|--------------------|---------------|
| Product Type            | HUMAN OTC DRUG | Item Code (Source) | NDC:13537-558 |
| Route of Administration | TOPICAL        |                    |               |

**Active Ingredient/Active Moiety**

| Ingredient Name  | Basis of Strength | Strength       |
|--|-------------------|----------------|
| Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51) | Octinoxate        | 0.047 g in 1 g |
| Oxybenzone (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y) | Oxybenzone        | 0.009 g in 1 g |

**Inactive Ingredients**

| Ingredient Name                                 | Strength |
|---|----------|
| ISOSTEARYL NEOPENTANOATE (UNII: 411THY156Q)     |          |
| DIISOPROPYL DILINOLEATE (UNII: 5323S7S2LR)      |          |
| HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)    |          |
| MICA (UNII: V8A1AW0880)                         |          |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4)              |          |
| CARNAUBA WAX (UNII: R12CBM0EIZ)                 |          |
| CANDELILLA WAX (UNII: WL0328HX19)               |          |
| ETHYLHEXYL PALMITATE (UNII: 2865993309)         |          |
| ISODODECANE (UNII: A8289P68Y2)                  |          |
| PARAFFIN (UNII: I9O0E3H2ZE)                     |          |
| POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8) |          |
| GLYCERYL ISOSTEARATE (UNII: HYE7O27HAO)         |          |
| ISOSTEARYL ALCOHOL (UNII: Q613OCQ44Y)           |          |
| DIPALMITOYL HYDROXYPROLINE (UNII: E6AHA53N1H)   |          |
| CERAMIDE 3 (UNII: 4370DF050B)                   |          |
| SHEA BUTTER (UNII: K49155WL9Y)                  |          |
| .BETA.-SITOSTEROL (UNII: S347WMO6M4)            |          |
| DIMETHICONE (UNII: 92RU3N3Y1O)                  |          |
| PROPYLPARABEN (UNII: Z8IX2SC1OH)                |          |

|  |
|--|
| LUFFA AEGYPTIACA SEED OIL (UNII: 1A281RJ859)           |
| METHYL PARABEN (UNII: A2I8C7HI9T)                      |
| DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)           |
| POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F) |
| POLYSORBATE 80 (UNII: 6OZP39ZG8H)                      |
| PPG-26-BUTETH-26 (UNII: 2II1K6TZ4P)                    |
| BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)            |
| HEDERA HELIX LEAF (UNII: ZP9XFG71A7)                   |
| VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)                 |
| .ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)          |
| ALLANTOIN (UNII: 344S277G0Z)                           |
| ASCORBYL PALMITATE (UNII: QN83US2B0N)                  |
| BISMUTH OXYCHLORIDE (UNII: 4ZR792I587)                 |
| MANGANESE VIOLET (UNII: 72M48QQV8Q)                    |
| FERRIC OXIDE RED (UNII: 1K09F3G675)                    |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP)                    |
| FD&C YELLOW NO. 5 (UNII: I753WB2F1M)                   |
| ALUMINUM OXIDE (UNII: LM26O6933)                       |
| D&C RED NO. 21 (UNII: 08744Z6JNY)                      |
| D&C RED NO. 6 (UNII: 481744A14O)                       |
| FERROSFERRIC OXIDE (UNII: XM0M87F357)                  |
| FERRIC OXIDE YELLOW (UNII: EX438O2MRT)                 |
| TALC (UNII: 7SEV7J4R1U)                                |
| FD&C BLUE NO. 1 (UNII: HBR47K3TBD)                     |
| CARMINIC ACID (UNII: CID8Z8N95N)                       |
| LAUROYL LYSINE (UNII: 113171Q70B)                      |

**Product Characteristics**

|                 |                                |                     |  |
|-----------------|--------------------------------|---------------------|--|
| <b>Color</b>    | BROWN (Intense reddish coffee) | <b>Score</b>        |  |
| <b>Shape</b>    |                                | <b>Size</b>         |  |
| <b>Flavor</b>   |                                | <b>Imprint Code</b> |  |
| <b>Contains</b> |                                |                     |  |

**Packaging**

| # | Item Code        | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---------------------|----------------------|--------------------|
| 1 | NDC:13537-558-02 | 1 in 1 BOX          |                      |                    |
| 1 | NDC:13537-558-01 | 4 g in 1 TUBE       |                      |                    |

**Marketing Information**

| Marketing Category      | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|-------------------------|--|----------------------|--------------------|
| OTC MONOGRAPH NOT FINAL | part352                                  | 05/27/2013           |                    |

**LBEL COULEUR LUXE AMPLIFIER XP AMPLIFYING SPF 15 - ROSE FUCSIA**  
 octinoxate and oxybenzone lipstick

**Product Information**

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:13537-559 |
| <b>Route of Administration</b> | TOPICAL        |                           |               |

**Active Ingredient/Active Moiety**

| <b>Ingredient Name</b>  | <b>Basis of Strength</b> | <b>Strength</b> |
|---|--------------------------|-----------------|
| <b>Octinoxate</b> (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51) | Octinoxate               | 0.047 g in 1 g  |
| <b>Oxybenzone</b> (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y) | Oxybenzone               | 0.009 g in 1 g  |

**Inactive Ingredients**

| <b>Ingredient Name</b>  | <b>Strength</b> |
|---|-----------------|
| <b>ISO STEARYL NEOPENTANOATE</b> (UNII: 411THY156Q)           |                 |
| <b>DIISOPROPYL DILINOLEATE</b> (UNII: 5323S7S2LR)             |                 |
| <b>HIGH DENSITY POLYETHYLENE</b> (UNII: UG00KM4WR7)           |                 |
| <b>MICA</b> (UNII: V8A1AW0880)                                |                 |
| <b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)                     |                 |
| <b>CARNAUBA WAX</b> (UNII: R12CBM0EIZ)                        |                 |
| <b>CANDELILLA WAX</b> (UNII: WL0328HX19)                      |                 |
| <b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)                |                 |
| <b>ISODODECANE</b> (UNII: A8289P68Y2)                         |                 |
| <b>PARAFFIN</b> (UNII: I9O0E3H2ZE)                            |                 |
| <b>POLYGLYCERYL-3 DIISOSTEARATE</b> (UNII: 46P231IQV8)        |                 |
| <b>GLYCERYL ISOSTEARATE</b> (UNII: HYE7O27HAO)                |                 |
| <b>ISO STEARYL ALCOHOL</b> (UNII: Q613OCQ44Y)                 |                 |
| <b>DIPALMITOYL HYDROXYPROLINE</b> (UNII: E6AHA53N1H)          |                 |
| <b>CERAMIDE 3</b> (UNII: 4370DF050B)                          |                 |
| <b>SHEA BUTTER</b> (UNII: K49155WL9Y)                         |                 |
| <b>.BETA.-SITOSTEROL</b> (UNII: S347WMO6M4)                   |                 |
| <b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)                         |                 |
| <b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)                       |                 |
| <b>LUFFA AEGYPTIACA SEED OIL</b> (UNII: 1A281RJ859)           |                 |
| <b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)                       |                 |
| <b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)           |                 |
| <b>POLYOXYL 40 HYDROGENATED CASTOR OIL</b> (UNII: 7YC686GQ8F) |                 |
| <b>POLYSORBATE 80</b> (UNII: 6OZP39ZG8H)                      |                 |
| <b>PPG-26-BUTETH-26</b> (UNII: 2I1K6TZ4P)                     |                 |
| <b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)            |                 |
| <b>HEDERA HELIX LEAF</b> (UNII: ZP9XFG71A7)                   |                 |
| <b>VITAMIN A PALMITATE</b> (UNII: 1D1K0N0VVC)                 |                 |
| <b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)          |                 |
| <b>ALLANTOIN</b> (UNII: 344S277G0Z)                           |                 |
| <b>ASCORBYL PALMITATE</b> (UNII: QN83US2B0N)                  |                 |
| <b>BISMUTH OXYCHLORIDE</b> (UNII: 4ZR792I587)                 |                 |
| <b>MANGANESE VIOLET</b> (UNII: 72M48QQV8Q)                    |                 |
| <b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)                    |                 |
| <b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)                    |                 |

|  |  |
|--|--|
| FD&C YELLOW NO. 5 (UNII: I753WB2F1M)   |  |
| ALUMINUM OXIDE (UNII: LM26O6933)       |  |
| D&C RED NO. 21 (UNII: 08744Z6JNY)      |  |
| D&C RED NO. 6 (UNII: 481744A4O)        |  |
| FERROSFERRIC OXIDE (UNII: XM0M87F357)  |  |
| FERRIC OXIDE YELLOW (UNII: EX438O2MRT) |  |
| TALC (UNII: 7SEV7J4R1U)                |  |
| FD&C BLUE NO. 1 (UNII: HBR47K3TBD)     |  |
| CARMINIC ACID (UNII: CID8Z8N95N)       |  |
| LAUROYL LYSINE (UNII: 113171Q70B)      |  |

**Product Characteristics**

|          |                            |              |  |
|----------|----------------------------|--------------|--|
| Color    | PINK (Light pearl magenta) | Score        |  |
| Shape    |                            | Size         |  |
| Flavor   |                            | Imprint Code |  |
| Contains |                            |              |  |

**Packaging**

| # | Item Code        | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---------------------|----------------------|--------------------|
| 1 | NDC:13537-559-02 | 1 in 1 BOX          |                      |                    |
| 1 | NDC:13537-559-01 | 4 g in 1 TUBE       |                      |                    |

**Marketing Information**

| Marketing Category      | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|-------------------------|--|----------------------|--------------------|
| OTC MONOGRAPH NOT FINAL | part352                                  | 05/27/2013           |                    |

**Labeler** - Ventura Corporation LTD. (602751344)

**Establishment**

| Name                     | Address | ID/FEI    | Business Operations  |
|--------------------------|---------|-----------|--|
| Bel Star S.A. (Colombia) |         | 880160197 | MANUFACTURE(13537-527, 13537-528, 13537-529, 13537-530, 13537-531, 13537-532, 13537-533, 13537-534, 13537-535, 13537-536, 13537-537, 13537-538, 13537-539, 13537-540, 13537-541, 13537-542, 13537-543, 13537-544, 13537-545, 13537-546, 13537-547, 13537-548, 13537-549, 13537-550, 13537-551, 13537-552, 13537-553, 13537-554, 13537-555, 13537-556, 13537-557, 13537-558, 13537-559) |