

**DUREX 7% TINCTURE IODINE- durex 7% tincture iodine liniment  
JACKS MFG INC**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

-----

**DUREX 7% TINCTURE**

**DIRECTIONS**

For superficial cuts, bruises, abrasions, insect bites, etc.

Also for other external disinfection uses.

**CAUTION**

Avoid contact with eyes or mucous membranes.

Do not use on deep wounds or body cavities.

Do not use on burns.

**WARNING**

**POISON IF TAKEN INTERNALLY.**

If accidentally ingested, call poison control immediately. Tighten cap firmly when not in use.

Do not use on animals intended for food.

Keep away from heat and open flame.

Wear hand and eye protection when handling.

**Package Label**



**MCTARNAHANS®**

**DUREX 7% TINCTURE**  
DUREX 7% TINTURA

Antiseptic IODINE solution with Povidone added.  
Solución de yodo antiséptico con povidona añadido.

Net Contents: One Pint (16 fl oz) 473 ml  
Contenido Neto: Una Pinta (16 onzas líquidas)

PRODUCTS WITH A WINNING TRADITION 

**DUREX 7% TINCTURE**

**DIRECTIONS:**  
For superficial cuts, bruises, abrasions, insect bites, etc. Also for other external disinfection uses.

**ACTIVE INGREDIENTS:**  
Iodine.....7.0%

**INACTIVE INGREDIENTS:**  
Deionized Water, Isopropyl Alcohol, Potassium Iodide, Povidone Iodine

**CAUTION:**  
Avoid contact with eyes or mucous membranes. Do not use on deep wounds or body cavities. Do not use on burns.

**WARNING:**  
POISON IF TAKEN INTERNALLY.  
If accidentally ingested, call poison control immediately. Tighten cap firmly when not in use. Do not use on animals intended for food. Keep away from heat and open flame. Wear hand and eye protection when handling.

**INSTRUCCIONES:**  
Para los cortes superficiales, contusiones, abrasiones, picaduras de insectos, etc. También para otros usos externos de desinfección.

**INGREDIENTES ACTIVOS:**  
Iodine.....7.0%

**INGREDIENTES INACTIVOS:**  
Deionized Water, Isopropyl Alcohol, Potassium Iodide, Povidone Iodine

**PRECAUCIÓN:**  
Evite el contacto con los ojos o las membranas mucosas. No lo use en heridas profundas o cavidades del cuerpo. No lo use en quemaduras.

**ADVERTENCIA:**  
VENENO SI SE TOMA INTERNAMENTE.  
Si se ingiere accidentalmente, llame al control de envenenamiento inmediatamente. Apriete la tapa firmemente cuando no esté en uso. No lo use en animales destinados a la alimentación. Mantenga alejado del calor y las llamas. Use protección para las manos y los ojos al utilizar este producto.

FOR EXTERNAL EQUINE USE ONLY  
KEEP OUT OF REACH OF CHILDREN

PARA USO EXTERNO EQUINO SOLAMENTE  
MANTENGA FUERA DEL ALCANCE DE LOS NIÑOS



MANUFACTURED IN USA FOR JACKS INC. WASHINGTON C.H. OHIO 43160

**DUREX 7% TINCTURE IODINE**

durex 7% tincture iodine liniment

**Product Information**

<b>Product Type</b>	OTC ANIMAL DRUG	<b>Item Code (Source)</b>	NDC:61156-109
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>IODINE</b> (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4)	IODINE	0.33 g in 1 mL

**Inactive Ingredients**

Ingredient Name	Strength
<b>POTASSIUM IODIDE</b> (UNII: 1C4QK22F9J)	0.22 g in 1 mL
<b>ISOPROPYL ALCOHOL</b> (UNII: ND2M416302)	3.67 mL in 1 mL
<b>WATER</b> (UNII: 059QF0KO0R)	0.94 mL in 1 mL
<b>POVIDONE-IODINE</b> (UNII: 85H0HZU99M)	0.03 g in 1 mL

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:61156-109-02	473 mL in 1 BOTTLE		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		07/01/1994	

**Labeler** - JACKS MFG INC (056741838)

**Registrant** - JACKS MFG INC (056741838)

### Establishment

Name	Address	ID/FEI	Business Operations
TENDA HORSE PRODUCTS, LLC		137337247	manufacture, api manufacture

Revised: 12/2021

JACKS MFG INC