

**SEVERE SINUS CONGESTION RELIEF MAXIMUM STRENGTH- acetaminophen,  
guaifenesin, phenylephrine hcl tablet, film coated  
Rite Aid Corporation**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Rite Aid 44-615-SMR**

***Active ingredients (in each caplet)***

Acetaminophen 325 mg  
Guaifenesin 200 mg  
Phenylephrine HCl 5 mg

***Purpose***

Pain reliever  
Expectorant  
Nasal decongestant

***Uses***

- temporarily relieves:
  - nasal congestion
  - headache
  - sinus congestion and pressure
  - minor aches and pains
- temporarily promotes nasal and/or sinus drainage
- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive

***Warnings***

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take

- with other drugs containing acetaminophen
- more than 4,000 mg of acetaminophen in 24 hours
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a

doctor or pharmacist before taking this product.

- If you have ever had an allergic reaction to this product or any of its ingredients

**Ask a doctor before use if you have**

- liver disease
- thyroid disease
- diabetes
- heart disease
- high blood pressure
- difficulty in urination due to enlargement of the prostate gland
- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- cough that occurs with too much phlegm (mucus)

**Ask a doctor or pharmacist before use if you are**

taking the blood thinning drug warfarin.

**When using this product**

**do not exceed recommended dosage.**

**Stop use and ask a doctor if**

- nervousness, dizziness, or sleeplessness occur
- fever gets worse or lasts more than 3 days
- pain, nasal congestion, or cough gets worse or lasts more than 7 days
- redness or swelling is present
- new symptoms occur
- cough comes back or occurs with rash or headache that lasts. These could be signs of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of accidental overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

***Directions***

- **do not take more than directed**
- do not take more than 12 caplets in any 24-hour period
- adults and children 12 years and over: take 2 caplets every 4 hours
- children under 12 years: do not use

***Other information***

- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

***Inactive ingredients***

corn starch, crospovidone, FD&C red #40 aluminum lake, FD&C yellow #6 aluminum lake, magnesium stearate, maltodextrin, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone, silicon dioxide, sodium starch glycolate, stearic acid, talc, titanium dioxide

*Questions or comments?*

**1-800-426-9391**

**Principal Display Panel**

**RITE  
AID  
PHARMACY®**

\*Compare to the active ingredients in  
Maximum Strength Mucinex® SINUS-MAX®  
Severe Congestion & Pain

**MAXIMUM STRENGTH  
severe sinus congestion relief**

**acetaminophen**, guaifenesin, phenylephrine HCl  
pain reliever, expectorant, nasal decongestant

relieves headache  
relieves sinus congestion  
thins & loosens mucus

for ages 12+

ACTUAL SIZE

**20 CAPLETS**

**TAMPER EVIDENT: DO NOT USE IF PACKAGE IS  
OPENED OR IF BLISTER UNIT IS TORN, BROKEN  
OR SHOWS ANY SIGNS OF TAMPERING**

\*This product is not manufactured or distributed by Reckitt Benckiser LLC,  
owner of the registered trademark Maximum Strength Mucinex® SINUS-MAX®  
Severe Congestion & Pain. 50844 REV1117B61509

**DISTRIBUTED BY: RITE AID  
30 HUNTER LANE, CAMP HILL, PA 17011**

**IF YOU'RE NOT SATISFIED,  
WE'LL HAPPILY REFUND YOUR MONEY.**

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

B-1702-615-09-SMR  
REV1117861509

**Drug Facts**  
KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION

**Active ingredients (in each caplet)**  
 Acetaminophen 325 mg ..... Pain reliever  
 Guaifenesin 200 mg ..... Expectorant  
 Phenylephrine HCl 5 mg ..... Nasal decongestant

**Drug Facts (continued)**

**Uses** temporarily relieves: nasal congestion ■ headache ■ sinus congestion and pressure ■ minor aches and pains

**Uses** temporarily relieves: nasal congestion ■ headache ■ sinus congestion and pressure ■ minor aches and pains

**Temporary relief:** temporarily relieves: ■ nasal congestion ■ headache ■ sinus congestion and pressure ■ minor aches and pains

**Temporary relief:** temporarily relieves: ■ nasal congestion ■ headache ■ sinus congestion and pressure ■ minor aches and pains

**Temporary relief:** temporarily relieves: ■ nasal congestion ■ headache ■ sinus congestion and pressure ■ minor aches and pains

**Drug Facts (continued)**

**Warnings**  
 Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take ■ with other drugs containing acetaminophen ■ more than 4,000 mg of acetaminophen in 24 hours ■ 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include: ■ skin redness ■ blisters ■ rash

If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**  
 ■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

■ if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

■ if you have ever had an allergic reaction to this product or any of its ingredients

**Ask a doctor before use if you have**  
 ■ liver disease ■ thyroid disease ■ diabetes ■ heart disease ■ high blood pressure ■ difficulty in urination due to enlargement of the prostate gland ■ persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema

■ cough that occurs with too much phlegm (mucus)

**Drug Facts (continued)**

**Directions** ■ do not take more than directed

do not take more than 12 caplets in any 24-hour period

adults and children 12 years and over: take 2 caplets every 4 hours

children under 12 years: do not use

**Other information**  
 BLISTER IS TORN OR BROKEN

store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)

see end flap for expiration date and lot number

**Questions or comments?** 1-800-426-9391

**Drug Facts (continued)**

**Inactive ingredients** corn starch, croscollon, FD&C red #40 aluminum lake, FD&C yellow #6 aluminum lake, magnesium stearate, methylcellulose, polyethylene glycol, polyvinyl alcohol, polyvinylpyrrolidone, silicon dioxide, sodium starch glycolate, stearic acid, talc, titanium dioxide

**Drug Facts (continued)**

This product is not manufactured or distributed by Rite Aid Benckiser LLC, owner of the registered trademark Maximum Strength Mucinex® SINUS-MAX® Severe Congestion & Pain. 50844 REV1117861509

DISTRIBUTED BY: RITE AID  
 IF YOU'RE NOT SATISFIED,  
 WE'LL HAPPILY REFUND YOUR MONEY.

30 HUNTER LANE, CAMP HILL, PA 17011



**RITE AID PHARMACY**

**\*Compare to the active ingredients in Maximum Strength Mucinex® SINUS-MAX® Severe Congestion & Pain**

**MAXIMUM STRENGTH**

**severe sinus congestion relief**

**acetaminophen, guaifenesin, phenylephrine HCl**

pain reliever, expectorant, nasal decongestant

relieves headache  
 relieves sinus congestion  
 thins & loosens mucus

for ages 12+

ACTUAL SIZE

**20 CAPLETS**

Rite Aid 44-615-SMR

**SEVERE SINUS CONGESTION RELIEF MAXIMUM STRENGTH**  
 acetaminophen, guaifenesin, phenylephrine hcl tablet, film coated

**Product Information**

|                                |                |                           |                |
|--------------------------------|----------------|---------------------------|----------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:11822-5160 |
| <b>Route of Administration</b> | ORAL           |                           |                |

| <b>Active Ingredient/Active Moiety</b>   |                             |                 |
|--|-----------------------------|-----------------|
| <b>Ingredient Name</b>   | <b>Basis of Strength</b>    | <b>Strength</b> |
| ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)               | ACETAMINOPHEN               | 325 mg          |
| GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)                   | GUAIFENESIN                 | 200 mg          |
| PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV) | PHENYLEPHRINE HYDROCHLORIDE | 5 mg            |

| <b>Inactive Ingredients</b>                              |                 |
|--|-----------------|
| <b>Ingredient Name</b>                                   | <b>Strength</b> |
| STARCH, CORN (UNII: O8232NY3SJ)                          |                 |
| FD&C RED NO. 40 (UNII: WZB9127XOA)                       |                 |
| FD&C YELLOW NO. 6 (UNII: H77VEI93A8)                     |                 |
| MAGNESIUM STEARATE (UNII: 70097M6I30)                    |                 |
| MALTODEXTRIN (UNII: 7CVR7L4A2D)                          |                 |
| MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)            |                 |
| POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)      |                 |
| POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)                 |                 |
| STEARIC ACID (UNII: 4ELV7Z65AP)                          |                 |
| TALC (UNII: 7SEV7J4R1U)                                  |                 |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP)                      |                 |
| CROSPVIDONE, UNSPECIFIED (UNII: 2S7830E561)              |                 |
| POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)        |                 |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4)                       |                 |
| SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2) |                 |

| <b>Product Characteristics</b> |        |                     |          |
|--------------------------------|--------|---------------------|----------|
| <b>Color</b>                   | ORANGE | <b>Score</b>        | no score |
| <b>Shape</b>                   | OVAL   | <b>Size</b>         | 19mm     |
| <b>Flavor</b>                  |        | <b>Imprint Code</b> | 44;615   |
| <b>Contains</b>                |        |                     |          |

| <b>Packaging</b> |                  |   |                      |                    |
|------------------|------------------|---|----------------------|--------------------|
| #                | Item Code        | Package Description                                     | Marketing Start Date | Marketing End Date |
| 1                | NDC:11822-5160-9 | 2 in 1 CARTON   | 06/30/2013           |                    |
| 1                |                  | 10 in 1 BLISTER PACK; Type 0: Not a Combination Product |                      |                    |

| <b>Marketing Information</b> |  |                      |                    |
|------------------------------|--|----------------------|--------------------|
| Marketing Category           | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
| OTC MONOGRAPH FINAL          | part341                                  | 06/30/2013           |                    |

---

**Labeler** - Rite Aid Corporation (014578892)**Establishment**

| Name                    | Address | ID/FEI    | Business Operations |
|-------------------------|---------|-----------|---------------------|
| LNK International, Inc. |         | 038154464 | PACK(11822-5160)    |

**Establishment**

| Name                    | Address | ID/FEI    | Business Operations     |
|-------------------------|---------|-----------|-------------------------|
| LNK International, Inc. |         | 832867894 | MANUFACTURE(11822-5160) |

**Establishment**

| Name                    | Address | ID/FEI    | Business Operations |
|-------------------------|---------|-----------|---------------------|
| LNK International, Inc. |         | 967626305 | PACK(11822-5160)    |

**Establishment**

| Name                    | Address | ID/FEI    | Business Operations |
|-------------------------|---------|-----------|---------------------|
| LNK International, Inc. |         | 832867837 | PACK(11822-5160)    |

**Establishment**

| Name                    | Address | ID/FEI    | Business Operations |
|-------------------------|---------|-----------|---------------------|
| LNK International, Inc. |         | 868734088 | PACK(11822-5160)    |