

**POLVOS DE SULPHA FIRST AID ANTIBIOTIC- bacitracin zinc, polymyxin b sulfate powder**  
**Menper Distributors Inc.**

-----

**Drug Facts**

Active ingredients (each gram contains) Purpose

Bacitracin zinc 500 units.....First aid

Polymyxin B sulfate 10,000 units.....First aid  
antibiotic

**Purpose**

First aid

First aid antibiotic

**Uses**

first aid to help prevent infection in minor

- cuts
- scrapes
- burns

For fexternal use only

**Ask a doctor before use if you have**

deep or puncture wounds, animal bites, or serious burns

**Stop use and ask a doctor if**

The condition persists or gets worsen

a rash or other alergic reaction develops

**Keep out of reach of childrens**

If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

**Adults and children 2 years of age and older**

- clean the affected area
- apply a light dusting of the powder on the area 1 to 3 times daily

- may be covered with a sterile bandages children under 2 years of age: consult a doctor

### Other Information

- store at 15° to 25° C (59° to 86° F)
- do not refrigerate


Tamper-Evident: Do not use if there is evidence of tampering

### Inactive ingredients

Lactose

### Questions?


1-800-560-5223 M-F 9 AM to 5 PM Eastern Time



**FIRST AID ANTIBIOTIC POWDER**  
Net Wt.: 7.5g

Distributed by:  
MENPER DISTRIBUTORS, INC.  
11421 N.W. 107 Street #24  
Miami, Florida 33178  
www.menperdistributors.com


<b>Drug Facts</b>
<p><b>Active ingredients (each gram contains)</b> Bacitracin zinc 500 units .....First aid antibiotic Polymyxin B sulfate 10,000 units.....First aid antibiotic</p> <p><b>Uses</b> first aid to help prevent infection in minor ■ cuts ■ scrapes ■ burns</p> <p><b>Warnings</b> ■ For external use only</p> <p><b>Do not use</b> ■ in the eyes ■ if you are allergic to any of the ingredients ■ over large areas of the body ■ longer than 1 week unless directed by a doctor</p> <p><b>Ask a doctor before use if you have</b> deep or puncture wounds, animal bites, or serious burns</p> <p><b>Stop use and ask a doctor if</b> ■ the condition persists or gets worse ■ a rash or other allergic reaction develops</p> <p><b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.</p> <p><b>Directions</b> <b>adults and children 2 years of age and older:</b> ■ clean the affected area ■ apply a light dusting of the powder on the area 1 to 3 times daily ■ may be covered with a sterile bandage children under 2 years of age: consult a doctor</p> <p><b>Other information</b> ■ store at 15° to 25° C (59° to 86° F) ■ do not refrigerate <b>Tamper-Evident:</b> Do not use if there is evidence of tampering</p> <p><b>Inactive ingredients</b> Lactose</p> <p><b>Questions?</b> 1-800-560-5223 M-F 9 AM to 5 PM Eastern Time</p>



0 42279 29502 2

Lot#  
Exp Date


Rev 08/16



**FIRST AID ANTIBIOTIC POWDER**  
Net Wt.: 7.5g

Distributed by:  
MENPER DISTRIBUTORS, INC.  
11421 N.W. 107 Street #24  
Miami, Florida 33178  
www.menperdistributors.com


<b>Drug Facts</b>
<p><b>Active ingredients (each gram contains)</b> Bacitracin zinc 500 units .....First aid antibiotic Polymyxin B sulfate 10,000 units.....First aid antibiotic</p> <p><b>Uses</b> first aid to help prevent infection in minor ■ cuts ■ scrapes ■ burns</p> <p><b>Warnings</b> ■ For external use only</p> <p><b>Do not use</b> ■ in the eyes ■ if you are allergic to any of the ingredients ■ over large areas of the body ■ longer than 1 week unless directed by a doctor</p> <p><b>Ask a doctor before use if you have</b> deep or puncture wounds, animal bites, or serious burns</p> <p><b>Stop use and ask a doctor if</b> ■ the condition persists or gets worse ■ a rash or other allergic reaction develops</p> <p><b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.</p> <p><b>Directions</b> <b>adults and children 2 years of age and older:</b> ■ clean the affected area ■ apply a light dusting of the powder on the area 1 to 3 times daily ■ may be covered with a sterile bandage children under 2 years of age: consult a doctor</p> <p><b>Other information</b> ■ store at 15° to 25° C (59° to 86° F) ■ do not refrigerate <b>Tamper-Evident:</b> Do not use if there is evidence of tampering</p> <p><b>Inactive ingredients</b> Lactose</p> <p><b>Questions?</b> 1-800-560-5223 M-F 9 AM to 5 PM Eastern Time</p>



0 42279 29502 2

Lot#  
Exp Date


Rev 08/16



**FIRST AID ANTIBIOTIC POWDER**  
Net Wt.: 7.5g

Distributed by:  
MENPER DISTRIBUTORS, INC.  
11421 N.W. 107 Street #24  
Miami, Florida 33178  
www.menperdistributors.com

<b>Drug Facts</b>
<p><b>Active ingredients (each gram contains)</b> Bacitracin zinc 500 units .....First aid antibiotic Polymyxin B sulfate 10,000 units.....First aid antibiotic</p> <p><b>Uses</b> first aid to help prevent infection in minor ■ cuts ■ scrapes ■ burns</p> <p><b>Warnings</b> ■ For external use only</p> <p><b>Do not use</b> ■ in the eyes ■ if you are allergic to any of the ingredients ■ over large areas of the body ■ longer than 1 week unless directed by a doctor</p> <p><b>Ask a doctor before use if you have</b> deep or puncture wounds, animal bites, or serious burns</p> <p><b>Stop use and ask a doctor if</b> ■ the condition persists or gets worse ■ a rash or other allergic reaction develops</p> <p><b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.</p> <p><b>Directions</b> <b>adults and children 2 years of age and older:</b> ■ clean the affected area ■ apply a light dusting of the powder on the area 1 to 3 times daily ■ may be covered with a sterile bandage children under 2 years of age: consult a doctor</p> <p><b>Other information</b> ■ store at 15° to 25° C (59° to 86° F) ■ do not refrigerate <b>Tamper-Evident:</b> Do not use if there is evidence of tampering</p> <p><b>Inactive ingredients</b> Lactose</p> <p><b>Questions?</b> 1-800-560-5223 M-F 9 AM to 5 PM Eastern Time</p>



0 42279 29502 2

Lot#  
Exp Date

Rev 08/16

# POLVOS DE SULPHA FIRST AID ANTIBIOTIC

bacitracin zinc, polymyxin b sulfate powder

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:53145-304
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>BACITRACIN ZINC</b> (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	500 [USP'U] in 1 g
<b>POLYMYXIN B SULFATE</b> (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)	POLYMYXIN B	10000 [USP'U] in 1 g

## Inactive Ingredients

Ingredient Name	Strength
<b>LACTOSE, UNSPECIFIED FORM</b> (UNII: J2B2A4N98G)	

## Product Characteristics

<b>Color</b>	white	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53145-304-04	7.5 g in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	12/11/2006	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M004	12/11/2006	

**Labeler** - Menper Distributors Inc. (101947166)