

**SUNSCREEN- avobenzonone, homosalate, octisalate, octocrylene lotion  
Meijer, Inc.**

-----  
**Meijer 914.000/914AA  
Sheer Touch Sunscreen SPF 30**

**active ingredients**

Avobenzonone 3%

Homosalate 10%

Octisalate 5%

Octocrylene 6%

**Purpose**

Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (See **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

For external use only

**Do not use**

- on damaged or broken skin

**When using this product**

- keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if**

- rash occurs

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control right away.

**Directions**

- apply liberally 15 minutes before sun exposure

- apply to all skin exposed to the sun
- reapply:
- after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
- limit time in the sun, especially from 10 a.m. -2 p.m.
- wear long-sleeved shirts, pants, hats and sunglasses
- children under 6 months of age: Ask a doctor

### **Other information**

- protect the product in this container from excessive heat and direct sun

### **inactive ingredients**

water, silica, dimethicone, potassium cetyl phosphate, benzyl alcohol, beeswax, glyceryl stearate, PEG-100 stearate, caprylyl methicone, cetyl dimethicone, dimethicone/PEG-10/15 crosspolymer, sodium polyacrylate, behenyl alcohol, xanthan gum, glycerin, pentylene glycol, acrylates/C12-22 alkyl methacrylate copolymer, ethylhexyl stearate, chlorphenesin, disodium EDTA, fragrance, diethylhexyl 2,6-naphthalate, BHT, trideceth-6

### **Disclaimer**

May stain or damage some fabrics or surfaces

\*This product is not manufactured or distributed by Johnson & Johnson Consumer Inc., distributor of Neutrogena Ultra Sheer Dry-Touch Sunscreen Broad Spectrum SPF 30.

\*\*Oxybenzone & Octinoxate free

### **Adverse reaction**

Questions 1-888-593-0593

DISTRIBUTED BY MEIJER

DISTRIBUTION, INC.

GRAND RAPIDS, MI 49544

[www.meijer.com](http://www.meijer.com)

OUR QUALITY GUARANTEE

[WWW.MEIJER.COM/SATISFACTION](http://WWW.MEIJER.COM/SATISFACTION)

The Meijer Family

PLASTIC TUBE

how2recycle.info

**principal display panel**

Compare to Neutrogena<sup>®</sup> Ultra Sheer<sup>®</sup> Sunscreen Broad Spectrum SPF 30\*

meijer<sup>®</sup>

sheer

touch

SUNSCREEN

LOTION

Broad Spectrum SPF 30

WATER RESISTANT (80 MINUTES)

Clean, Lightweight feel

Dermatologist tested

Quickly absorbs

Non-greasy

REEF FRIENDLY\*\*

3 FL OZ (88 mL)

meijer

Compare to  
Neutrogena®  
Ultra Sheer®  
Sunscreen Broad  
Spectrum SPF 30\*

sheer  
touch  
SUNSCREEN  
LOTION

Broad Spectrum SPF 30

WATER RESISTANT  
(80 MINUTES)

Clean, lightweight feel  
Dermatologist tested  
Quickly absorbs  
Non-greasy



3 FL OZ (88 mL)

May stain or damage some fabrics or surfaces  
\*This product is not manufactured or distributed by Johnson & Johnson Consumer Inc., distributor of Neutrogena® Ultra Sheer® Dry-Touch Sunscreen Broad Spectrum SPF 30.  
\*\*Oxybenzone & Octinoxate free Pat. Pend. L001982TTA

Drug Facts

Active ingredients	Purpose
Avobenzone 3%	Sunscreen
Homosalate 10%	Sunscreen
Octisalate 5%	Sunscreen
Octocrylene 6%	Sunscreen

Uses

■ helps prevent sunburn ■ if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use ■ on damaged or broken skin

When using this product ■ keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if ■ rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

■ apply liberally 15 minutes before sun exposure

■ apply to all skin exposed to the sun

■ reapply: ■ after 80 minutes of swimming or sweating

■ immediately after towel drying ■ at least every 2 hours

■ **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

■ limit time in the sun, especially from 10 a.m. – 2 p.m.

■ wear long-sleeved shirts, pants, hats and sunglasses

■ children under 6 months of age: Ask a doctor

Other information

■ protect the product in this container from excessive heat and direct sun

**Inactive ingredients** water, silica, dimethicone, potassium cetyl phosphate, benzyl alcohol, beeswax, glyceryl stearate, PEG-100 stearate, caprylyl methicone, cetyl dimethicone, dimethicone/PEG-10/15 crosspolymer, sodium polyacrylate, behenyl alcohol, xanthan gum, glycerin, pentylene glycol, acrylates/C12-22 alkyl methacrylate copolymer, ethylhexyl stearate, chlorophenesin, disodium EDTA, fragrance, diethylnonyl 2,6-naphthalate, BHT, trideceth-6



how2recycle.info



Questions  
1-888-593-0593  
DIST. BY MEIJER  
DISTRIBUTION, INC.  
GRAND RAPIDS,  
MI 49544  
www.meijer.com  
PID 2869969



SUNSCREEN

avobenzone, homosalate, octisalate, octocrylene lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:79481-0914
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 mL

<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	100 mg in 1 mL
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 mL
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	60 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>ETHYLHEXYL STEARATE</b> (UNII: EG3PA2K3K5)	
<b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)	
<b>EDETATE DISODIUM ANHYDROUS</b> (UNII: 8NLQ36F6MM)	
<b>DIETHYLHEXYL 2,6-NAPHTHALATE</b> (UNII: I0DQJ7YGXM)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	
<b>TRIDECETH-6</b> (UNII: 3T5PCR2H0C)	
<b>WATER</b> (UNII: 059QF0K00R)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>POTASSIUM CETYL PHOSPHATE</b> (UNII: 03KCY6P7UT)	
<b>BENZYL ALCOHOL</b> (UNII: LKG8494WBH)	
<b>YELLOW WAX</b> (UNII: 2ZA36H0S2V)	
<b>GLYCERYL MONOSTEARATE</b> (UNII: 230OU9XXE4)	
<b>PEG-100 STEARATE</b> (UNII: YD01N1999R)	
<b>CAPRYLYL TRISILOXANE</b> (UNII: Q95M2P1KJL)	
<b>CETYL DIMETHICONE 150</b> (UNII: 5L694Y0T22)	
<b>DIMETHICONE PEG-10 PHOSPHATE</b> (UNII: 07Q5NJ7X88)	
<b>SODIUM POLYACRYLATE (8000 MW)</b> (UNII: 285CYO341L)	
<b>DOCOSANOL</b> (UNII: 9G1OE216XY)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>PENTYLENE GLYCOL</b> (UNII: 50C1307PZG)	
<b>ALLYL METHACRYLATE</b> (UNII: G2IG50653Z)	

### Product Characteristics

<b>Color</b>	white	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:79481-0914-2	89 mL in 1 TUBE; Type 0: Not a Combination Product	03/15/2021	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date

OTC Monograph Drug	M020	03/15/2021	
--------------------	------	------------	--

**Labeler** - Meijer, Inc. (006959555)

**Registrant** - Nice-Pak Products, LLC (119091520)

**Establishment**

Name	Address	ID/FEI	Business Operations
Nice-Pak Products, LLC		119091514	manufacture(79481-0914)

Revised: 2/2026

Meijer, Inc.