

ALLERGY D- loratadine, pseudoephedrine sulfate tablet, extended release
L. Perrigo Company

Perrigo Allergy-D Drug Facts

Active ingredients (in each tablet)

Loratadine 10 mg

Pseudoephedrine sulfate 240 mg

Purpose

Antihistamine

Nasal decongestant

Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
 - sneezing
 - itchy, watery eyes
 - runny nose
 - itching of the nose or throat
- temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies
- reduces swelling of nasal passages
- temporarily relieves sinus congestion and pressure
- temporarily restores freer breathing through the nose

Warnings

Do not use

- if you have ever had an allergic reaction to this product or any of its ingredients
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- heart disease
- thyroid disease
- high blood pressure

- diabetes
- trouble urinating due to an enlarged prostate gland
- liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product do not take more than directed.

Taking more than directed may cause drowsiness.

Stop use and ask a doctor if

- an allergic reaction to this product occurs. Seek medical help right away.
- symptoms do not improve within 7 days or are accompanied by a fever
- nervousness, dizziness or sleeplessness occurs

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- do not divide, crush, chew or dissolve the tablet

| | |
|--|---|
| adults and children 12 years and over | 1 tablet daily with a full glass of water; not more than 1 tablet in 24 hours |
| children under 12 years of age | ask a doctor |
| consumers with liver or kidney disease | ask a doctor |

Other information

- do not use if printed blister unit is broken or torn
- store between 20°-25°C (68°-77°F)
- protect from light and store in a dry place

Inactive ingredients

colloidal silicon dioxide, ferric oxide, hydrogenated vegetable oil, hypromellose, magnesium stearate, polyethylene glycol, polyethylene oxide, propylene glycol, titanium dioxide

Questions or comments?

1-800-719-9260

Package/Label Principal Display Panel

Compare to Claritin-D[®] 24 Hour active ingredients

ALLERGY & CONGESTION

allergy-D

Pseudoephedrine Sulfate 240 mg/Nasal Decongestant

Loratadine 10 mg/Antihistamine

Extended-Release Tablets

INDOOR & OUTDOOR ALLERGIES

24 Hour

Relief of:

- Nasal and Sinus Congestion Due to Cold or Allergies
- Sneezing
- Runny Nose
- Itchy, Watery Eyes
- Itchy, Throat or Nose Due to Allergies

*Non-Drowsy

*When taken as directed.

See Drug Facts Panel.

Actual Size

15 EXTENDED RELEASE TABLETS



Distributed By **Perrigo**® Allegan, MI 49010 perrigo.com

Drug Facts (continued)
Questions or comments? 1-800-719-9260

Drug Facts (continued)

When using this product do not take more than directed.
Taking more than directed may cause drowsiness.
Stop use and ask a doctor if
 ■ an allergic reaction to this product occurs. Seek medical help if
 ■ right away.
 ■ symptoms do not improve within 7 days or are accompanied by
 a fever.
 ■ nervousness, dizziness or sleepiness occurs
 ■ sneezing, itching of the nose or throat
 ■ runny nose
 ■ temporarily relieves nasal congestion due to the common cold,
 hay fever or other upper respiratory allergies
 ■ reduces swelling of nasal passages
 ■ temporarily relieves sinus congestion and pressure
 ■ temporarily restores freer breathing through the nose

Warnings
 ■ Do not use
 ■ if you have ever had an allergic reaction to this product or any of
 its ingredients
 ■ if you are now taking a prescription monoamine oxidase inhibitor
 (MAOI) (certain drugs for depression, psychiatric, or emotional
 conditions, or Parkinson's disease), or for 2 weeks after stopping
 the MAOI drug. If you do not know if your prescription drug contains
 an MAOI, ask a doctor or pharmacist before taking this product.
 ■ Ask a doctor before use if you have
 ■ heart disease ■ thyroid disease ■ high blood pressure
 ■ diabetes ■ trouble urinating due to an enlarged prostate gland
 ■ liver or kidney disease. Your doctor should determine if you
 need a different dose.

Uses
 ■ temporarily relieves these symptoms due to hay fever or other
 upper respiratory allergies:
 ■ sneezing ■ itchy, watery eyes
 ■ itching of the nose or throat

Active ingredients (in each tablet)
 Loratadine 10 mg, Antihistamine
 Pseudoephedrine sulfate 240 mg, Nasal decongestant

Purpose
 Antihistamine
 Nasal decongestant

Directions ■ do not divide, crush, chew or dissolve the tablet
 adults and children
 1 tablet daily with a full glass of
 water; not more than 1 tablet in
 24 hours
 children under 12 years of age
 ask a doctor
 consumers with liver or
 kidney disease
 ask a doctor

Other information
 ■ do not use if printed blister unit is broken or torn
 ■ store between 20° to 25° C (68° to 77°)
 ■ protect from light and store in a dry place

Inactive ingredients colloidal silicon dioxide, ferric oxide,
 hydrogenated vegetable oil, hypromellose, magnesium stearate,
 polyethylene glycol, polyethylene oxide, propylene glycol, titanium dioxide

2D822 55 C1

24 Hour allergy-D

Pseudoephedrine Sulfate 240 mg/Nasal Decongestant
Loratadine 10 mg/Antihistamine
Extended-Release Tablets

15 Days of Relief

NDC 0113-9004-22

ALLERGY & CONGESTION

allergy-D

Pseudoephedrine Sulfate 240 mg/Nasal Decongestant
Loratadine 10 mg/Antihistamine
Extended-Release Tablets

Compare to
Claritin-D® 24 Hour
active ingredients

INDOOR & OUTDOOR ALLERGIES



Relief of:

- Nasal and Sinus Congestion Due to Colds or Allergies
- Sneezing • Runny Nose • Itchy, Watery Eyes
- Itchy Throat or Nose Due to Allergies

***Non-Drowsy**

*When taken as directed.
See Drug Facts Panel.

Actual
Size



**15 EXTENDED
RELEASE TABLETS**

ALLERGY D

loratadine, pseudoephedrine sulfate tablet, extended release

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:0113-9004 |
| Route of Administration | ORAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-------------------------|----------|
| LORATADINE (UNII: 7AJ03BO7QN) (LORATADINE - UNII:7AJ03BO7QN) | LORATADINE | 10 mg |
| PSEUDOEPHEDRINE SULFATE (UNII: Y9DL7QPE6B) (PSEUDOEPHEDRINE - UNII:7CUC9DDI9F) | PSEUDOEPHEDRINE SULFATE | 240 mg |

Inactive Ingredients

| Ingredient Name | Strength |
|--|----------|
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) | |
| FERRIC OXIDE RED (UNII: 1K09F3G675) | |
| HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO) | |
| MAGNESIUM STEARATE (UNII: 70097M6I30) | |
| POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ05DW1A) | |
| PROPYLENE GLYCOL (UNII: 6DC9Q167V3) | |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) | |

Product Characteristics

| | | | |
|-----------------|-------|---------------------|----------|
| Color | WHITE | Score | no score |
| Shape | OVAL | Size | 19mm |
| Flavor | | Imprint Code | |
| Contains | | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:0113-9004-22 | 15 in 1 CARTON | 10/03/2025 | |
| 1 | | 1 in 1 BLISTER PACK; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| ANDA | ANDA075989 | 10/03/2025 | |

Revised: 10/2025

L. Perrigo Company