

**GENEXA KIDS PAIN AND FEVER- acetaminophen suspension**  
**Genexa Inc.**

-----  
**Kids Pain & Fever Oral Suspension**

***Drug Facts***

***Active ingredient***

***(in each 5 mL)***

Acetaminophen 160 mg

***Purpose***

Pain reliever/fever reducer

***Uses***

temporarily reduces fever and relieves minor aches and pains due to:

- the common cold
- headache
- toothache
- flu
- sore throat

***Warnings***

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if your child takes

- more than 5 doses in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen

**Allergy alert:** acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Sore throat warning:** if sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

**Do not use** with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

**Ask a doctor before use if your child has** liver disease

**Ask a doctor or pharmacist before use if your child is** taking the blood thinning drug warfarin

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 5 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

**Keep out of reach of children.**

**Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Prompt medical attention is critical even if you do not notice any signs or symptoms.

**Directions**

- **this product does not contain directions or complete warnings for adult use**
- **do not give more than directed (see Overdose warning)**
- **SHAKE WELL BEFORE EACH USE**
- find right dose on chart below
- for accurate dosing, use measuring cup provided.
- Do not use with any other dosing device.
- give dose every 4 hours while symptoms last
- if possible, use weight to dose; otherwise, use age
- do not give more than 5 times in 24 hours

<b>Weight</b>	<b>Use Age</b>	<b>Dose</b>
under 24 lbs	under 2 years	ask a doctor
24-35 lbs.	2-3 years	5 mL
36-47 lbs.	4-5 years	7.5 mL
48-59 lbs.	6-8 years	10 mL
60-71 lbs.	9-10 years	12.5 mL
72-95 lbs.	11 years	15 mL

**Other information**

- each 5 mL contains: sodium 3 mg
- store between 20-25 °C (68-77 °F)

**Inactive ingredients**

organic agave syrup, organic blueberry flavor, natural flavors, purified water, sodium bicarbonate †

†may contain this ingredient

**Questions?** 1-855-436-3921

Made in the USA with globally sourced ingredients

NDC 69676-0099-9

**SHAKE WELL BEFORE EACH USE**

**DO NOT use if perforated band around the bottle is disturbed or missing.**

Distributed by: Genexa Inc., Atlanta, GA 30324

genexa.com | U.S. Patent No. 11,617,795

\*This product is not manufactured or distributed by Kenvue Inc., owner of the registered trademark Children's Tylenol<sup>®</sup> Oral Suspension Grape.

**IMPROVED FORMULA!**

**Genexa<sup>®</sup>**

**MEDICINE MADE CLEAN**

Kids' Pain & Fever

Ages 2-11

Acetaminophen

160 mg per 5 mL | Oral Suspension

Pain Reliever

Fever Reducer

Same active ingredient as **Children's Tylenol<sup>®</sup>\***

**0% Artificial Additives**

Always free of common allergens, artificial preservatives, flavors, & dyes

**4 fl oz (118 mL)**

**Blueberry Flavor**

Keep outer package for complete product information

**Drug Facts**

**Active ingredient (in each 5 mL)**  
Acetaminophen 160 mg.....Pain reliever/fever reducer

**Uses**  
temporarily reduces fever and relieves minor aches and pains due to:  
• the common cold • headache • toothache  
• flu • sore throat

**Warnings**  
**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if your child takes more than 5 doses in 24 hours, which is the maximum daily amount  
• with other drugs containing acetaminophen  
**Allergy alert:** acetaminophen may cause severe skin reactions. Symptoms may include:  
• skin reddening • blisters • rash  
If a skin reaction occurs, stop use and seek medical help right away.  
**Sore throat warning:** if sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.  
**Do not use** with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.  
**Ask a doctor before use if your child has** liver disease  
**Ask a doctor or pharmacist before use if your child is** taking the blood thinning drug warfarin  
**Stop use and ask a doctor if**  
• pain gets worse or lasts more than 5 days  
• fever gets worse or lasts more than 3 days  
• new symptoms occur  
• redness or swelling is present  
These could be signs of a serious condition.  
**Keep out of reach of children.**  
**Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Prompt medical attention is critical even if you do not notice any signs or symptoms. →

**Drug Facts (continued)**

**Directions**  
• this product does not contain directions or complete warnings for adult use  
• do not give more than directed (see Overdose warning)  
• **SHAKE WELL BEFORE EACH USE**  
• find right dose on chart below  
• for accurate dosing, use measuring cup provided.  
• Do not use with any other dosing device.  
• give dose every 4 hours while symptoms last  
• if possible, use weight to dose; otherwise, use age  
• do not give more than 5 times in 24 hours

Weight	Use Age	Dose
under 24 lbs.	under 2 years	ask a doctor
24-35 lbs.	2-3 years	5 mL
36-47 lbs.	4-5 years	7.5 mL
48-59 lbs.	6-8 years	10 mL
60-71 lbs.	9-10 years	12.5 mL
72-95 lbs.	11 years	15 mL

**Other information**  
• each 5mL contains: **sodium 3 mg**  
• store between 20-25°C (68-77°F)

**Inactive ingredients**  
organic agave syrup, organic blueberry flavor, natural flavors, purified water, sodium bicarbonate<sup>†</sup>  
<sup>†</sup>may contain this ingredient

**Questions?** 1-855-436-3921

**People Over Everything.**  
We think you should feel good about what makes you feel better. That's why we make medicine with the same active ingredients you need, but without the artificial ones you don't want. It's what people deserve.

*David Johnson*      *Max Spielberg*  
David Johnson      Max Spielberg

**Questions for our founders?** Text Max.  
**310-502-8844**


Made in the USA with globally sourced ingredients

R-20250321      NDC 69676-0099-9

IMPROVED FORMULA!

# Genexa<sup>®</sup>

**MEDICINE MADE CLEAN**



**Kids' Pain & Fever**      Ages 2-11



**Acetaminophen**  
160 mg per 5 mL | Oral Suspension

Pain Reliever      Fever Reducer

Same active ingredient as Children's Tylenol<sup>™</sup>

**0% Artificial Additives**

Always free of common allergens, artificial preservatives, flavors, & dyes

**4 fl oz (118 mL)**




**GOOD, SIMPLE INGREDIENTS**

- Acetaminophen
- Agave Syrup
- Blueberry Flavor
- Natural Flavors
- Purified Water
- Sodium Bicarbonate<sup>†</sup>

And that's all.

SHAKE WELL BEFORE EACH USE

DO NOT use if perforated band around the bottle is disturbed or missing.

Distributed by: Genexa Inc., Atlanta, GA 30324  
genexa.com | U.S. Patent No. 11,617,795

\*This product is not manufactured or distributed by Kenvue Inc., owner of the registered trademark Children's Tylenol<sup>®</sup> Oral Suspension Grape.  
<sup>†</sup>May contain this ingredient

## GENEXA KIDS PAIN AND FEVER

acetaminophen suspension

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69676-0099
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ACETAMINOPHEN</b> (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	160 mg in 5 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>SODIUM BICARBONATE</b> (UNII: 8MDF5V39Q0)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>BLUEBERRY</b> (UNII: 253RUG1X1A)	
<b>AGAVE TEQUILANA JUICE</b> (UNII: GVG8G02070)	

### Product Characteristics

<b>Color</b>	brown (Cream to Light Brown)	<b>Score</b>	
--------------	------------------------------	--------------	--

<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	BLUEBERRY	<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69676-0099-9	1 in 1 BOX	09/04/2025	
1		118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	09/04/2025	

**Labeler** - Genexa Inc. (079751024)

Revised: 5/2026

Genexa Inc.