

MENTHOL PAIN RELIEVING GEL- pain relieving gel gel

NeilMed Pharmaceuticals Inc

Menthol Pain Relieving Gel

Drug Facts

NeilMed®

Menthol

PAIN RELIEVING GEL

Therapeutic • Greaseless

Cooling, pain relieving gel
for muscle aches, arthritis pain
& simple backache

NET WT. 8 FL OZ (227 g)

Drug Facts

Active ingredient Menthol 2% External pain reliever

Purpose Temporary relief of minor pains of muscle aches, simple backache, arthritis, sprains, strains or bruises

Uses For external use only. Avoid contact with eyes.

Warnings Do not use internally with heating pads or devices on wounds or damaged skin. Ask a doctor before use if have sensitive skin.

Stop use and ask a doctor if condition worsens. Symptoms last more than 7 days, or if you experience dizziness, headache, redness or irritation develops.

When using this product: Use only as directed. Do not bandage tightly. Avoid contact with eyes and mucous membranes.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, call a poison control center or contact a Poison Control Center immediately.

Directions Adults and children 2 years and older: Clean skin thoroughly. Apply liberally to affected area not more than 4-4 times daily. Apply to dry skin. May be used with wet or dry bandages, but wrap loosely. Children under 2 years of age, consult a doctor.

Other information Store at controlled room temperature (15°-30°C). Keep tightly closed. Do not use in heat or open flame.

Other ingredients Camphor, Carbomer, FD&C Blue #1, Propoxyflorolol, Polyethylene Glycol, Purified Water, Sorbitol, Stearic Acid.

X0000000047452777 • 484777-979-81

MANUFACTURED FOR

2555 Matha Drive, Santa Rosa, CA 95403 USA • Toll Free: 1(877) 477-8633
Tel: +1(707) 525-3784 • Fax: +1(707) 525-3785 • www.neilmed.com

© NeilMed® 2000-2026

7 05928 17001 8

162 mm

51 mm

Active Ingredient- Methanol 2 %

Purpose- External Pain Reliever

Uses

Temporary relief of minor pains of muscle and joints associated with

- simple backache
- arthritis
- sprains, strains or bruises



Warnings

For External Use Only.

Avoid Contact with eyes.

NeilMed®
Menthol
PAIN RELIEVING GEL

Therapeutic • Greaseless

Cooling, pain relieving gel
for muscle aches, arthritis pain
& simple backache

NET WT. 8 FL OZ (227 g)

Drug Facts

Active Ingredient
Menthol, 2%.....External pain releaser

Purpose
Temporary relief of minor pains of muscle aches, arthritis, and simple backache

Uses
■ muscle aches ■ arthritis ■ simple backache ■ sprains ■ strains ■ bruises

Warnings
For external use only. Avoid contact with eyes.

Do not use ■ internally ■ with heating pads or devices ■ on wounds or damaged skin

Ask a doctor before use if have sensitive skin.

Stop use and ask a doctor if ■ condition worsens ■ symptoms last more than 7 days ■ symptoms persist or recur within a few days ■ redness or irritation develops

When using this product:
■ Use only as directed ■ do not bandage lightly ■ Avoid contact with eyes and mucous membranes.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of contact, call Poison Control Center immediately.

Directions
■ Adults and children 2 years and older: Clean skin thoroughly. Apply liberally to affected area not more than 4 times daily. ■ Children 2 years and older: Apply liberally with or packs. ■ May be used with wet or dry bandages, but wrap loosely. ■ Children under 2 years of age, consult a doctor.

Other information
Store at 20° to 25° (68° to 77°F). Keep tightly closed. ■ Do not use if seal is broken, torn, split, or otherwise near heat or open flame.

Other ingredients
Camphor, Citronell, FD&C Blue #1, Isopropyl Alcohol, Propylene Glycol, Purified Water, Sodium Hypochlorite.

MANUFACTURED FOR
NeilMed
5555 Melita Drive, Santa Rosa, CA 95403 USA • Toll Free: 1(877) 477-8633
Tel: +1(707) 525-3784 • Fax: +1(707) 525-3785 • www.neilmed.com

© NeilMed® 2000-2026

05928 17001 8

162 mm

51 mm

Do not Use

Internally
with heating pads or devices
on wound or damaged skin

NeilMed®

Menthol

PAIN RELIEVING GEL

Drug Facts

Active ingredient Menthol, 2% External pain reliever.

Purpose Temporary relief of minor pains of muscle aches, sprains, strains, and simple backache.

Uses ■ adults ■ seniors, teens and children

Warnings For external use only. Avoid contact with eyes.

Do not use ■ internally ■ with heating pads or devices ■ on wounds or damaged skin

Ask a doctor before use if have sensitive skin.

Stop use and ask a doctor if condition worsens ■ symptoms last more than 7 days ■ condition persists or returns after a few days ■ redness or irritation develops.

When using this product: ■ Use only as directed ■ do not bandage lightly ■ Avoid contact with eyes and mucous membranes.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, call your health care provider or contact a Poison Control Center immediately.

Directions Adults and children 2 years and older: Clean skin thoroughly. Apply liberally to affected area not more than 3-4 times daily. May be used with wet or dry bandages, but wrap loosely. ■ children under 2 years of age, consult a doctor.

Other information ■ Store at 20° to 25° (68° to 77°F). ■ Keep tightly closed. ■ Do not use if past expiration date, heat or open flame.

Other ingredients Camphor, Caribomer, FD&C Blue #1, Isopropyl Alcohol, Propylene Glycol, Purified Water, Sorbitol, Hydroxyethylcellulose.

MANUFACTURED FOR

NeilMed

5555 Mehta Drive, Santa Rosa, CA 95403 USA • Toll Free: 1(877) 477-8633
Tel: +1(707) 525-3784 • Fax: +1(707) 525-3785 • www.neilmed.com



05928 17001

© NeilMed® 2000-2026

51 mm



Ask a doctor before use
if have sensitive skin



Menthol

PAIN RELIEVING GEL

Therapeutic • Greaseless

Cooling, pain relieving gel
for muscle aches, arthritis pain
& simple backache

NET WT. 8 FL OZ (227 g)

Drug Facts

Active ingredient
Menthol 2%..... External pain

Uses
Temporary relief of minor pains of the muscles, joints, and nerves
■ arthritis ■ sprains ■ strains ■ bruises ■ blisters

Warnings
For external use only. Avoid contact with eyes.
Do not use ■ internally ■ with heat or devices ■ on wounds or damaged skin
Ask a doctor before use if have sensitive skin.

Stop use and ask a doctor if ■ condition worsens ■ symptoms last more than 1 week ■ symptoms do not improve ■ redness or irritation develops

When using this product:
■ Use only as directed ■ do not band tightly ■ Avoid contact with eyes and membranes.

If pregnant or breast-feeding, ask professional before use

Keep out of reach of children. In case of emergency, call a poison control center or contact a Poison Control Center (1-800-235-0235).

Directions
■ Adults and children 2 years and older: Clean skin thoroughly. Apply liberally to affected area not more than 4 times daily. ■ Children 2 years and younger: Use with ice packs. ■ May be used with dry bandages, but wrap loosely. ■ Children under 2 years of age, consult a doctor.

Other information
Store at 20° to 25° (68° to 77°F). Keep away from heat, moisture, and light. Do not use if heat or open flame.

Other ingredients
Camphor, Citronellol, Eucalyptol, Blue #1, FD-C-100, Propylene Glycol, Purified Water, and Phosphoric Acid.

162 mm

805928 17001 8

© **NeiMed**® 2000-2026

51 mm

Stop Use and Ask a Doctor if
condition worses

symptoms last more than 7 days, or clear up and occur again within a few days
 redness or irritation develops

NeilMed®

Menthol

PAIN RELIEVING GEL

Therapeutic • Greaseless

Cooling, pain relieving gel
for muscle aches, arthritis pain
& simple backache

NET WT. 8 FL OZ (227 g)

Drug Facts

Active ingredient Menthol 2%.....External pain reliever

Purpose Temporary relief of minor pains of muscle aches, muscle strains, simple backache, arthritis, sprains, strains or bruises

Uses

Warnings For external use only. Avoid contact with eyes.

Do not use Internally ■ with heating pads or devices ■ on wounds or damaged skin

Ask a doctor before use if have sensitive skin.

Stop use and ask a doctor if condition worsens ■ symptoms last more than 7 days, or clear up and occur again within a few days ■ redness or irritation develops

When using this product:

Use only as directed ■ do not bandage tightly ■ Avoid contact with eyes and mucous membranes.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, call your health care provider or contact a Poison Control Center immediately.

Directions

Adults and children 2 years and older: Clean skin thoroughly. Apply liberally to affected areas not more than 4 times daily. For muscle aches, arthritis, sprains, strains, or dry bandages, but wrap loosely. ■ children under 2 years of age, consult a doctor.

Other information

Store at 20° to 25° (68° to 77° F). ■ Keep tightly closed. ■ Use by expiration date. ■ Store away from heat or open flame. ■ Do not use if you have a heat or open flame.

Other ingredients Camphor, Caribomer, FD&C Blue #1, Isopropyl Alcohol, Polyethylene Glycol, Purified Water, Sorbitol, Stearic Acid.

NDC 51500-004-1746 (571) ■ NDC 5177-977-01

MANUFACTURED FOR

NeilMed

5555 Mallet Drive, Santa Rosa, CA 95403 USA • Toll Free: 1(877) 477-6633
 Tel: +1(707) 525-3784 • Fax: +1(707) 525-3785 • www.neilmed.com

© NeilMed® 2000-2026



162 mm

51 mm

When Using this Product

Use Only as Directed

do not bandage tightly

Avoid contact within eyes and mucous membranes

NeilMed[®]
Menthol
PAIN RELIEVING GEL

Therapeutic • Greaseless

Cooling, pain relieving gel
for muscle aches, arthritis pain
& simple backache

NET WT. 8 FL OZ (227 g)

MANUFACTURED FOR
NeilMed
3555 Mehta Drive, Santa Rosa, CA 95403 USA • Toll Free: 1(877) 477-8633
Tel: +1(707) 525-3784 • Fax: +1(707) 525-3785 • www.neilmed.com

Drug Facts

Active ingredient
Menthol 2%.....External pain reliever

Purpose
Temporary relief of minor pains of muscle aches, arthritis pain, and simple backache

Uses
■ adults ■ seniors, infants or children

Warnings
For external use only. Avoid contact with eyes.

Do not use ■ internally ■ with heating pads or devices ■ on wounds or damaged skin

Ask a doctor before use if have sensitive skin.

Stop use and ask a doctor if condition worsens ■ symptoms last more than 7 days, ■ symptoms return after a few days ■ redness or irritation develops.

When using this product:
■ Use only as directed ■ do not bandage tightly ■ Avoid contact with eyes and mucous membranes.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center immediately.

Directions
■ Adults and children 2 years and older: Clean skin thoroughly. Apply liberally to affected area no more than 4 times daily. ■ Children 2 years and older: Apply to skin with ice packs. ■ May be used with wet or dry bandages, but wrap loosely. ■ Children under 2 years of age, consult a doctor.

Other information
Store at controlled room temperature (15°-30°C). Keep tightly closed. Do not use in heat, open flame, heat or open flame.

Other ingredients
Camphor, Caribonem, FD&C Blue #1, Isopropyl Alcohol, Propylene Glycol, Purified Water, Sorbic Acid.

7 05928 17001 8

© NeilMed® 2000-2026

162 mm

51 mm

If Pregnant or Breast Feeding
 Ask a healthcare professional before use

NeilMed®
Menthol
 PAIN RELIEVING GEL

Therapeutic • Greaseless

Cooling, pain relieving gel
 for muscle aches, arthritis pain
 & simple backache

NET WT. 8 FL OZ (227 g)

Drug Facts

Active ingredient Menthol 2% External pain reliever

Purpose Temporary relief of minor pains of muscle and joint discomforts, headache, backache, sprains, strains, strains or bruises

Uses For external use only. Avoid contact with eyes.

Warnings Do not use internally with heating pads or devices on wounds or damaged skin. Ask a doctor before use if have sensitive skin.

Stop use and ask a doctor if condition worsens or symptoms last more than 7 days, or if you experience a rash, hives, or redness or irritation develops.

When using this product: Use only as directed. Do not bandage lightly. Avoid contact with eyes and mucous membranes.

Keep out of reach of children. In case of overdose, call your nearest poison control center or call 1-800-438-2041.

Directions Adults and children 2 years and older: Clean skin thoroughly. Apply liberally to affected area not more than 4 times daily. May be used with wet or dry bandage. May be used with wet or dry bandage, but wrap loosely. Children under 2 years of age, consult a doctor.

Other information Store at controlled room temperature (20°-25°C/68°-77°F). Keep tightly closed. Do not use if past expiration date or if you notice heat or open flame.

Other ingredients Camphor, Citronellol, Ethyl Alcohol, Isopropyl Alcohol, Propylene Glycol, Purified Water, Sorbitol, Stearic Acid, Talc, Triethyl Citrate.

MANUFACTURED FOR
NeilMed
 5555 Melba Drive, Santa Rosa, CA 95403 USA • Toll Free: 1(877) 477-8633
 Tel: +1(707) 525-3784 • Fax: +1(707) 525-3785 • www.neilmed.com

© NeilMed® 2000-2026

7 05928 17001 8

162 mm

51 mm

Keep Out of the Children

In case of accidental ingestion, get medical help or contact a poison control center immediately

NeilMed®
Menthol
 PAIN RELIEVING GEL

Therapeutic • Greaseless

Cooling, pain relieving gel for muscle aches, arthritis pain & simple backache

NET WT. 8 FL OZ (227 g)

Drug Facts

Active ingredient	Purpose
Menthol 2%	External pain reliever

Uses
 Temporary relief of minor pains of muscle aches, sprains, strains, and backache
 ■ arthritis ■ sprains ■ strains of muscles

Warnings
 For external use only. Avoid contact with eyes.
 Do not use ■ internally ■ with heating pads or devices ■ on wounds or damaged skin
 Ask a doctor before use if have sensitive skin.

Stop use and ask a doctor if ■ condition worsens ■ symptoms last more than 7 days ■ symptoms get worse ■ pain in feet, legs ■ redness or irritation develops

When using this product:
 ■ Use only as directed ■ do not bandage tightly ■ Avoid contact with eyes and mucous membranes.
 If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of accidental ingestion, get medical help or contact a Poison Control Center immediately.

Directions
 ■ Adults and children 2 years and older: Clean skin thoroughly. Apply liberally to affected area not more than 4 times daily. ■ Children 2 years and older: Apply liberally with ice packs. ■ May be used with wet or dry bandages, but wrap loosely. ■ Children under 2 years of age...consult a doctor.

Other information
 Store at 20° to 25° (68° to 77°F). Keep tightly closed. ■ Do not use if past expiration date, heat or open flame.

Other ingredients
 Camphor, Gaiwaner, FD&C Blue #1, Isopropyl Alcohol, Propylene Glycol, Purified Water, Sodium Hydroxide.

MANUFACTURED FOR
NeilMed
 5555 Melita Drive, Santa Rosa, CA 95403 USA • Toll Free: 1-877-477-8633
 Tel: +1(707) 525-3784 • Fax: +1(707) 525-3785 • www.neilmed.com

© NeilMed® 2000-2026

7 05928 17001 8

162 mm

51 mm

Directions

Adults and Children 2 years and older

Clean skin thoroughly.


Apply liberally to affected area not more than 3-4 times daily.

No Protective cover needed.

May be used with ice packs.

May be used with wet or dry bandages, but wrap loosely.

Children under 2 years of age.



51 mm

Therapeutic • Greaseless

**Cooling, pain relieving gel
for muscle aches, arthritis pain
& simple backache**

NET WT. 8 FL OZ (227 g)

Drug Facts
Active Ingredient
Menthol 2%...
Uses
Temporary relief of minor aches and pains such as muscle aches, arthritis, backache, headache, and sore throat.
Warnings
For external use only. Do not use if you are allergic to any of the ingredients. Do not use if you are pregnant or nursing. Do not use if you are taking other medications. Do not use if you have a fever, headache, or other symptoms of infection. Do not use if you have a skin condition or if you are using other topical products on the same area of skin. Do not use if you are using other topical products on the same area of skin.
Do not use if you are allergic to any of the ingredients. Do not use if you are pregnant or nursing. Do not use if you are taking other medications. Do not use if you have a fever, headache, or other symptoms of infection. Do not use if you have a skin condition or if you are using other topical products on the same area of skin.
Ask a doctor if you are pregnant or nursing. Do not use if you are taking other medications. Do not use if you have a fever, headache, or other symptoms of infection. Do not use if you have a skin condition or if you are using other topical products on the same area of skin.
Stop use and ask a doctor if you have a fever, headache, or other symptoms of infection. Do not use if you have a skin condition or if you are using other topical products on the same area of skin.
When using apply a thin layer to the affected area. Rub gently. Avoid contact with eyes, nose, mouth, and other mucous membranes.
Keep out of reach of children. Do not use if you are pregnant or nursing. Do not use if you are taking other medications. Do not use if you have a fever, headache, or other symptoms of infection. Do not use if you have a skin condition or if you are using other topical products on the same area of skin.
Directions
Clean skin. Rub a thin layer of gel into the affected area. Rub gently. Avoid contact with eyes, nose, mouth, and other mucous membranes. Do not use if you are pregnant or nursing. Do not use if you are taking other medications. Do not use if you have a fever, headache, or other symptoms of infection. Do not use if you have a skin condition or if you are using other topical products on the same area of skin.
Other info
Contains 8 fl oz (227 g) of gel. Do not use if you are pregnant or nursing. Do not use if you are taking other medications. Do not use if you have a fever, headache, or other symptoms of infection. Do not use if you have a skin condition or if you are using other topical products on the same area of skin.
Other info
Contains 8 fl oz (227 g) of gel. Do not use if you are pregnant or nursing. Do not use if you are taking other medications. Do not use if you have a fever, headache, or other symptoms of infection. Do not use if you have a skin condition or if you are using other topical products on the same area of skin.

MANUFACTURED FOR
NeilMed
5555 Mehta Drive, Santa Rosa, CA 95403 USA • Toll Free: 1(877) 477-8633
Tel: +1(707) 525-3784 • Fax: +1(707) 525-3785 • www.neilmed.com

© NeilMed® 2000-2026

7 05928 17001 8

162 mm

Other Information

Store 59°-86°F (15°-30°C)

Keep tightly closed

Do not use, pour, spill or store near heat or open flame.

NeilMed[®] Menthol[®] PAIN RELIEVING GEL

Therapeutic • Greaseless

Cooling, pain relieving gel
for muscle aches, arthritis pain
& simple backache

NET WT. 8 FL OZ (227 g)

Drug Facts

Active ingredient Menthol 2%..... External pain reliever.

Purpose

Temporary relief of minor pains of muscle or joint aches, muscle spasms, simple backache, arthritis, sprains, strains or blisters.

Uses

For external use only. Avoid contact with eyes.

Do not use ■ internally ■ with heating pads or devices ■ on wounds or damaged skin

Warnings

Stop use and ask a doctor if ■ condition worsens ■ symptoms last more than 7 days ■ numbness or tingling occurs ■ rash or hives ■ redness or irritation develops

When using this product:

■ Use only as directed ■ do not bandage lightly ■ Avoid contact with eyes and mucous membranes.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

In case of overdose, call your doctor or contact a Poison Control Center immediately.

Directions

■ Adults and children 2 years and older: Clean skin thoroughly. Apply liberally to affected area not more than 4 times daily. For relief of muscle aches, apply to and with ice packs. ■ May be used with wet or dry bandages, but wrap loosely. ■ Children under 2 years of age, consult a doctor.

Other information

Store at 20° to 25° (68° to 77°F). ■ Keep tightly closed. ■ Do not use if past expiration date, heat or open flame.

Other ingredients

Camphor, Citronellol, EDC, Blue #1, Isopropyl Alcohol, Propylene Glycol, Purified Water, Sorbic Acid, Stearic Acid.

100-555-004 • PK-0371 • NDC 377-977-01

MANUFACTURED FOR
NeilMed

5555 Mahto Drive, Santa Rosa, CA 95403 USA • Toll Free: 1(877) 477-8633
Tel: +1(707) 525-3784 • Fax: +1(707) 525-3785 • www.neilmed.com

© NeilMed® 2000-2026



162 mm

51 mm

Store 59°-86°F (15°-30°C)

Keep tightly closed

Do not use, pour, spill or store near heat or open flame.

Other Ingredients

Camphor

Carbomer

FD&C Blue #1

Isopropyl Alcohol

Propylene Glycol

Purified Water

Sodium Hydroxide

NeilMed®
Menthol
PAIN RELIEVING GEL

Therapeutic • Greaseless

Cooling, pain relieving gel
for muscle aches, arthritis pain
& simple backache

NET WT. 8 FL OZ (227 g)

Drug Facts

Active ingredient
Menthol 2%..... External pain reliever

Purpose
Temporary relief of minor pains of muscle aches, simple backache, arthritis, sprains, strains or bruises

Uses
For external use only. Avoid contact with eyes.

Warnings
Do not use internally with heating pads or devices on wounds or damaged skin. Ask a doctor before use if have sensitive skin.

Stop use and ask a doctor if condition worsens, symptoms last more than 7 days, or if you experience a fever, dizziness, or redness or irritation develops.

When using this product:
Use only as directed. Do not bandage lightly. Avoid contact with eyes and mucous membranes.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, call your healthcare provider or contact a Poison Control Center immediately.

Directions
Adults and children 2 years and older: Clean skin thoroughly. Apply liberally to affected areas not more than 4 times daily. When used with ice packs, use with wet or dry bandages, but wrap loosely. Children under 2 years of age, consult a doctor.

Other information
Store at 59°-86° F (15°-30° C). Keep tightly closed. Do not use, pour, spill or store near heat or open flame.

Other ingredients
Camphor, Carbomer, FD&C Blue #1, Isopropyl Alcohol, Propylene Glycol, Purified Water, Sodium Hydroxide.

MANUFACTURED FOR
NeilMed
5555 Market Drive, Santa Rosa, CA 95403 USA • Toll Free: 1(877) 477-6633
Tel: +1(707) 525-3784 • Fax: +1(707) 525-3785 • www.neilmed.com

© NeilMed® 2000-2026

7 05928 17001 8

162 mm

51 mm

Indications

Cooling, Pain relieving gel for muscle aches
 arthritis pain
 simple backache

NeilMed[®]
Menthol
 PAIN RELIEVING GEL

Therapeutic • Greaseless

Cooling, pain relieving gel
 for muscle aches, arthritis pain
 & simple backache

NET WT. 8 FL OZ (227 g)

Drug Facts

Active ingredient Menthol 2%.....External pain reliever

Purpose Temporary relief of minor pains of muscle aches, arthritis, and simple backache

Uses ■ adults ■ seniors, teens or children

Warnings For external use only. Avoid contact with eyes.

Do not use ■ internally ■ with heating pads or devices ■ on wounds or damaged skin

Ask a doctor before use if have sensitive skin.

Stop use and ask a doctor if condition worsens ■ symptoms last more than 7 days ■ symptoms return after a few days ■ redness or irritation develops

When using this product: ■ Use only as directed ■ do not bandage tightly ■ Avoid contact with eyes and mucous membranes.

If pregnant or breast-feeding, ask a health professional before use

Keep out of reach of children. In case of overdose, call your health care provider or contact a Poison Control Center immediately.

Directions ■ Adults and children 2 years and older: Clean skin thoroughly. Apply liberally to affected area not more than 3 times daily. ■ Children 2 years and younger: Use only with ice packs. ■ May be used with wet or dry bandages, but wrap loosely. ■ Children under 2 years of age, consult a doctor.

Other information Store at 20° to 25° (68° to 77°F). Keep tightly closed. Do not use if past expiration date, heat or open flame.

Other ingredients Camphor, Caponem, FD&C Blue #1, Isopropyl Alcohol, Propylene Glycol, Purified Water, Sorbic Acid, Stearic Acid.

© NeilMed[®] 2000-2026

5555 Mehta Drive, Santa Rosa, CA 95403 USA • Toll Free: 1(877) 477-8633
 Tel: +1(707) 525-3784 • Fax: +1(707) 525-3785 • www.neilmed.com

7 05928 17001 8

162 mm

51 mm

Dosage and Administration

Menthol 2 %

Therapeutic

Greaseless

Net Wt- 8 FL OZ (227 g)



NeilMed
Menthol
PAIN RELIEVING GEL
Therapeutic • Greaseless
Cooling, pain relieving gel

Drug Facts
Active Ingredient Menthol 2%
Purpose External pain reliever
Uses Temporary relief of minor pains of muscle aches, sprains, strains, and backache
Warnings Do not use if you are allergic to menthol or any of the other ingredients in this product.
Directions Rub on the affected area 3 to 4 times daily. Do not use on children under 2 years of age.
Other information Keep tightly closed. Do not use if the seal is broken or the container is damaged.
Other ingredients Camphor, Eucalyptol, Purified Water, and Propylene Glycol.

51 mm



Package Label

NeilMed Menthol Pain Relieving Gel

Therapeutic

Greeseless

Cooling, pain, relieving gel for muscle aches,

arthritis pain,
Simple backache

NeilMed®

Menthol

PAIN RELIEVING GEL

Therapeutic • Greaseless

Cooling, pain relieving gel
for muscle aches, arthritis pain
& simple backache

NET WT. 8 FL OZ (227 g)

Drug Facts

Active ingredient Menthol 2%.....External pain reliever

Purpose Temporary relief of minor pains of muscle aches, muscle strains, simple backache, arthritis, sprains, strains or bumps

Uses

Warnings For external use only. Avoid contact with eyes.

Do not use Internally ■ with heating pads or devices ■ on wounds or damaged skin

Ask a doctor before use if have sensitive skin.

Stop use and ask a doctor if condition worsens ■ symptoms last more than 7 days, or symptoms do not improve after a few days ■ redness or irritation develops

When using this product: ■ Use only as directed ■ do not bandage tightly ■ Avoid contact with eyes and mucous membranes.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, call your doctor or poison control center or go to a Poison Control Center immediately.

Directions ■ Adults and children 2 years and older: Clean skin thoroughly. Apply liberally to affected areas not more than 4 times daily. ■ When used with wet or cold compresses, use with ice packs. ■ May be used with wet or dry bandages, but wrap loosely. ■ Children under 2 years of age, consult a doctor.

Other information Store at 20° to 25° (68° to 77° F). ■ Keep tightly closed. ■ Do not use if the seal is broken, heat or open flame, punctured or under near freezing temperatures.

Other ingredients Camphor, Citronellol, Ethylhexyl Methacrylate, Isopropyl Alcohol, Polyethylene Glycol, Purified Water, Sorbitol, Stearic Acid, Titanium Dioxide.

X000000004746157711 • NDC 377-977-07



7 05928 17001 8

162 mm

51 mm

MENTHOL PAIN RELIEVING GEL

pain relieving gel gel

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13709-357
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	4.54 g in 227 g

Inactive Ingredients

Ingredient Name	Strength
CAMPHOR (NATURAL) (UNII: N20HL7Q941)	
CARBOMER (UNII: 0A5MM307FC)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
ISOPROPYL ALCOHOL (UNII: ND2M416302)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13709-357-01	1 in 1 CARTON	05/07/2026	
1		227 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M014	05/07/2026	

Labeler - NeilMed Pharmaceuticals Inc (799295915)

Establishment

Name	Address	ID/FEI	Business Operations
NeilMed Pharmaceuticals Inc		799295915	manufacture(13709-357)

Revised: 5/2026

NeilMed Pharmaceuticals Inc