

LIDOXI- lidocaine ointment
T&T Pharma Holdings LLC

Lidoxi

Drug Facts

Active Ingredients

Lidocaine 4%

Purpose

Local Anesthetic

Uses

For the temporary relief of muscle pain and joint pain associated with:
-Backache -Cramps -Soreness -Strains -Discomfort -Neckache

Warnings:

For External Use Only

Allergy Alert

Local anesthetics may cause methemoglobinemia. If an allergic reaction occurs, stop use and seek medical attention immediately.

Do Not Use

- On damaged, irritated, or infected skin
- With a bandage or heating pad
- If you are allergic to any ingredients in this product
- In the eyes, nose, or mouth
- Otherwise as directed

When Using This Product

Avoid contact with the eyes, nose, and mouth

Stop Use and Ask Doctor If

- Any of the Warnings apply to you
- Excessive skin irritation develops
- Condition worsens
- Symptoms persist for more than 7 days, or symptoms clear up and occur again within 3 days

If Pregnant or Breast-feeding

Ask a healthcare professional before use

Keep Out of Reach of Children

If ingested seek medical help or contact a Poison Control Center immediately

Flammable

Keep away from excessive heat or open flame

Directions:**Adults and Children 12 Years of Age and Older**

- Clean and dry the affected area before treatment
- Apply up to 4 times daily
- Wash hands immediately after use

Other Information

- Store in a cool, dry place with lid tightly closed. Keep from freezing.
- If the tamper-evident foil seal is not intact, do not use

Inactive Ingredients

Aloe Barbadensis Leaf Juice, Ammonium Acryloyldimethyltaurate, Ascorbic Acid, Amica Montana Flower Extract, Boswellia Serrata Gum Extract, Capric Triglyceride, Cetyl Alcohol, Cinnamomum Zeylanicum (Cinnamon) Extract, Curcuma Longa Root Extract, Dimethicone, Dimethyl Sulfoxide, Ethylhexylglycerin, Eucalyptus Globulus Leaf Oil, Glycerin, Glyceryl Stearate, Inulin Lauryl Carbamate, PEG-100 Stearate, Phenoxyethanol, Stearic Acid, Tetrasodium EDTA, Tocopherol, Triethanolamine, Water.

Questions or Comments:

info@ttpharmarx.com

Package - 92g Tube



Drug Facts	
Active Ingredients	Purpose
Lidocaine 4%	Local Anesthetic
Uses	
For the temporary relief of muscle pain and joint pain associated with: -Backache -Cramps -Soreness -Strains -Discomfort -Neckache	
Warnings: For External Use Only	
Allergy Alert	
Local anesthetics may cause methemoglobinemia. If an allergic reaction occurs, stop use and seek medical attention immediately.	
Do Not Use	
- On damaged, irritated, or infected skin - With a bandage or heating pad - If you are allergic to any ingredients in this product - In the eyes, nose, or mouth - Otherwise as directed	
When Using This Product	
Avoid contact with the eyes, nose, and mouth	
Stop Use and Ask Doctor If	
- Any of the Warnings apply to you - Excessive skin irritation develops - Condition worsens - Symptoms persist for more than 7 days, or symptoms clear up and occur again within 3 days	
If Pregnant or Breast-feeding	
Ask a healthcare professional before use	
Keep Out of Reach of Children	
If ingested seek medical help or contact a Poison Control Center immediately	
Flammable	
Keep away from excessive heat or open flame	
Directions: Adults and Children 12 Years of Age and Older	
- Clean and dry the affected area before treatment - Apply up to 4 times daily - Wash hands immediately after use	
Other Information	
- Store in a cool, dry place with lid tightly closed. Keep from freezing. - If the tamper-evident foil seal is not intact, do not use	
Inactive Ingredients	
Aloe Barbadensis Leaf Juice, Ammonium Acryloyldimethyltaurate, Ascorbic Acid, Arnica Montana Flower Extract, Boswellia Serrata Gum Extract, Capric Triglyceride, Cetyl Alcohol, Cinnamomum Zeylanicum (Cinnamon) Extract, Curcuma Longa Root Extract, Dimethicone, Dimethyl Sulfoxide, Ethylhexylglycerin, Eucalyptus Globulus Leaf Oil, Glycerin, Glyceryl Stearate, Inulin Lauryl Carbamate, PEG-100 Stearate, Phenoxyethanol, Stearic Acid, Tetrasodium EDTA, Tocopherol, Triethanolamine, Water.	
Questions or Comments: info@ttpharmax.com	



Lidocaine 4%
*Arnica Montana, Boswellia Serrata,
 Aloe Vera, Turmeric, Cinnamomum,
 DMSO, Dimethicone, Eucalyptus*

Massage Applicator

PROFESSIONAL USE ONLY

NDC 87239-1111-1

NET WEIGHT 92g
3.25oz

LIDOXI

lidocaine ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:87239-1111
Route of Administration	CUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	0.04 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	
GLYCERYL STEARATE (UNII: 230OU9XXE4)	
AMMONIUM ACRYLOYLDIMETHYLTAURATE (UNII: KBC00G95HI)	
BOSWELLIA SERRATA GUM (UNII: 4PW41QCO2M)	
EUCALYPTUS GLOBULUS LEAF OIL (UNII: 2R04ONI662)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
INULIN LAURYL CARBAMATE (UNII: 48RFF58ESG)	
TRIETHANOLAMINE (UNII: 9O3K93S3TK)	
WATER (UNII: 059QF0KO0R)	
TOCOPHEROL (UNII: R0ZB2556P8)	
ALOE BARBADENSIS LEAF JUICE (UNII: RUE8E6T4NB)	
ASCORBIC ACID (UNII: PQ6CK8PD0R)	
ARNICA MONTANA FLOWER (UNII: OZ0E5Y15PZ)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
TETRASODIUM EDTA (UNII: MP1J8420LU)	
TRICAPRIN (UNII: O1PB8EU98M)	
PEG-100 STEARATE (UNII: YD01N1999R)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
CURCUMA LONGA (TURMERIC) ROOT (UNII: 856YO1Z64F)	
CINNAMOMUM ZEYLANICUM BARK OIL (UNII: XE54U569EC)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
DIMETHYL SULFOXIDE (UNII: YOW8V9698H)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:87239-1111-1	92 g in 1 TUBE, WTH APPLICATOR; Type 0: Not a Combination Product	05/07/2026	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	05/07/2026	

Labeler - T&T Pharma Holdings LLC (118666644)

