

IRIS AND ROMEO WEEKEND SKIN COOL GLOW- zinc oxide lotion
Iris and Romeo

Iris and Romeo Weekend Skin Cool Glow

Iris and Romeo Weekend Skin Cool Glow

CDW Iris & Romeo_IR117A
17.1pt. Invercote C1S

Drug Facts

Active Ingredient	Purpose
Zinc oxide 10%	Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only
Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally 15 minutes before sun exposure
 - Reapply:
 - at least every 2 hours.
 - Use water resistant sunscreen if swimming or sweating.
- Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
- limit your time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
 - Children under 6 months of age: ask a doctor.

Other information

- protect the product in this container from excessive heat and direct sun.
- Continued on next panel ▶

Drug Facts continued

Inactive ingredients

Water, Caprylic/Capric Triglyceride, Butylcetyl Salicylate, Caprylyl Methicone, C12-15 Alkyl Benzoate, Iron Oxides, C26-28 Alkyl Dimethicone, Hydroxyethyl Dimethicone Laurate, Glycerin, Pynus Malus (Apple) Fruit Extract, Ascorbyl Glucoside, Niacinamide, Jojoba Esters, Dimethicone, Methylpropanediol, Synthetic Fluorophlogopite, Stearalkonium Hectorite, Sodium Chloride, Silica, Polyglyceryl-2 Dipolyhydroxystearate, Polyglyceryl-3 Diisostearate, Polyglyceryl-3 Polyrinoleate, Mica, Titanium Dioxide, Bisabolol, Caprylyl Glycol, Calcium Sodium Borosulfate, Allantoin, Lecithin, Phenylpropanol, Tetrasodium Glutamate Diacetate, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sebacate, Hydrogenated Lecithin, Tin Oxide, Sodium Hydroxide

Questions or comments?

Call toll free 1-800-685-1567 or visit us at www.irisandromeo.com

COOL GLOW

Iris & Romeo

WEEKEND SKIN
SPF 50 • VITAMIN C
+ GLOW
BROAD SPECTRUM
SPF 50 SUNSCREEN

MADE IN THE USA
DIST BY IRIS&ROMEO INC.,
SAN FRANCISCO, CA 94114

35 mL / 1.18 FL OZ



BRIGHTEN SKIN AND PROTECT FROM SUN DAMAGE WITH THE POWER COUPLE OF UV PROTECTION—A STABILIZED, TIME-RELEASE VITAMIN C AND TRANSPARENT, MINERAL-BASED SPF 50. THE SHEER, LIGHTWEIGHT FORMULA ADDS A HYDRATED, LUMINOUS GLOW.

USAGE: APPLY DAILY AS THE LAST STEP IN YOUR SKINCARE ROUTINE OR WEAR UNDER BEST SKIN DAYS AS A MAKEUP-GRIPPING PRIMER. USE LIBERALLY WITH FINGERTIPS 15 MINS BEFORE SUN EXPOSURE. REAPPLY AT LEAST EVERY 2 HOURS. REFER TO DRUG FACTS FOR COMPLETE DIRECTIONS AND WARNINGS.

CLEAN, CRUELTY-FREE, VEGAN, REEF-SAFE, FRAGRANCE-FREE.

CDW Iris & Romeo_IR117A
17.1pt. Invercote C1S

COOL GLOW

Drug Facts

Active ingredient Purpose
Zinc oxide 10% Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only
Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally 15 minutes before sun exposure
- Reapply:
 - at least every 2 hours.
 - Use water resistant sunscreen if swimming or sweating.

Sun Protection Measures Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit your time in the sun, especially from 10 a.m. – 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses
- Children under 6 months of age: ask a doctor.

Other information

- protect the product in this container from excessive heat and direct sun.
- Continued on next panel ▶

Drug Facts continued

Inactive ingredients

Water, Caprylic/Capric Triglyceride, Butyloctyl Salicylate, Caprylyl Methicone, C12-15 Alkyl Benzoate, Iron Oxides, C26-28 Alkyl Dimethicone, Hydroxyethyl Dimethicone Laurate, Glycerin, Pyrus Malus (Apple) Fruit Extract, Ascorbyl Glucoside, Niacinamide, Jojoba Esters, Dimethicone, Methylpropanediol, Synthetic Fluorophlogopite, Stearalkonium Hectorite, Sodium Chloride, Silica, Polyglyceryl-2 Dipolyhydroxystearate, Polyglyceryl-3 Diisostearate, Polyglyceryl-3 Polyricinoleate, Mica, Titanium Dioxide, Bisabolol, Caprylyl Glycol, Calcium Sodium Borosulfate, Allantoin, Lecithin, Phenylpropanediol, Tetrasodium Glutamate Diacetate, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sebacate, Hydrogenated Lecithin, Tin Oxide, Sodium Hydroxide

Questions or comments?

Call toll free 1-800-685-1567 or visit us at www.irisandromeo.com

Iris & Romeo

WEEKEND SKIN

SPF 50 • VITAMIN C
• GLOW

BROAD SPECTRUM
SPF 50 SUNSCREEN

35 mL / 1.18 FLOZ

BRIGHTEN SKIN AND PROTECT FROM SUN DAMAGE WITH THE POWER COUPLE OF UV PROTECTION—A STABILIZED, TIME-RELEASE VITAMIN C AND TRANSPARENT, MINERAL-BASED SPF 50. THE SHEER, LIGHTWEIGHT FORMULA ADDS A HYDRATED, LUMINOUS GLOW!

USAGE: APPLY DAILY AS THE LAST STEP IN YOUR SKINCARE ROUTINE. OR WEAR UNDER BEST SKIN DAYS AS A MAKEUP-GRIPPING PRIMER. USE LIBERALLY WITH FINGERTIPS 15 MINS BEFORE SUN EXPOSURE. REAPPLY AT LEAST EVERY 2 HOURS. REFER TO DRUG FACTS FOR COMPLETE DIRECTIONS AND WARNINGS.

CLEAN, CRUELTY-FREE, VEGAN, REEF-SAFE, FRAGRANCE-FREE.

MADE IN THE USA

DIST. BY IRIS&ROMEO INC.,
SAN FRANCISCO, CA 94114



CDW Iris & Romeo_IR117A
17.1pt. Invercote C1S

COOL GLOW

Drug Facts

Active Ingredient **Purpose**
Zinc oxide 10% Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only
Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally 15 minutes before sun exposure
 - Reapply:
 - at least every 2 hours.
 - Use water resistant sunscreen if swimming or sweating.
- Sun Protection Measures Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
- limit your time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
 - Children under 6 months of age: ask a doctor.

Other information

- protect the product in this container from excessive heat and direct sun.
- Continued on next panel ▶

Drug Facts continued

Inactive ingredients

Water, Caprylic/Capric Triglyceride, Butylcetyl Salicylate, Caprylyl Methicone, C12-15 Alkyl Benzoate, Iron Oxides, C26-28 Alkyl Dimethicone, Hydroxyethyl Dimethicone Laurate, Glycerin, Pinus Molidus (Apple) Fruit Extract, Ascorbyl Glucoside, Niacinamide, Jojoba Esters, Dimethicone, Methylpropanediol, Synthetic Fluorophlogopite, Stearalkonium Hectorite, Sodium Chloride, Silica, Polyglyceryl-2 Dipolyhydroxystearate, Polyglyceryl-3 Polycyanooleate, Mica, Titanium Dioxide, Bisabolol, Caprylyl Glycol, Calcium Sodium Borosulfate, Allantoin, Lecithin, Phenylpropanol, Tetrasodium Glutamate Diacetate, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sebacate, Hydrogenated Lecithin, Tin Oxide, Sodium Hydroxide

Questions or comments?

Call toll free 1-800-685-1567 or visit us at www.irisandromeo.com

Iris&Romeo

WEEKEND
SKIN
SPF 50 • VITAMIN C
• GLOW
BROAD SPECTRUM
SPF 50 SUNSCREEN

35 mL / 1.18 FL OZ

BRIGHTEN SKIN AND PROTECT FROM SUN DAMAGE WITH THE POWER COUPLE OF UV PROTECTION—A STABILIZED, TIME-RELEASE VITAMIN C AND TRANSPARENT, MINERAL-BASED SPF 50. THE SHEER, LIGHTWEIGHT FORMULA ADDS A HYDRATED, LUMINOUS GLOW.

USAGE: APPLY DAILY AS THE LAST STEP IN YOUR SKINCARE ROUTINE, OR WEAR UNDER BEST SKIN DAYS AS A MAKEUP-GRIPPING PRIMER. USE LIBERALLY WITH FINGERTIPS 15 MINS BEFORE SUN EXPOSURE. REAPPLY AT LEAST EVERY 2 HOURS. REFER TO DRUG FACTS FOR COMPLETE DIRECTIONS AND WARNINGS.

CLEAN, CRUELTY-FREE, VEGAN, REEF-SAFE, FRAGRANCE-FREE.

MADE IN THE USA
DIST BY IRIS&ROMEO INC.,
SAN FRANCISCO, CA 94114



CDW Iris & Romeo_IR117A
17.1pt. Invercote C15

Drug Facts

Active ingredient Purpose
Zinc oxide 10% Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only
Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally 15 minutes before sun exposure
- Reapply:
 - at least every 2 hours.
 - Use water resistant sunscreen if swimming or sweating.

Sun Protection Measures Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit your time in the sun, especially from 10 a.m. – 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses
- Children under 6 months of age: ask a doctor.

Other information

- protect the product in this container from excessive heat and direct sun.
- Continued on next panel ▶

Drug Facts continued

Inactive ingredients

Water, Caprylic/Capric Triglyceride, Butyloctyl Salicylate, Caprylyl Methicone, C12-15 Alkyl Benzoate, Iron Oxides, C26-28 Alkyl Dimethicone, Hydroxyethyl Dimethicone Laurate, Glycerin, Pyrus Malus (Apple) Fruit Extract, Ascorbyl Glucoside, Niacinamide, Jojoba Esters, Dimethicone, Methylpropanediol, Synthetic Fluorophlogopite, Stearalkonium Hectorite, Sodium Chloride, Silica, Polyglyceryl-2 Dipolyhydroxystearate, Polyglyceryl-3 Diisostearate, Polyglyceryl-3 Polycyanoate, Mica, Titanium Dioxide, Bithabolol, Caprylyl Glycol, Calcium Sodium Borosulfate, Allantoin, Lecithin, Phenylpropanediol, Tetrasodium Glutamate Diacetate, Polyglyceryl-4 Diisostearate/polyhydroxystearate/Sebacate, Hydrogenated Lecithin, Tin Oxide, Sodium Hydroxide

Questions or comments?

Call toll free 1-800-685-1567 or visit us at www.irisandromeo.com

COOL GLOW

Iris & Romeo

WEEKEND SKIN
SPF 50 • VITAMIN C
• GLOW

BROAD SPECTRUM
SPF 50 SUNSCREEN

35 mL / 1.18 FLOZ

MADE IN THE USA

DIST BY IRIS&ROMEO INC.,
SAN FRANCISCO, CA 94114

BRIGHTEN SKIN AND PROTECT FROM SUN DAMAGE WITH THE POWER COUPLE OF UV PROTECTION—A STABILIZED, TIME-RELEASE VITAMIN C AND TRANSPARENT, MINERAL-BASED SPF 50. THE SHEER, LIGHTWEIGHT FORMULA ADDS A HYDRATED, LUMINOUS GLOW.

USAGE: APPLY DAILY AS THE LAST STEP IN YOUR SKINCARE ROUTINE, OR WEAR UNDER BEST SKIN DAYS AS A MAKEUP-GRIPPING PRIMER. USE LIBERALLY WITH FINGERTIPS 15 MINS BEFORE SUN EXPOSURE. REAPPLY AT LEAST EVERY 2 HOURS. REFER TO DRUG FACTS FOR COMPLETE DIRECTIONS AND WARNINGS.

CLEAN, CRUELTY-FREE, VEGAN, REEF-SAFE, FRAGRANCE-FREE.



Iris and Romeo Weekend Skin Cool Glow

CDW Iris & Romeo IR117A
17.1pt. Invercote C1S

Drug Facts

Active ingredient
Zinc oxide 10%
Purpose
Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only
Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally 15 minutes before sun exposure
 - Reapply:
 - at least every 2 hours.
 - Use water resistant sunscreen if swimming or sweating.
- Sun Protection Measures Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
- limit your time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
 - Children under 6 months of age: ask a doctor.

Other information

- protect the product in this container from excessive heat and direct sun.
- Continued on next panel ▶

Drug Facts continued

Inactive ingredients

Water, Caprylic/Capric Triglyceride, Butyloctyl Salicylate, Caprylyl Methicone, C12-15 Alkyl Benzoate, Iron Oxides, C26-28 Alkyl Dimethicone, Hydroxyethyl Dimethicone Laurate, Glycerin, Pynus Malus (Apple) Fruit Extract, Ascorbyl Glucoside, Niacinamide, Jojoba Esters, Dimethicone, Methylpropenediol, Synthetic Fluorphlogopite, Stearalkonium Hectorite, Sodium Chloride, Silica, Polyglyceryl-2 Dipolyhydroxystearate, Polyglyceryl-3 Diisostearate, Polyglyceryl-3 Polycricinoleate, Mica, Titanium Dioxide, Bisabolol, Caprylyl Glycol, Calcium Sodium Borosulfate, Allantoin, Lecithin, Phenylpropanol, Tetrasodium Glutamate Diacetate, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sebacate, Hydrogamated Lecithin, Tin Oxide, Sodium Hydroxide

Questions or comments?

Call toll free 1-800-685-1567 or visit us at www.irisandromeo.com

COOL GLOW

Iris & Romeo

WEEKEND SKIN
SPF 50 • VITAMIN C
• GLOW
BROAD SPECTRUM
SPF 50 SUNSCREEN

35 mL / 1.18 FL OZ

MADE IN THE USA

DIST BY IRIS&ROMEO INC.,
SAN FRANCISCO, CA 94114

BRIGHTEN SKIN AND PROTECT FROM SUN DAMAGE WITH THE POWER COUPLE OF UV PROTECTION—A STABILIZED, TIME-RELEASE VITAMIN C AND TRANSPARENT, MINERAL-BASED SPF 50. THE SHEER, LIGHTWEIGHT FORMULA ADDS A HYDRATED, LUMINOUS GLOW.

USAGE: APPLY DAILY AS THE LAST STEP IN YOUR SKINCARE ROUTINE, OR WEAR UNDER BEST SKIN DAYS AS A MAKEUP-GRIPPING PRIMER. USE LIBERALLY WITH FINGERTIPS 15 MINS BEFORE SUN EXPOSURE. REAPPLY AT LEAST EVERY 2 HOURS. REFER TO DRUG FACTS FOR COMPLETE DIRECTIONS AND WARNINGS.

CLEAN, CRUELTY-FREE, VEGAN, REEF-SAFE, FRAGRANCE-FREE



Iris and Romeo Weekend Skin Cool Glow

CDW Iris & Romeo_IR117A
17.1pt. Invercote C1S

Drug Facts

Active ingredient	Purpose
Zinc oxide 10%	Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only
Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally 15 minutes before sun exposure
- Reapply:
 - at least every 2 hours.
 - Use water resistant sunscreen if swimming or sweating.
- Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit your time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
 - Children under 6 months of age: ask a doctor.

Other information

- protect the product in this container from excessive heat and direct sun.
- Continued on next panel ▶

Drug Facts continued

Inactive ingredients

Water, Caprylic/Capric Triglyceride, Butyloctyl Salicylate, Caprylyl Methicone, C12-15 Alkyl Benzoate, Iron Oxides, C26-28 Alkyl Dimethicone, Hydroxyethyl Dimethicone Laurate, Glycerin, Pynus Malus (Apple) Fruit Extract, Ascorbyl Glucoside, Niacinamide, Jojoba Esters, Dimethicone, Methylpropanediol, Synthetic Fluorophlogopite, Stearalkonium Hectorite, Sodium Chloride, Silica, Polyglyceryl-2 Dipolyhydroxystearate, Polyglyceryl-3 Diisostearate, Polyglyceryl-3 Polynicotinate, Mica, Titanium Dioxide, Bisabolol, Caprylyl Glycol, Calcium Sodium Borosilicate, Allantoin, Lecithin, Phenylpropanol, Tetrasodium Glutamate Diacetate, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sebacate, Hydrogenated Lecithin, Tin Oxide, Sodium Hydroxide

Questions or comments?

Call toll free 1-800-685-1567 or visit us at www.irisandromeo.com

COOL GLOW

Iris & Romeo

WEEKEND SKIN

SPF 50 + VITAMIN C + GLOW

BROAD SPECTRUM SPF 50 SUNSCREEN

35 mL / 1.18 FL OZ

BRIGHTEN SKIN AND PROTECT FROM SUN DAMAGE WITH THE POWER COUPLE OF UV PROTECTION—A STABILIZED, TIME-RELEASE VITAMIN C AND TRANSPARENT, MINERAL-BASED SPF 50. THE SHEER, LIGHTWEIGHT FORMULA ADDS A HYDRATED, LUMINOUS GLOW.

USAGE: APPLY DAILY AS THE LAST STEP IN YOUR SKINCARE ROUTINE, OR WEAR UNDER BEST SKIN DAYS AS A MAKEUP-GRIPPING PRIMER. USE LIBERALLY WITH FINGERTIPS 15 MINS BEFORE SUN EXPOSURE. REAPPLY AT LEAST EVERY 2 HOURS. REFER TO DRUG FACTS FOR COMPLETE DIRECTIONS AND WARNINGS.

CLEAN, CRUELTY-FREE, VEGAN, REEF-SAFE, FRAGRANCE-FREE.



Iris and Romeo Weekend Skin Cool Glow

CDW Iris & Romeo IR117A
17.1pt. Invercote C1S

Drug Facts

Active ingredient Purpose
Zinc oxide 10% Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only
Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally 15 minutes before sun exposure
 - Reapply:
 - at least every 2 hours.
 - Use water resistant sunscreen if swimming or sweating.
- Sun Protection Measures Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
- limit your time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
 - Children under 6 months of age: ask a doctor.

Other information

- protect the product in this container from excessive heat and direct sun.
- Continued on next panel ▶

Drug Facts continued

Inactive ingredients

Water, Caprylic/Capric Triglyceride, Butyloctyl Salicylate, Caprylyl Methicone, C12-15 Alkyl Benzoate, Iron Oxides, C26-28 Alkyl Dimethicone, Hydroxyethyl Dimethicone Laurate, Glycerin, Pinus Molidus (Apple) Fruit Extract, Ascorbyl Glucoside, Niacinamide, Jojoba Esters, Dimethicone, Methylpropanediol, Synthetic Fluorphlogopite, Stearalkonium Hectorite, Sodium Chloride, Silica, Polyglyceryl-2 Dipolyhydroxysebacate, Polyglyceryl-3 Diisostearate, Polyglyceryl-3 Polystyreneoleate, Mica, Titanium Dioxide, Biotin, Caprylyl Glycol, Calcium Sodium Borosulfate, Allantoin, Lecithin, Phenylpropanol, Tetrasodium Glutamate Diacetate, Polyglyceryl-4 Diisostearate/Polyhydroxysebacate/Sebacate, Hydrogenated Lecithin, Tin Oxide, Sodium Hydroxide

Questions or comments?

Call toll free 1-800-688-1567 or visit us at www.irisandromeo.com

COOL GLOW

Iris & Romeo

WEEKEND SKIN

SPF 50 + VITAMIN C + GLOW

BROAD SPECTRUM SPF 50 SUNSCREEN

35 mL / 1.18 FL OZ

BRIGHTEN SKIN AND PROTECT FROM SUN DAMAGE WITH THE POWER COUPLE OF UV PROTECTION—A STABILIZED, TIME-RELEASE VITAMIN C AND TRANSPARENT, MINERAL-BASED SPF 50. THE SHEER, LIGHTWEIGHT FORMULA ADDS A HYDRATED, LUMINOUS GLOW.

USAGE: APPLY DAILY AS THE LAST STEP IN YOUR SKINCARE ROUTINE, OR WEAR UNDER BEST SKIN DAYS AS A MAKEUP-GRIPPING PRIMER. USE LIBERALLY WITH FINGERTIPS 15 MINS BEFORE SUN EXPOSURE. REAPPLY AT LEAST EVERY 2 HOURS. REFER TO DRUG FACTS FOR COMPLETE DIRECTIONS AND WARNINGS.

CLEAN, CRUELTY-FREE, VEGAN, REEF-SAFE, FRAGRANCE-FREE.

MADE IN THE USA

DIST BY IRIS&ROMEO INC.,
SAN FRANCISCO, CA 94114



Iris and Romeo Weekend Skin Cool Glow

CDW Iris & Romeo_IR117A
17.1pt. Invercote C1S

Drug Facts

Active ingredient Purpose
Zinc oxide 10% Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only
Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally 15 minutes before sun exposure
- Reapply:
 - at least every 2 hours.
 - Use water resistant sunscreen if swimming or sweating.

Sun Protection Measures Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit your time in the sun, especially from 10 a.m. – 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses
- Children under 6 months of age: ask a doctor.

Other information

- protect the product in this container from excessive heat and direct sun.
- Continued on next panel ▶

Drug Facts continued

Inactive ingredients

Water, Caprylic/Capric Triglyceride, Butyloctyl Salicylate, Caprylyl Methicone, C12-15 Alkyl Benzoate, Iron Oxides, C26-28 Alkyl Dimethicone, Hydroxyethyl Dimethicone Laurate, Glycerin, Pynus Malus (Apple) Fruit Extract, Ascorbyl Glucoside, Niacinamide, Jojoba Esters, Dimethicone, Methylpropenediol, Synthetic Fluorophlogopite, Stearalkonium Hectorite, Sodium Chloride, Silica, Polyglyceryl-2 Dipolyhydroxystearate, Polyglyceryl-3 Diisostearate, Polyglyceryl-3 Polynicotinate, Mica, Titanium Dioxide, Bisabolol, Caprylyl Glycol, Calcium Sodium Borosilicate, Allantoin, Lecithin, Phenylpropanol, Tetrasodium Glutamate Diacetate, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sebacate, Hydrogenated Lecithin, Tin Oxide, Sodium Hydroxide

Questions or comments?

Call toll free 1-800-685-1567 or visit us at www.irisandromeo.com

COOL GLOW

Iris & Romeo

WEEKEND SKIN
SPF 50 • VITAMIN C
• GLOW
BROAD SPECTRUM
SPF 50 SUNSCREEN

35 mL / 1.18 FL OZ

MADE IN THE USA

DIST BY IRIS&ROMEO INC.,
SAN FRANCISCO, CA 94114

BRIGHTEN SKIN AND PROTECT FROM SUN DAMAGE WITH THE POWER COUPLE OF UV PROTECTION—A STABILIZED, TIME-RELEASE VITAMIN C AND TRANSPARENT, MINERAL-BASED SPF 50. THE SHEER, LIGHTWEIGHT FORMULA ADDS A HYDRATED, LUMINOUS GLOW.

USAGE: APPLY DAILY AS THE LAST STEP IN YOUR SKINCARE ROUTINE. OR WEAR UNDER BEST SKIN DAYS AS A MAKEUP-GRIPPING PRIMER. USE LIBERALLY WITH FINGERTIPS 15 MINS BEFORE SUN EXPOSURE. REAPPLY AT LEAST EVERY 2 HOURS. REFER TO DRUG FACTS FOR COMPLETE DIRECTIONS AND WARNINGS.

CLEAN, CRUELTY-FREE, VEGAN, REEF-SAFE, FRAGRANCE-FREE.



IRIS AND ROMEO WEEKEND SKIN COOL GLOW

zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:83247-2544
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	110 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
.ALPHA.-BISABOLOL, (+)- (UNII: 105S6I733Z)	
ALLANTOIN (UNII: 344S277G0Z)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
POLYGLYCERYL-4 DIISOSTEARATE/POLYHYDROXYSTEARATE/SEBACATE (UNII: 687U3PEB2Y)	
WATER (UNII: 059QF0KO0R)	
TETRASODIUM GLUTAMATE DIACETATE (UNII: 5EHL50I4MY)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
HYDROGENATED SOYBEAN LECITHIN (UNII: H1109Z9J4N)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
NIACINAMIDE (UNII: 25X51I8RD4)	
CAPRYLIC/CAPRIC TRIGLYCERIDE (UNII: C9H2L21V7U)	
GLYCERIN (UNII: PDC6A3C0OX)	
PYRUS MALUS (APPLE) FRUIT (UNII: B423VGH5S9)	
TIN OXIDE (UNII: KM7N50LOS6)	
POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8)	
ASCORBYL GLUCOSIDE (UNII: 2V52R0NHXW)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
C26-28 ALKYL DIMETHICONE (2500 MW) (UNII: WMM99KDT6S)	
STEARALKONIUM HECTORITE (UNII: O LX698AH5P)	
POLYGLYCERYL-2 DIPOLYHYDROXYSTEARATE (UNII: 9229XJ4V12)	
HYDROLYZED JOJOBA ESTERS (ACID FORM) (UNII: UDR641JW8W)	
METHYLPROPANEDIOL (UNII: N8F53B3R4R)	
MICA (UNII: V8A1AW0880)	
PHENYLPROPANOL (UNII: 0F897O3O4M)	
CAPRYLYL METHICONE (UNII: Q95M2P1KJL)	
TOCOPHEROL (UNII: R0ZB2556P8)	

LECITHIN, SOYBEAN (UNII: 1DI56QDM62)

MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE (UNII: YK3DC63Y5M)

Product Characteristics

Color	pink	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83247-2544-2	1 in 1 CARTON	05/01/2025	
1	NDC:83247-2544-1	35 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	05/01/2025	

Labeler - Iris and Romeo (118160130)

Revised: 5/2026

Iris and Romeo