

LIGHTNING X BURN RELIEF GEL- lidocaine hydrochloride gel
Nantong Health & Beyond Hygienic Products Inc.



8



BURN RELIEF GEL

- SOOTHING
- COOLING
- GEL FOR BURNS



NET WT:
0.9G / 0.03OZ

TOPICAL PAIN RELIEF
RELIEVES PAIN OF MINOR
BURNS

BURN
GEL

Designed in Charlotte, NC by Lightning X Products, Inc
Manufactured In China
www.GearFags.com

Drug Facts

Active ingredient	Purpose
Lidocaine HCl 2%.....	Topical pain relief

Uses Temporary pain relief associated with minor burns.

Warnings
For external use only.

Do not use ■ in large quantities, particularly over raw or blistered areas ■ near eyes, if this happens rinse thoroughly with water.

Stop use and ask a doctor if the condition worsens or persists for more than 7 days or clears up and returns.

Keep out of reach of children. if swallowed get medical help or contact a Poison Control Center right away.

Directions ■ Apply an even layer of burn gel over cleaned affected area not more than 3-4 times daily ■ not to be used on children under 12 years of age.

Other Information ■ store at 68°-77°F (20°-25°C) ■ tamper evident sealed packets ■ do not use any opened or torn packets

Inactive ingredients Aloe Barbadosis Leaf Juice, Aminomethyl Propanol, Carbomer, Ethylhexylglycerin, Menthol, Polyethylene Glycol, Phenoxyethanol, Tocopheryl Acetate, Water.

70 mm

54

8

6

23

6

6

23

6

70 mm

8



BURN RELIEF GEL

- SOOTHING
- COOLING
- GEL FOR BURNS



NET WT:
0.9G / 0.03OZ

TOPICAL PAIN RELIEF
RELIEVES PAIN OF MINOR
BURNS

BURN
GEL

Designed in Charlotte, NC by Lightning X Products, Inc
Manufactured In China
www.GearFags.com

Drug Facts

Active ingredient	Purpose
Lidocaine HCl 2%.....	Topical pain relief

Uses Temporary pain relief associated with minor burns.

Warnings
For external use only.

Do not use ■ in large quantities, particularly over raw or blistered areas ■ near eyes, if this happens rinse thoroughly with water.

Stop use and ask a doctor if the condition worsens or persists for more than 7 days or clears up and returns.

Keep out of reach of children. if swallowed get medical help or contact a Poison Control Center right away.

Directions ■ Apply an even layer of burn gel over cleaned affected area not more than 3-4 times daily ■ not to be used on children under 12 years of age.

Other Information ■ store at 68°-77°F (20°-25°C) ■ tamper evident sealed packets ■ do not use any opened or torn packets

Inactive ingredients Aloe Barbadosis Leaf Juice, Aminomethyl Propanol, Carbomer, Ethylhexylglycerin, Menthol, Polyethylene Glycol, Phenoxyethanol, Tocopheryl Acetate, Water.

70 mm

54

8

6

23

6

6

23

6

70 mm

8



BURN RELIEF GEL

- SOOTHING
- COOLING
- GEL FOR BURNS



NET WT:
0.9G / 0.03OZ

TOPICAL PAIN RELIEF
RELIEVES PAIN OF MINOR
BURNS

BURN
GEL

Designed in Charlotte, NC by Lightning X Products, Inc
Manufactured In China
www.GearFags.com

Drug Facts

Active ingredient	Purpose
Lidocaine HCl 2%.....	Topical pain relief

Uses Temporary pain relief associated with minor burns.

Warnings

For external use only.

Do not use ■ in large quantities, particularly over raw or blistered areas ■ near eyes, if this happens rinse thoroughly with water.

Stop use and ask a doctor if the condition worsens or persists for more than 7 days or clears up and returns.

Keep out of reach of children. if swallowed get medical help or contact a Poison Control Center right away.

Directions ■ Apply an even layer of burn gel over cleaned affected area not more than 3-4 times daily ■ not to be used on children under 12 years of age.

Other Information ■ store at 68°-77°F (20°-25°C) ■ tamper evident sealed packets ■ do not use any opened or torn packets

Inactive ingredients Aloe Barbadosis Leaf Juice, Aminomethyl Propanol, Carbomer, Ethylhexylglycerin, Menthol, Polyethylene Glycol, Phenoxyethanol, Tocopheryl Acetate, Water.

70 mm

54

8

6

23

6

6

23

6

70 mm

8



BURN RELIEF GEL

- SOOTHING
- COOLING
- GEL FOR BURNS



NET WT:
0.9G / 0.03OZ

TOPICAL PAIN RELIEF
RELIEVES PAIN OF MINOR
BURNS

BURN
GEL

Designed in Charlotte, NC by Lightning X Products, Inc
Manufactured In China
www.GearFags.com

Drug Facts

Active ingredient	Purpose
Lidocaine HCl 2%.....	Topical pain relief

Uses Temporary pain relief associated with minor burns.

Warnings

For external use only.

Do not use ■ in large quantities, particularly over raw or blistered areas ■ near eyes, if this happens rinse thoroughly with water.

Stop use and ask a doctor if the condition worsens or persists for more than 7 days or clears up and returns.

Keep out of reach of children. if swallowed get medical help or contact a Poison Control Center right away.

Directions ■ Apply an even layer of burn gel over cleaned affected area not more than 3-4 times daily ■ not to be used on children under 12 years of age.

Other Information ■ store at 68°-77°F (20°-25°C) ■ tamper evident sealed packets ■ do not use any opened or torn packets

Inactive ingredients Aloe Barbadosis Leaf Juice, Aminomethyl Propanol, Carbomer, Ethylhexylglycerin, Menthol, Polyethylene Glycol, Phenoxyethanol, Tocopheryl Acetate, Water.

70 mm

54

8

6

23

6

6

23

6

70 mm

8



BURN RELIEF GEL

- SOOTHING
- COOLING
- GEL FOR BURNS



NET WT:
0.9G / 0.03OZ

TOPICAL PAIN RELIEF
RELIEVES PAIN OF MINOR
BURNS

BURN
GEL

Designed in Charlotte, NC by Lightning X Products, Inc
Manufactured In China
www.GearFags.com

Drug Facts

Active ingredient	Purpose
Lidocaine HCl 2%.....	Topical pain relief

Uses Temporary pain relief associated with minor burns.

Warnings

For external use only.

Do not use ■ in large quantities, particularly over raw or blistered areas ■ near eyes, if this happens rinse thoroughly with water.

Stop use and ask a doctor if the condition worsens or persists for more than 7 days or clears up and returns.

Keep out of reach of children. if swallowed get medical help or contact a Poison Control Center right away.

Directions ■ Apply an even layer of burn gel over cleaned affected area not more than 3-4 times daily ■ not to be used on children under 12 years of age.

Other Information ■ store at 68°-77°F (20°-25°C) ■ tamper evident sealed packets ■ do not use any opened or torn packets

Inactive ingredients Aloe Barbadosis Leaf Juice, Aminomethyl Propanol, Carbomer, Ethylhexylglycerin, Menthol, Polyethylene Glycol, Phenoxyethanol, Tocopheryl Acetate, Water.

70 mm

54

8

6

23

6

6

23

6

70 mm



LIGHTNING X BURN RELIEF GEL

lidocaine hydrochloride gel

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:43473-121
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE ANHYDROUS	2 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
MENTHOL (UNII: L7T10EIP3A)	
WATER (UNII: 059QF0KO0R)	

Product Characteristics

Color		Score	
Shape		Size	70mm
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43473-121-01	0.9 g in 1 PACKET; Type 0: Not a Combination Product	05/09/2026	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	05/09/2026	

Labeler - Nantong Health & Beyond Hygienic Products Inc. (421280161)

Registrant - Nantong Health & Beyond Hygienic Products Inc. (421280161)

Establishment

Name	Address	ID/FEI	Business Operations
Nantong Health & Beyond Hygienic Products Inc.		421280161	manufacture(43473-121)

Revised: 5/2026

Nantong Health & Beyond Hygienic Products Inc.