RHEUMATISM LARYNGITIS- silver pellet Natural Health Supply

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Indications

Indications: To be used for acute self-limiting conditions according to standard homeopathic indications

Active Ingredient

ARGENTUM METALLICUM

Directions

Take at onset of symptoms. Repeat every 2 hours or as needed until relieved. If condition persists or worsens discontinue use and consult a practitioner.

Adults: dissolve 5-10 pellets in 1 oz. of filtered water or take dry by mouth. Children and infants: 1-5 pellets.

Keep Out of Reach of Children

Keep these and all medications out of the reach of children.

Warning

If pregnant or nursing, consult a practitioner before using.

Inactive Ingredients

Inactive Ingredients - Lactose, Sucrose

Purpose

Purpose: RHEUMATISM LARYNGITIS

Package Label

Est. No. 1724217

Natural Health Supply

505-474-9175

Homeopathic Medicated Pellets

Do not use if clear bottle seal is broken. Do not use if perforated cap seal is broken.

ARGENTUM METALLICUM 30CC 7.5ML (1/4 OZ)

Est. No. 1724217 Natural Health Supply 505-474-9175

Homeopathic Medicated Pellets

Indications: to be used for acute, self-limiting conditions according to standard homeopathic indications. Directions: Take at onset of symptoms. Repeat every 2 hours or as needed until relieved. If condition persists or worsens discontinue use and consult a practitioner. Adults: dissolve 5-10 pellets in 1 oz. of filtered water or take dry by mouth; Children and Infants: 1-5 pellets.

Warning: Keep these and all medicines out of the reach of children; if pregnant or nursing, consult a practitioner before using. Inactive Ingredients: Sucrose/Lactose

7.5ML(1/4 OZ) LOT #

Rheumatism,

Est. No. 1724217

Natural Health Supply 505-474-9175

Homeopathic Medicated Pellets

Indications: to be used for acute, self-limiting conditions according to standard homeopathic indications. Directions: Take at onset of symptoms. Repeat every 2 hours or as needed until relieved. If

symptoms. Repeat every 2 hours or as needed until relieved. If condition persists or worsens discontinue use and consult a practitioner. Adults: dis-solve 5-10 pellets in 1 oz. of filtered water or take dry by mouth; Children and Infants: 1-5 pellets. Warning: Keep these and all medicines out of the reach of children; if pregnant or nursing, consult a practitioner before using. Inactive Ingredients: Sucrose/

Lactose

1.875 ml (1/16 oz.)

LOT #

Do not use if perforated cap seal is broken

res

RHEUMATISM LARYNGITIS

silver pellet

Dradus	t Inforn	antion
Proniic	t intorn	nation

Product Type HUMAN OTC DRUG Item Code (Source) NDC:64117-207

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name Basis of Strength Strength SILVER (UNII: 3M4G523W1G) (SILVER - UNII:3M4G523W1G) SILVER 30 [hp_C] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
LACTOSE (UNII: J2B2A4N98G)	
SUCROSE (UNII: C151H8M554)	

Packaging

:	# Item Code	Package Description	Marketing Start Date	Marketing End Date
	NDC:64117-207- 01	1.875 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/04/1998	
	NDC:64117-207- 02	7.5 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/04/1998	

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved homeopathic		06/04/1998		

Labeler - Natural Health Supply (018504618)

Registrant - Natural Health Supply (018504618)

Establishment			
Name	Address	ID/FEI	Business Operations
Natural Health Supply		0 18 50 46 18	manufacture(64117-207)

Revised: 4/2019 Natural Health Supply