

TUSSIN COUGH DM SUGAR FREE- dextromethorphan hbr, guaifenesin liquid QUALITY CHOICE (Chain Drug Marketing Association)

Drug Facts

Active ingredients (in each 10 mL)

Dextromethorphan HBr, 20 mg

Guaifenesin, 200 mg

Purposes

Cough suppressant

Expectorant

Uses

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
- helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes

Warnings

Do not use

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema

Stop use and ask a doctor if

cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided. Do not use any other dosing device
- keep dosing cup with product
- mL = milliliter
- this adults product is not intended for use in children under 12 years of age
- adults and children 12 years and over: 10 mL every 4 hours
- children under 12 years: do not use

Other information

- store between 20-25°C (68-77°). Do not refrigerate.

Inactive ingredients

acesulfame potassium, citric acid, flavors, glycerin, methylparaben, polyethylene glycol, povidone, propylene glycol, purified water, saccharin sodium, sodium benzoate

Questions or comments?

Call **1-248-449-9300** Monday-Friday 9AM-5PM EST

Principal Display Panel

*Compare to the Active Ingredients in Robitussin® Peak Cold Sugar-Free Cough + Chest Congestion DM

Sugar-Free

Non-Drowsy

Adult

TUSSIN DM

Cough & Chest Congestion

Dextromethorphan HBr 20 mg Cough Suppressant

Guaifenesin 200 mg Expectorant

Relieves:

Cough & Mucus

For Ages 12 Years & Over

Alcohol-Free

DM Sugar-Free Formula Specially Formulated for Diabetic Use

FL OZ (mL)

Dosing Cup Included

*This product is not manufactured or distributed by Pfizer Consumer Healthcare, distributors of Robitussin® Peak Cold Sugar-Free Cough+Chest Congestion DM.

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL AROUND BOTTLE OR UNDER CAP IS BROKEN OR MISSING.

Distributed by C.D.M.A., Inc. ©

43157 W 9 Mile Rd

Novi, MI 48375

www.qualitychoice.com

Package Label

<p>Drug Facts (continued)</p> <p>Inactive ingredients acesulfame potassium, citric acid, flavor, glycerin, methylparaben, polyethylene glycol, povidone, propylene glycol, purified water, saccharin sodium, sodium benzoate</p> <p>Questions or comments? Call 1-248-449-9300 Monday-Friday 9AM-5PM EST</p>	<p>NDC 63868-869-04</p> <p>QC QUALITY CHOICE</p> <p>*Compare to the Active Ingredients in Robitussin® Peak Cold Sugar-Free Cough+ Chest Congestion DM</p> <p>Sugar-Free Non-Drowsy Adult Tussin DM</p> <p>Cough & Chest Congestion</p> <p>Dextromethorphan HBr 20 mg Cough Suppressant Guaifenesin 200 mg Expectorant</p> <p>Relieves: Cough & Mucus</p> <p>For Ages 12 Years & Over Alcohol-Free</p> <p>DM Sugar-Free Formula Specially Formulated for Diabetic Use</p> <p>4 fl oz (118 mL)</p>	<p>NDC 63868-869-04</p> <p>QC QUALITY CHOICE</p> <p>*Compare to the Active Ingredients in Robitussin® Peak Cold Sugar-Free Cough+ Chest Congestion DM</p> <p>Sugar-Free Non-Drowsy Adult Tussin DM</p> <p>Cough & Chest Congestion</p> <p>Dextromethorphan HBr 20 mg Cough Suppressant Guaifenesin 200 mg Expectorant</p> <p>Relieves: Cough & Mucus</p> <p>For Ages 12 Years & Over Alcohol-Free</p> <p>DM Sugar-Free Formula Specially Formulated for Diabetic Use</p> <p>4 fl oz (118 mL)</p>	<p>Drug Facts</p> <table border="1"> <thead> <tr> <th>Active Ingredients (in each 10 mL)</th> <th>Purposes</th> </tr> </thead> <tbody> <tr> <td>Dextromethorphan HBr 20 mg</td> <td>Cough suppressant</td> </tr> <tr> <td>Guaifenesin 200 mg</td> <td>Expectorant</td> </tr> </tbody> </table> <p>Uses</p> <ul style="list-style-type: none"> temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes <p>Warnings</p> <p>Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.</p> <p>Ask a doctor before use if you have</p> <ul style="list-style-type: none"> cough that occurs with too much phlegm (mucus) cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis or emphysema <p>Stop use and ask a doctor if cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.</p> <p>If pregnant or breast-feeding, ask a health professional before use.</p> <p>Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.</p> <p>Directions</p> <ul style="list-style-type: none"> do not take more than 6 doses in any 24-hour period measure only with dosing cup provided. Do not use any other dosing device. keep dosing cup with product mL = milliliter this adult product is not intended for use in children under 12 years of age adults and children 12 years and over: 10 mL every 4 hours children under 12 years: do not use <p>Other information</p> <ul style="list-style-type: none"> store between 20-25°C (68-77°F). Do not refrigerate. 	Active Ingredients (in each 10 mL)	Purposes	Dextromethorphan HBr 20 mg	Cough suppressant	Guaifenesin 200 mg	Expectorant
Active Ingredients (in each 10 mL)	Purposes								
Dextromethorphan HBr 20 mg	Cough suppressant								
Guaifenesin 200 mg	Expectorant								
<p>*This product is not manufactured or distributed by Pfizer Consumer Healthcare, distributor of Robitussin® Peak Cold Sugar-Free Cough+Chest Congestion DM.</p> <p>TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL AROUND BOTTLE OR UNDER CAP IS BROKEN OR MISSING.</p>  <p>Dosing Cup Included</p> <p>PARENTS: Learn about teen medicine abuse www.StopMedicineAbuse.org</p> <p>SATISFACTION 100% GUARANTEED</p> <p>Distributed by C.D.M.A., Inc. © 43157 W 9 Mile Rd Novi, MI 48375 www.qualitychoice.com Questions: 248-449-9300</p>	 <p>6 35515 99699 1</p> <p>PLD-G324C FC005269</p> <p>Lot No.: Exp. Date:</p>								

QUALITY CHOICE Sugar Free Adult Tussin DM

TUSSIN COUGH DM SUGAR FREE

dextromethorphan hbr, guaifenesin liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63868-869
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	20 mg in 10 mL
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	200 mg in 10 mL

Inactive Ingredients

Ingredient Name	Strength
ACESULFAME POTASSIUM (UNII: 23OV73Q5G9)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
GLYCERIN (UNII: PDC6A3C0OX)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POVIDONE (UNII: FZ989GH94E)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63868-869-04	1 in 1 BOX	08/31/2018	
1		118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	08/31/2018	

Labeler - QUALITY CHOICE (Chain Drug Marketing Association) (011920774)

