

**NINJACOF-D- chlophedianol hydrochloride, pyrilamine maleate,
pseudoephedrine hydrochloride liquid
Centurion Labs, LLC**

Ninjacof D

Drug Facts

Active Ingredients (in each 5 mL (1 tsp))	Purpose
Chlophedianol HCl 12.5 mg.....	Cough Suppressant
Pyrilamine Maleate 12.5 mg.....	Antihistamine
Pseudoephedrine HCl 30 mg.....	Nasal Decongestant

Purpose

- Antitussive
- Antihistamine
- Nasal Decongestant

Uses:

Temporarily relieves these symptoms due to the common cold, hay fever (allergic rhinitis) or other upper respiratory allergies.

- Cough due to minor throat and bronchial irritation
- Runny Nose
- Sneezing
- Itching of the nose or throat
- Itchy, watery eyes
- Nasal Congestion
- Reduces swelling of nasal passages

WARNINGS

Do not exceed recommended dosage

Do not use this product if

- you are now taking prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- a cough that lasts or is chronic such as occurs with smoking, asthma, or emphysema
- a cough that occurs with too much phlegm (mucus)
- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- trouble urinating due to an enlarged prostate gland
- heart disease
- high blood pressure
- thyroid disease
- diabetes

Ask doctor or pharmacist before use if you are

- taking sedatives or tranquilizers

When using this product

- excitability may occur, especially in children
- marked drowsiness may occur
- avoid alcoholic beverages
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occurs
- symptoms do not improve within 7 days or are accompanied by a fever, rash, or persistent headache. A persistent cough may be a sign of a serious condition
- new symptoms occur

If Pregnant or breast feeding

Ask a health professional before use.

Keep out of reach of children

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

Do not exceed recommended dosage.

Adults and Children 12 Years or Older.	5-10ml (1-2 tsp) every 6 to 8 hours not to exceed 40ml in 24hr
Children 6-12	5ml (1 tsp) every 6 to 8 hours not to exceed 20ml in 24hr
Children under 6 years of age	Consult a doctor.

Other Information

Store at 59° - 85° F (15° - 30° C)

Inactive Ingredients

Citric Acid, Glycerin, Natural & Artificial Flavors, Propylene Glycol, Sodium Benzoate, Sodium Citrate, Sucralose, Water

Questions? Comments?

To report a serious adverse event or obtain product information, contact 1-866-959-4880

PRINCIPAL DISPLAY PANEL

Manufactured by: Centurion Labs, LLC
 LLC Birmingham, AL 35243
 L-248 Rev. 12/24
 Exp. Date:

N
 23359 03404
 6

Ninjacof-D

Antitussive • Antihistamine • Nasal Decongestant

Each teaspoonful (5 mL) Contains:

Chlophedianol HCl	12.5 mg
Pyrilamine Maleate	12.5 mg
Pseudoephedrine HCl	30.0 mg

Alcohol Free • Dye Free • Sugar Free

Cotton Candy
Flavor

CENTURION

4 fl oz (118 mL)

Drug Facts

Active Ingredients
(in each 5 mL (1 tsp))

Chlophedianol HCl 12.5 mg	Cough Suppressant
Pyrilamine Maleate 12.5 mg	Antihistamine
Pseudoephedrine HCl 30 mg	Nasal Decongestant

Purposes

Uses: Temporarily relieves these symptoms due to the common cold, hay fever (allergic rhinitis) or other upper respiratory allergies.

- Cough due to minor throat and bronchial irritation
- Runny nose • Sneezing
- Itching of the nose or throat
- Itchy, watery eyes
- Nasal Congestion
- Reduces swelling of nasal passages

Warnings

Do not exceed recommended dosage.

Do not use this product if

- you are now taking prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- a cough that lasts or is chronic such as occurs with smoking, asthma, or emphysema
- a cough that occurs with too much phlegm (mucus)
- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- trouble urinating due to an enlarged prostate gland
- heart disease
- high blood pressure
- thyroid disease
- diabetes

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers

Drug Facts (continued)

When using this product

- excitability may occur, especially in children
- marked drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occurs
- symptoms do not improve within 7 days or are accompanied by a fever, rash, or persistent headache. A persistent cough may be a sign of a serious condition
- new symptoms occur

If pregnant or breast-feeding ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

Do not exceed recommended dosage.

Adults and Children 12 Years or Older	5-10 mL (1-2 tsp) every 6 to 8 hours, not to exceed 40 mL in 24 hr
Children 6 to under 12 years of age	5 mL (1 tsp) every 6 to 8 hours, not to exceed 20 mL in 24hr
Children under 6 years of age	Consult a doctor

Other Information

Store at 20°C to 25°C (68°F to 77°F). Permitted excursions between 15°C to 30°C (59°F to 86°F). Do not use if seal over bottle opening is torn, broken, or missing.

Inactive Ingredients

Artificial & Natural Flavor, Citric Acid, Flavor Blend, Glycerin, Potassium Sorbate, Propylene Glycol, Purified Water, Sodium Benzoate, Sodium Citrate, Sucralose

Questions? Comments?

To report a serious adverse event or obtain product information, contact 1-866-959-4880

NINJACOF-D

chlophedianol hydrochloride, pyrilamine maleate, pseudoephedrine hydrochloride liquid

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:23359-034	
Route of Administration	ORAL			
Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
CHLOPHEDIANOL HYDROCHLORIDE (UNII: 69QQ58998Y) (CHLOPHEDIANOL - UNII:42C50P12AP)	CHLOPHEDIANOL HYDROCHLORIDE	12.5 mg in 5 mL		
PYRILAMINE MALEATE (UNII: R35D29L3ZA) (PYRILAMINE - UNII:HPE317O9TL)	PYRILAMINE MALEATE	12.5 mg in 5 mL		
PSEUDOEPHEDRINE HYDROCHLORIDE (UNII: 6V9V2RYJ8N) (PSEUDOEPHEDRINE - UNII:7CUC9DDI9F)	PSEUDOEPHEDRINE HYDROCHLORIDE	30 mg in 5 mL		
Inactive Ingredients				
Ingredient Name	Strength			
CITRIC ACID ACETATE (UNII: DSO12WL7AU)				
GLYCERIN (UNII: PDC6A3C0OX)				
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)				
SODIUM BENZOATE (UNII: OJ245FE5EU)				
SODIUM CITRATE (UNII: 1Q73Q2JULR)				
SUCRALOSE (UNII: 96K6UQ3ZD4)				
WATER (UNII: 059QF0KOOR)				
Product Characteristics				
Color		Score		
Shape		Size		
Flavor	COTTON CANDY	Imprint Code		
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:23359-034-16	473 mL in 1 BOTTLE; Type 0: Not a Combination Product	08/16/2017	
2	NDC:23359-034-04	120 mL in 1 BOTTLE; Type 0: Not a Combination Product	11/12/2018	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	08/16/2017	

Labeler - Centurion Labs, LLC (016481957)

Revised: 12/2025

Centurion Labs, LLC