


**I2PURE I2RX- antiseptic and skin protectant gel gel**  
**I2Pure Corp**



# I2Rx

ANTISEPTIC AND SKIN PROTECTANT GEL

Topical Iodine Treatment

TEXT/ARTWORK AREA

FRONT

PANEE

center

1 FL OZ (30mL)

↑ Use Before ↓


NDC: 83465-421-30 | Manufactured by I2Pure Corp. | 24 Old County Home Rd, Asheville NC 28803 | Patent Pending | Made in the USA | ML01-007A

<p><b>Drug Facts</b></p> <p><b>Active Ingredients:</b> Glycerin, Iodine Topical Solution (Titratable Iodine 0.25%)</p> <p><b>Purpose:</b> Skin Protectant, Antiseptic</p> <p><b>Use:</b> First aid antiseptic and skin protectant to protect against bacterial contamination and infection and for the temporary protection of minor cuts, scrapes and burns.</p> <p><b>Directions:</b> Clean the affected area ■ Apply a small amount of this product on the areas 1-3 times daily ■ May be covered with a sterile bandage. If bandaged, let dry first. ■ For children under 6 months: ask a doctor before using.</p> <p><b>Inactive Ingredients:</b> Polyglycerin-3, Sodium Iodide</p>	<p><b>Drug Facts (continued)</b></p> <p><b>WARNINGS:</b> For external use only. ■ Do not use on infants or if pregnant or lactating. ■ Do not use in the eyes or apply over large areas of the body. ■ In case of deep or puncture wounds, animal bites or serious burns, consult a doctor. ■ Stop use and ask a doctor if the condition persists or gets worse or symptoms last more than 7 days or clear up and occur again within a few days. ■ Do not use longer than one week unless directed by a doctor. ■ Keep out of reach of children. ■ If swallowed, get medical help or contact a Poison Control Center right away.</p>
--	--

SEAM - OVERLAP

SEAM - OVERLAP

SEAM - OVERLAP



# I2Rx

ANTISEPTIC AND SKIN PROTECTANT GEL

Topical Iodine Treatment

TEXT/ARTWORK AREA

FRONT

PANEE

center

1 FL OZ (30mL)

↑ Use Before ↓

NDC: 83465-421-30 | Manufactured by I2Pure Corp. | 24 Old County Home Rd, Asheville NC 28803 | Patent Pending | Made in the USA | ML01-007A

<p><b>Drug Facts</b></p> <p><b>Active Ingredients:</b> Glycerin, Iodine Topical Solution (Titratable Iodine 0.25%)</p> <p><b>Purpose:</b> Skin Protectant, Antiseptic</p> <p><b>Use:</b> First aid antiseptic and skin protectant to protect against bacterial contamination and infection and for the temporary protection of minor cuts, scrapes and burns.</p> <p><b>Directions:</b> Clean the affected area ■ Apply a small amount of this product on the areas 1-3 times daily ■ May be covered with a sterile bandage. If bandaged, let dry first. ■ For children under 6 months: ask a doctor before using.</p> <p><b>Inactive Ingredients:</b> Polyglycerin-3, Sodium Iodide</p>	<p><b>Drug Facts (continued)</b></p> <p><b>WARNINGS:</b> For external use only. ■ Do not use on infants or if pregnant or lactating. ■ Do not use in the eyes or apply over large areas of the body. ■ In case of deep or puncture wounds, animal bites or serious burns, consult a doctor. ■ Stop use and ask a doctor if the condition persists or gets worse or symptoms last more than 7 days or clear up and occur again within a few days. ■ Do not use longer than one week unless directed by a doctor. ■ Keep out of reach of children. ■ If swallowed, get medical help or contact a Poison Control Center right away.</p>
--	--

SEAM - OVERLAP

SEAM - OVERLAP

SEAM - OVERLAP



# I2Rx

**ANTISEPTIC AND SKIN PROTECTANT GEL**  
**Topical Iodine Treatment**

Center  
FRONT  
PANEL  
1 FL OZ (30mL)

↑ Use Before ↓

NDC: 83465-421-30 | Manufactured by I2Pure Corp. | 24 Old County Home Rd, Asheville NC 28803 | Patent Pending | Made in the USA | ML01-007A

**Drug Facts**

**Active Ingredients:** Glycerin, Iodine Topical Solution (Titratable Iodine 0.25%)

**Purpose:** Skin Protectant, Antiseptic


**Use:** First aid antiseptic and skin protectant to protect against bacterial contamination and infection and for the temporary protection of minor cuts, scrapes and burns.

**Directions:** Clean the affected area ■ Apply a small amount of this product on the areas 1-3 times daily ■ May be covered with a sterile bandage. If bandaged, let dry first. ■ For children under 6 months: ask a doctor before using.

**Inactive Ingredients:** Polyglycerin-3, Sodium Iodide

**Drug Facts (continued)**

**WARNINGS: For external use only. ■ Do not use on infants or if pregnant or lactating. ■ Do not use in the eyes or apply over large areas of the body. ■ In case of deep or puncture wounds, animal bites or serious burns, consult a doctor. ■ Stop use and ask a doctor if: the condition persists or gets worse or symptoms last more than 7 days or clear up and occur again within a few days. ■ Do not use longer than one week unless directed by a doctor. ■ Keep out of reach of children. ■ If swallowed, get medical help or contact a Poison Control Center right away.**



3mm  
x  
5mm

SEAM - OVERLAP

SEAM - OVERLAP

SEAM - OVERLAP



# I2Rx

**ANTISEPTIC AND SKIN PROTECTANT GEL**  
**Topical Iodine Treatment**

Center  
FRONT  
PANEL  
1 FL OZ (30mL)

↑ Use Before ↓

NDC: 83465-421-30 | Manufactured by I2Pure Corp. | 24 Old County Home Rd, Asheville NC 28803 | Patent Pending | Made in the USA | ML01-007A

**Drug Facts**

**Active Ingredients:** Glycerin, Iodine Topical Solution (Titratable Iodine 0.25%)

**Purpose:** Skin Protectant, Antiseptic


**Use:** First aid antiseptic and skin protectant to protect against bacterial contamination and infection and for the temporary protection of minor cuts, scrapes and burns.

**Directions:** Clean the affected area ■ Apply a small amount of this product on the areas 1-3 times daily ■ May be covered with a sterile bandage. If bandaged, let dry first. ■ For children under 6 months: ask a doctor before using.

**Inactive Ingredients:** Polyglycerin-3, Sodium Iodide

**Drug Facts (continued)**

**WARNINGS: For external use only. ■ Do not use on infants or if pregnant or lactating. ■ Do not use in the eyes or apply over large areas of the body. ■ In case of deep or puncture wounds, animal bites or serious burns, consult a doctor. ■ Stop use and ask a doctor if: the condition persists or gets worse or symptoms last more than 7 days or clear up and occur again within a few days. ■ Do not use longer than one week unless directed by a doctor. ■ Keep out of reach of children. ■ If swallowed, get medical help or contact a Poison Control Center right away.**



3mm  
x  
5mm

SEAM - OVERLAP

SEAM - OVERLAP

SEAM - OVERLAP



# I2Rx

**ANTISEPTIC AND SKIN PROTECTANT GEL**  
**Topical Iodine Treatment**

Center  
FRONT  
PANEL  
1 FL OZ (30mL)

↑ Use Before ↓

NDC: 83465-421-30 | Manufactured by I2Pure Corp. | 24 Old County Home Rd, Asheville NC 28803 | Patent Pending | Made in the USA | ML01-007A

**Drug Facts**

**Active Ingredients:** Glycerin, Iodine Topical Solution (Titratable Iodine 0.25%)

**Purpose:** Skin Protectant, Antiseptic


**Use:** First aid antiseptic and skin protectant to protect against bacterial contamination and infection and for the temporary protection of minor cuts, scrapes and burns.

**Directions:** Clean the affected area ■ Apply a small amount of this product on the areas 1-3 times daily ■ May be covered with a sterile bandage. If bandaged, let dry first. ■ For children under 6 months: ask a doctor before using.

**Inactive Ingredients:** Polyglycerin-3, Sodium Iodide

**Drug Facts (continued)**

**WARNINGS: For external use only. ■ Do not use on infants or if pregnant or lactating. ■ Do not use in the eyes or apply over large areas of the body. ■ In case of deep or puncture wounds, animal bites or serious burns, consult a doctor. ■ Stop use and ask a doctor if: the condition persists or gets worse or symptoms last more than 7 days or clear up and occur again within a few days. ■ Do not use longer than one week unless directed by a doctor. ■ Keep out of reach of children. ■ If swallowed, get medical help or contact a Poison Control Center right away.**



3 83465 42130 7

3mm  
x  
5mm

SEAM - OVERLAP

SEAM - OVERLAP

SEAM - OVERLAP



# I2Rx

**ANTISEPTIC AND SKIN PROTECTANT GEL**  
**Topical Iodine Treatment**

Center  
FRONT  
PANEL  
1 FL OZ (30mL)

↑ Use Before ↓

NDC: 83465-421-30 | Manufactured by I2Pure Corp. | 24 Old County Home Rd, Asheville NC 28803 | Patent Pending | Made in the USA | ML01-007A

**Drug Facts**

**Active Ingredients:** Glycerin, Iodine Topical Solution (Titratable Iodine 0.25%)

**Purpose:** Skin Protectant, Antiseptic


**Use:** First aid antiseptic and skin protectant to protect against bacterial contamination and infection and for the temporary protection of minor cuts, scrapes and burns.

**Directions:** Clean the affected area ■ Apply a small amount of this product on the areas 1-3 times daily ■ May be covered with a sterile bandage. If bandaged, let dry first. ■ For children under 6 months: ask a doctor before using.

**Inactive Ingredients:** Polyglycerin-3, Sodium Iodide

**Drug Facts (continued)**

**WARNINGS: For external use only. ■ Do not use on infants or if pregnant or lactating. ■ Do not use in the eyes or apply over large areas of the body. ■ In case of deep or puncture wounds, animal bites or serious burns, consult a doctor. ■ Stop use and ask a doctor if: the condition persists or gets worse or symptoms last more than 7 days or clear up and occur again within a few days. ■ Do not use longer than one week unless directed by a doctor. ■ Keep out of reach of children. ■ If swallowed, get medical help or contact a Poison Control Center right away.**



3 83465 42130 7

3mm  
x  
5mm

SEAM - OVERLAP

SEAM - OVERLAP

SEAM - OVERLAP



# I2Rx

**ANTISEPTIC AND SKIN PROTECTANT GEL**  
**Topical Iodine Treatment**

Center  
FRONT  
PANEL  
1 FL OZ (30mL)

↑ Use Before ↓

NDC: 83465-421-30 | Manufactured by I2Pure Corp. | 24 Old County Home Rd, Asheville NC 28803 | Patent Pending | Made in the USA | ML01-007A

**Drug Facts**

**Active Ingredients:** Glycerin, Iodine Topical Solution (Titratable Iodine 0.25%)

**Purpose:** Skin Protectant, Antiseptic


**Use:** First aid antiseptic and skin protectant to protect against bacterial contamination and infection and for the temporary protection of minor cuts, scrapes and burns.

**Directions:** Clean the affected area ■ Apply a small amount of this product on the areas 1-3 times daily ■ May be covered with a sterile bandage. If bandaged, let dry first. ■ For children under 6 months: ask a doctor before using.

**Inactive Ingredients:** Polyglycerin-3, Sodium Iodide

**Drug Facts (continued)**

**WARNINGS: For external use only. ■ Do not use on infants or if pregnant or lactating. ■ Do not use in the eyes or apply over large areas of the body. ■ In case of deep or puncture wounds, animal bites or serious burns, consult a doctor. ■ Stop use and ask a doctor if: the condition persists or gets worse or symptoms last more than 7 days or clear up and occur again within a few days. ■ Do not use longer than one week unless directed by a doctor. ■ Keep out of reach of children. ■ If swallowed, get medical help or contact a Poison Control Center right away.**



3mm  
x  
6mm

SEAM - OVERLAP

SEAM - OVERLAP

SEAM - OVERLAP



# I2Rx

**ANTISEPTIC AND SKIN PROTECTANT GEL**  
**Topical Iodine Treatment**

Center  
FRONT  
PANEL  
1 FL OZ (30mL)

↑ Use Before ↓

NDC: 83465-421-30 | Manufactured by I2Pure Corp. | 24 Old County Home Rd, Asheville NC 28803 | Patent Pending | Made in the USA | ML01-007A

**Drug Facts**

**Active Ingredients:** Glycerin, Iodine Topical Solution (Titratable Iodine 0.25%)

**Purpose:** Skin Protectant, Antiseptic


**Use:** First aid antiseptic and skin protectant to protect against bacterial contamination and infection and for the temporary protection of minor cuts, scrapes and burns.

**Directions:** Clean the affected area ■ Apply a small amount of this product on the areas 1-3 times daily ■ May be covered with a sterile bandage. If bandaged, let dry first. ■ For children under 6 months: ask a doctor before using.

**Inactive Ingredients:** Polyglycerin-3, Sodium Iodide

**Drug Facts (continued)**

**WARNINGS: For external use only. ■ Do not use on infants or if pregnant or lactating. ■ Do not use in the eyes or apply over large areas of the body. ■ In case of deep or puncture wounds, animal bites or serious burns, consult a doctor. ■ Stop use and ask a doctor if: the condition persists or gets worse or symptoms last more than 7 days or clear up and occur again within a few days. ■ Do not use longer than one week unless directed by a doctor. ■ Keep out of reach of children. ■ If swallowed, get medical help or contact a Poison Control Center right away.**



3mm  
x  
6mm

SEAM - OVERLAP

SEAM - OVERLAP

SEAM - OVERLAP



# I2Rx

**ANTISEPTIC AND SKIN PROTECTANT GEL**  
**Topical Iodine Treatment**

Center  
FRONT  
PANEL  
1 FL OZ (30mL)

↑ Use Before ↓

NDC: 83465-421-30 | Manufactured by I2Pure Corp. | 24 Old County Home Rd, Asheville NC 28803 | Patent Pending | Made in the USA | ML01-007A

**Drug Facts**

**Active Ingredients:** Glycerin, Iodine Topical Solution (Titratable Iodine 0.25%)

**Purpose:** Skin Protectant, Antiseptic

**Use:** First aid antiseptic and skin protectant to protect against bacterial contamination and infection and for the temporary protection of minor cuts, scrapes and burns.

**Directions:** Clean the affected area ■ Apply a small amount of this product on the areas 1-3 times daily ■ May be covered with a sterile bandage. If bandaged, let dry first. ■ For children under 6 months: ask a doctor before using.

**Inactive Ingredients:** Polyglycerin-3, Sodium Iodide

**Drug Facts (continued)**

**WARNINGS: For external use only. ■ Do not use on infants or if pregnant or lactating. ■ Do not use in the eyes or apply over large areas of the body. ■ In case of deep or puncture wounds, animal bites or serious burns, consult a doctor. ■ Stop use and ask a doctor if: the condition persists or gets worse or symptoms last more than 7 days or clear up and occur again within a few days. ■ Do not use longer than one week unless directed by a doctor. ■ Keep out of reach of children. ■ If swallowed, get medical help or contact a Poison Control Center right away.**



3mm  
x  
5mm

SEAM - OVERLAP

SEAM - OVERLAP

SEAM - OVERLAP



# I2Rx

**ANTISEPTIC AND SKIN PROTECTANT GEL**  
**Topical Iodine Treatment**

Center  
FRONT  
PANEL  
1 FL OZ (30mL)

↑ Use Before ↓

NDC: 83465-421-30 | Manufactured by I2Pure Corp. | 24 Old County Home Rd, Asheville NC 28803 | Patent Pending | Made in the USA | ML01-007A

**Drug Facts**

**Active Ingredients:** Glycerin, Iodine Topical Solution (Titratable Iodine 0.25%)

**Purpose:** Skin Protectant, Antiseptic

**Use:** First aid antiseptic and skin protectant to protect against bacterial contamination and infection and for the temporary protection of minor cuts, scrapes and burns.

**Directions:** Clean the affected area ■ Apply a small amount of this product on the areas 1-3 times daily ■ May be covered with a sterile bandage. If bandaged, let dry first. ■ For children under 6 months: ask a doctor before using.

**Inactive Ingredients:** Polyglycerin-3, Sodium Iodide

**Drug Facts (continued)**

**WARNINGS: For external use only. ■ Do not use on infants or if pregnant or lactating. ■ Do not use in the eyes or apply over large areas of the body. ■ In case of deep or puncture wounds, animal bites or serious burns, consult a doctor. ■ Stop use and ask a doctor if: the condition persists or gets worse or symptoms last more than 7 days or clear up and occur again within a few days. ■ Do not use longer than one week unless directed by a doctor. ■ Keep out of reach of children. ■ If swallowed, get medical help or contact a Poison Control Center right away.**



3mm  
x  
5mm

SEAM - OVERLAP

SEAM - OVERLAP

SEAM - OVERLAP

## I2PURE I2RX

antiseptic and skin protectant gel gel

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:83465-421
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>GLYCERIN</b> (UNII: PDC6A3C00X) (GLYCERIN - UNII:PDC6A3C00X)	GLYCERIN	25.9 g in 30 mL
<b>IODINE</b> (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4)	IODINE	95 mg in 30 mL

**Inactive Ingredients**

Ingredient Name	Strength
<b>SODIUM IODIDE</b> (UNII: F5WR8N145C)	95 mg in 30 mL
<b>POLYGLYCERIN-3</b> (UNII: 4A0NCJ6RD6)	11.1 g in 30 mL

**Product Characteristics**

<b>Color</b>	brown	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83465-421-30	30 mL in 1 TUBE; Type 0: Not a Combination Product	05/11/2026	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M003	05/11/2026	

**Labeler** - I2Pure Corp (117480499)**Establishment**

Name	Address	ID/FEI	Business Operations
I2Pure Corp		145009177	manufacture(83465-421)

Revised: 5/2026

I2Pure Corp