

EELHOE SUNSCREEN- titanium dioxide lotion
Shantou Eelhoe Daily Chemical Technology Co., Ltd.

ETHYLHEXYL METHOXYCINNAMATE□OCTOCRYLENE□TITANIUM DIOXIDE

1. Stop ultraviolet rays, reduce radiation, and lasting sunscreen. 2. Multiple isolation whitening isolation sunscreen, reducing the damage of makeup to the skin, and brightening the skin color. 3. Contains moisturizing ingredients, moisturize the skin while sunscreen, and make the skin soft and moist. 4. The texture is refreshing, not greasy, easy to absorb without blocking pores. 5. Mild ingredients, suitable for all skin types, including sensitive skin.

1. Take an appropriate amount of sunscreen at the end of your skin care routine. 2. Apply evenly to areas susceptible to UV radiation. 3. Wipe evenly.

Please keep out of reach of children. Do not swallow. Please clean your hands before use to ensure the best results from the product. Discontinue use if signs of irritation or rash occur. Store in a cool and dry place.

Discontinue use if signs of irritation or rash occur.

Discontinue use if signs of irritation or rash occur.

Please keep out of reach of children.

Store in a cool and dry place.

AQUA□ISONONYL ISONONANOATE□GLYCERYL STEARATE□ASCORBIC ACID

1. Take an appropriate amount of sunscreen at the end of your skin care routine. 2. Apply evenly to areas susceptible to UV radiation. 3. Wipe evenly.

1. Take an appropriate amount of sunscreen at the end of your skin care routine. 2. Apply evenly to areas susceptible to UV radiation. 3. Wipe evenly.

纸盒

规格尺寸：长5.2×宽2×高11.2cm



EELHOE SUNSCREEN

titanium dioxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:85064-028
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
		0.05%

TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	0.05 mg in 50 mg
ETHYLHEXYL METHOXYCINNAMATE (UNII: 4Y5P7MUD51) (ETHYLHEXYL METHOXYCINNAMATE - UNII:4Y5P7MUD51)	ETHYLHEXYL METHOXYCINNAMATE	2.5 mg in 50 mg
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	2.5 mg in 50 mg

Inactive Ingredients

Ingredient Name	Strength
ISONONYL ISONONANOATE (UNII: S4V5BS6GCX)	2 mg in 50 mg
AQUA (UNII: 059QF0KO0R)	42.15 mg in 50 mg
ASCORBIC ACID (UNII: PQ6CK8PD0R)	0.05 mg in 50 mg
GLYCERYL STEARATE (UNII: 230OU9XXE4)	0.75 mg in 50 mg

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:85064-028-01	50 mg in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	05/12/2026	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	05/12/2026	

Labeler - Shantou Eelhoe Daily Chemical Technology Co., Ltd. (617290813)

Establishment

Name	Address	ID/FEI	Business Operations
Shantou Eelhoe Daily Chemical Technology Co., Ltd.		617290813	manufacture(85064-028)

Revised: 5/2026

Shantou Eelhoe Daily Chemical Technology Co., Ltd.