

**EXTRA STRENGTH HEADACHE POWDER- extra strength headache powder powder**  
**9 Rx LLC**

-----  
**AERO Extra Strength Heache Powder**

FAST PAIN RELIEF EXTRA STRENGTH HEADACHE POWDER

ACETAMINOPHEN / ASPIRIN (NSAID) / CAFFEINE  
PAIN RELIEVER / PAIN RELIEVER AID  
50 POUCHES CONTAINING 2 PACKS EACH

Drug Facts

***Active ingredients***

(in each powder):

Acetaminophen 260 mg

Aspirin (NSAID\*) 520 mg

Caffeine 32.5 mg

\*nonsteroidal anti-inflammatory drug

***Purposes***

Pain reliever

Pain reliever

Pain reliver aid

***Uses***

temporarily relives minor aches and pains due to:

- headache ■ minor arthritis pain
- muscular aches ■ colds

temporarily reduces fever

***Warnings:***

**Reye's syndrome:** Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

**Allergy Alert:** Aspirin may cause severe allergic reaction which may include:

- hives • facial swelling • shock • asthma (wheezing).

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4 powders in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Stomach bleeding warning:** This product contains a NSAID, which may cause severe stomach bleeding. The chance is higher if you

- are age 60 or older
- have had stomach ulcers or bleeding problems
- take a blood thinning (anticoagulant) or steroid drug
- take other drugs containing prescription or non-prescription NSAIDs (aspirin, ibuprofen, naproxen, or others)
- have 3 or more alcoholic drinks every day while using this product
- take more or for a longer time than directed.

***Do not Use***

- if you have ever had an allergic reaction to aspirin or any other pain reliever/fever reducer
- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

*Ask a doctor before use if*

- you have liver disease stomach bleeding warning applies to you
- you have a history of stomach problems, such as heartburn
- you have high blood pressure, heart disease, liver cirrhosis, or kidney disease
- you are taking a diuretic
- you have asthma

Ask a doctor or pharmacist before use if you are taking a prescription drug for diabetes, gout, or arthritis the blood thinning drug warfarin.

*Stop use and ask a doctor if*

- an allergic reaction occurs. Seek medical help right away you experience any of the following signs of stomach bleeding

feel faint  vomit blood  have bloody or black stool  have stomach pain that does not get better

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- any new symptoms appear
- ringing in the ears or a loss of hearing occurs

These could be signs of a serious condition.

***If pregnant or breast-feeding,***

ask a health professional before use. It is especially important not to use aspirin during the last 3 months of pregnancy unless definitely directed to do so by a doctor because it

may cause problems in the unborn child or complications during delivery.

***Keep out of reach of children.***

***Overdose warning:***

Taking more than the recommended dose can cause serious health problems. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

***Directions:***

- do not take more than directed (see overdose warning)
- adults and children 12 years and over: place 1 powder on tongue every 6 hours, while symptoms persist. Drink a full glass of water with each dose or may stir powder into a glass of water or other liquid.
- do not take more than 4 powders in 24 hours unless directed by a doctor.
- Children under 12 years of age: ask a doctor.

***Other Information***

- each powder contains: potassium 51 mg
- store below 25°C (77°F)


***Inactive ingredient***

lactose monohydrate, potassium chloride

Questions?

1-800-940-9619 weekdays

**Principal package Label**



# EXTRA STRENGTH HEADACHE POWDER

extra strength headache powder powder

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:84800-041
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>ACETAMINOPHEN</b> (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	260 mg
<b>ASPIRIN</b> (UNII: R16CO5Y76E) (ACETYLSALICYLIC ACID - UNII:R16CO5Y76E)	ASPIRIN	520 mg
<b>CAFFEINE</b> (UNII: 3G6A5W338E) (CAFFEINE - UNII:3G6A5W338E)	CAFFEINE	32.5 mg

**Inactive Ingredients**

Ingredient Name	Strength
<b>LACTOSE MONOHYDRATE</b> (UNII: EWQ57Q8I5X)	
<b>POTASSIUM CHLORIDE</b> (UNII: 660YQ98I10)	

**Product Characteristics**

<b>Color</b>	white	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84800-041-50	50 in 1 BOX	10/25/2024	
1	NDC:84800-041-01	1 in 1 POUCH; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M	10/25/2024	

**Labeler** - 9 Rx LLC (119266303)

**Registrant** - 9 Rx LLC (119266303)