

**ANACIN- aspirin and caffeine tablet**  
**Insight Pharmaceuticals LLC**

-----  
**Anacin - 63736-200**

**ANACIN- aspirin and caffeine tablet Insight Pharmaceuticals**

**ANACIN®**

***Drug Facts***

***Active ingredients (per tablet)***

Aspirin (NSAID)\* 400 mg

Caffeine 32 mg

\* nonsteroidal anti- inflammatory drug

***Purposes***

Pain reliever

Pain reliever aid

***Uses***

temporarily relieves minor aches and pains due to

- Headache
- toothache
- muscular aches
- a cold
- backache
- arthritis
- menstrual cramps

***Warnings***

**Reye's syndrome:** Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

***Allergy alert:***

Aspirin may cause a severe allergic reaction which may include:

- hives
- facial swelling
- asthma (wheezing)
- shock

## **Stomach bleeding warning**

This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you

- are age 60 or older
- have had stomach ulcers or bleeding problems
- take a blood thinner (anticoagulant) or steroid drug
- take other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others)
- have 3 or more alcoholic drinks every day while using this product
- take more or for a longer time than directed

## **Caffeine warning**

This product contains caffeine. Limit the use of caffeine-containing medications, foods or beverages while taking this product because too much caffeine may cause nervousness, irritability, sleeplessness, and, occasionally, rapid heartbeat.

## **Do not use**

if you have ever had an allergic reaction to any other pain reliever/fever reducer

## **Ask a doctor before use if**

- the stomach bleeding warning applies to you
- you have a history of stomach problems, such as heartburn
- you have high blood pressure, heart disease, liver cirrhosis, or kidney disease
- you are taking a diuretic
- you have asthma

## **Ask a doctor or pharmacist before use if**

**you are** taking a prescription drug for

- diabetes
- gout
- arthritis

## **Stop use and ask a doctor if**

- an allergic reaction occurs. Seek medical help right away.
- you experience any of the following signs of stomach bleeding
  - feel faint
  - vomit blood
  - have bloody or black stools
  - have stomach pain that does not get better
- new symptoms occur
- ringing in the ears or loss of hearing occurs
- redness or swelling is present
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- These may be signs of a serious condition

**If pregnant or breast-feeding,**

ask a health professional before use. It is especially important not to use aspirin at least 20 weeks or later in pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.

**Keep out of reach of children.****Overdose warning**

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

***Directions***

- drink a full glass of water with each dose
- **adults and children 12 years of age and older:** take 2 tablets every 6 hours; not more than 8 tablets in 24 hours, or as directed by a doctor
- children under 12 years of age: do not use

***Other information*****Keep carton for full drug facts and warnings.**

Store at 15 – 25°C (59– 77°F). Protect from moisture.

***Inactive ingredients***

corn starch, croscarmellose sodium, hypromellose, mineral oil, , silicon dioxide, sodium lauryl sulfate, stearic acid, talc, titanium dioxide, triacetin

***Questions?***

**1-800-344-7239 [anacin.com](http://anacin.com)**

**PRINCIPAL DISPLAY PANEL****ANACIN®**

Aspirin (**NSAID**) Pain Reliever / Caffeine Pain Reliever Aid

**100 COATED TABLETS**



**PRINCIPAL DISPLAY PANEL**

**ANACIN®**

Aspirin (**NSAID**) Pain Reliever / Caffeine Pain Reliever Aid

**300 COATED TABLETS**



# ANACIN

asprin and caffeine tablet

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:63736-200
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ASPIRIN</b> (UNII: R16CO5Y76E) (ASPIRIN - UNII:R16CO5Y76E)	ASPIRIN	400 mg
<b>CAFFEINE</b> (UNII: 3G6A5W338E) (CAFFEINE - UNII:3G6A5W338E)	CAFFEINE	32 mg

## Inactive Ingredients

Ingredient Name	Strength
<b>CROSCARMELOSE SODIUM</b> (UNII: M28OL1HH48)	
<b>HYPROMELLOSES</b> (UNII: 3NXW29V3WO)	
<b>MINERAL OIL</b> (UNII: T5L8T28FGP)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>SODIUM LAURYL SULFATE</b> (UNII: 368GB5141J)	
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>TRIACETIN</b> (UNII: XHX3C3X673)	

## Product Characteristics

<b>Color</b>	white	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	10mm
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63736-200-30	1 in 1 BOX	06/25/2009	06/30/2023
1		30 in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:63736-200-50	1 in 1 BOX	06/25/2009	12/22/2023
2		50 in 1 BOTTLE; Type 0: Not a Combination Product		
3	NDC:63736-200-90	1 in 1 BOX	06/25/2009	
3		100 in 1 BOTTLE; Type 0: Not a Combination		

3		Product		
4	NDC:63736-200-91	1 in 1 BOX	06/25/2009	06/30/2023
4		130 in 1 BOTTLE; Type 0: Not a Combination Product		
5	NDC:63736-200-92	125 in 1 BOX	06/25/2009	12/22/2023
5		1 in 1 POUCH; Type 0: Not a Combination Product		
6	NDC:63736-200-93	1 in 1 BOX	06/25/2009	
6		300 in 1 BOTTLE; Type 0: Not a Combination Product		
7	NDC:63736-200-95	750 in 1 BOX	06/25/2009	06/30/2023
7		1 in 1 POUCH; Type 0: Not a Combination Product		
8	NDC:63736-200-04	1 in 1 BOX	06/25/2009	06/30/2023
8		4 in 1 BLISTER PACK; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	06/25/2009	

**Labeler** - Insight Pharmaceuticals LLC (055665422)

Revised: 10/2025

Insight Pharmaceuticals LLC