

**CHEST CONGESTION RELIEF- guaifenesin liquid**  
**RUGBY LABORATORIES**

-----  
**Rugby- Chest Cong 1314**

Active ingredients

Guaifenesin 100 mg

Purpose

Expectorant

Uses

helps loosen phlegm (mucus) and thin bronchial secretions to make coughs more productive

**Warnings**

**Do not use** if you ever had an allergic reaction to any of the ingredients in this product

**Ask a doctor before use if you have**

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema

**Stop use and ask a doctor if** cough lasts more than 7 days, comes back or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

If pregnant or breast feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- Do not take more than 6 doses in a 24 hour period
- Do not exceed recommended dose

---

Adults and children 12 years and over	2 to 4 teaspoonfuls every 4 hours
children under 12 years	ask a doctor

---

Inactive ingredients. Artificial and natural cherry flavor, citric acid, FD&C Red #40, menthol, methylparaben, propylene glycol, propylparaben water, sodium citrate, sucralose

Questions or comments? 1-800-645-2158



NDC 0536-1314-85

compare to the active ingredient in Robitussin\* \*

# chest congestion relief

## guaifenesin, USP 100 mg expectorant

- loosens and relieves chest congestion

sugar free alcohol free



cherry menthol flavor

for ages 12 &amp; over

**16 FL OZ (473 mL)**

### Drug Facts

**Active ingredient (in each 5mL teaspoonful)** Purpose  
Guaifenesin, USP 100mg.....Expectorant

**Uses** ■ helps loosen phlegm (mucus) and thin bronchial secretions to make coughs more productive

**Warnings**  
**Do not use** ■ if you ever had an allergic reaction to any of the ingredients in this product

**Ask a doctor before use if you have** ■ cough that occurs with too much phlegm (mucus) ■ cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema

**Stop use and ask a doctor if** cough lasts more than 7 days, comes back or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

**If pregnant or breast-feeding,** ask a health professional before use.  
**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

**Directions** ■ Do not take more than 6 doses in a 24 hour period  
■ Do not exceed recommended dose

adults and children 12 years and over	2 to 4 teaspoonfuls every 4 hours
children under 12 years	ask a doctor


**Other information** ■ **TAMPER-EVIDENT:** Do not use if foil seal over bottle opening is torn, broken, or missing ■ store at room temperature 20°C-25°C (68°F-77°F). Permitted excursions between 15°C -30°C (59°F-86°F)  
■ protect from freezing ■ protect from light  
■ Pharmacist-Preserve and dispense in a tight, light-resistant container with a child resistant cap as defined in the USP

**Inactive ingredients:** Artificial and natural cherry flavor, citric acid, FD&C red #40, menthol, methylparaben, propylene glycol, propylparaben, purified water, sodium citrate, sucralose

**Questions or comments? (800) 616-2471**

\*This product is not manufactured or distributed by the owner of registered trademark of Robitussin®.

Rev. 05/25 R-164 Re-order No. 371051



3 05361 31485 9

THIS IS A BULK CONTAINER NOT INTENDED FOR RETAIL.

Distributed by:  
**RUGBY® LABORATORIES**  
Indianapolis, IN 46268  
(800) 616-2471  
www.major-rugby.com

Code#L-67

Lot#

Exp. Date:

## CHEST CONGESTION RELIEF

guaifenesin liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0536-1314
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>GUAIFENESIN</b> (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	100 mg in 5 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>MENTHOL</b> (UNII: L7T10EIP3A)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>PROPYLPARABEN</b> (UNII: Z8IX25C1OH)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SODIUM CITRATE</b> (UNII: 1Q73Q2JULR)	
<b>SUCRALOSE</b> (UNII: 96K6UQ3ZD4)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0536-1314-85	473 mL in 1 BOTTLE; Type 0: Not a Combination Product	10/01/2020	
<b>Marketing Information</b>				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012		10/01/2020	

**Labeler** - RUGBY LABORATORIES (079246066)

Revised: 12/2025

RUGBY LABORATORIES