

**DR. SANA ALIVIO DIGESTIVO UPSET STOMACH- efervescent  
antacid granule, effervescent  
EVI LABS**

-----  
**Dr. Sana Alivio Digestivo**

**Active Ingredients**

Sodium bicarbonate 2,485 mg

**Purpose**

Antacid

**Uses**

For relief of heartburn, acid indigestion, and upset stomach associated with these symptoms.

**Warning**

STOMACH WARNING: To avoid serious injury, do not take until powder is completely dissolved. It is very important not to take this product when overly full from food or drink. Consult a doctor if severe stomach pain occurs after taking this product.

**Do not use**

If you are on a sodium-restricted diet unless directed by a doctor  
If you have kidney disease, unless directed by a doctor

**Ask a Doctor before use**

Ask a doctor before use if you have:

- Heart disease
- High blood pressure
- Kidney disease
- A sodium-restricted diet

**When using**

Do not take more than 6 packets in 24 hours if you are between 12 and 60 years old, and 3 packets in 24 hours if you are over 60 years old or do not use the maximum dosage of this product for more than 2 weeks, except under the advice and supervision of a physician.

## Stop Use

STOP USE AND ASK A DOCTOR IF

- symptoms persist
- symptoms worsen
- You experience severe stomach pain
- If pregnant or breast-feeding, ask a health professional before use.

## Keep out of reach of children.

Keep out of reach of children.

## Directions

Adults and children 12 years and over: dissolve one packet in ½ glass (4 fl oz) of water every 4 hours or as directed by a doctor. Adults and children 12 to 60 years of age; do not exceed 6 packets in 24 hours. Adults 60 years of age and over, do not exceed 3 packets in 24 hours. Children under 12 years of age: do not use.

## Other Information

Each packet contains: sodium 712 mg.  
store in a cool, dry place at 20°-25°C (68°-77°F)

## Inactive Ingredients

Citric acid, tartaric acid, sucrose, and silicon dioxide

## Display panel packet

HEALTHTEX DISTRIBUTORS, INC.

Product: Dr. Sana • Alivio Digestivo (Packet)

Material: White Paper (Metallic Inside)

Size: W: 3 x H: 1 7/8 inches

Print:



Green Dieline (Non Printing)

Scale:



**Alivio Digestivo**

**UPSET STOMACH**

Aspirin Free / Sin Aspirina

**EFFERVESCENT  
ANTACID**

**Sodium  
Bicarbonate**

To open: Fold corner  
Para abrir: Doble la e



**Drug Facts**

**Active ingredient**

Sodium bicarbonate 2,485 mg.....Antacid

**Purpose**

**Uses**

For relief of heartburn, acid indigestion; and upset stomach associated with these symptoms.

**Warnings**

**STOMACH WARNING:** To avoid serious injury, do not take until powder is completely dissolved. It is very important not to take this product when overly full from food or drink. Consult a doctor if severe stomach pain occurs after taking this product.

**Do not use:** Unless directed by a doctor ■ if you are pregnant or breast feeding

- if you are on a sodium-restricted diet ■ if you have kidney disease
- if you have heart disease.

NET WT 0.18 oz. (5g) ▼

and tear notch. Use scissors if necessary,  
squina y rasgue. Use tijeras si es necesario.

FRONT SIDE

Packet Not For Individual Sale

**Directions** ■ Adults and children 12 years and over: dissolve one packet in ½ glass (4 fl oz) of water every 4 hours or as directed by a doctor. Adults and children 12 to 60 years of age; do not exceed 6 packets in 24 hours. Adults 60 years of age and over, do not exceed 3 packets in 24 hours. Children under 12 years of age; do not use. **Other information** ■ Each packet contains: sodium 712 mg. ■ store in a cool, dry place at 20°-25°C (68°-77°F) ■ Keep carton for complete product information. **Questions or comments?** Call Weekdays from 9:30 AM to 5 PM EST at Tel. 305-633-7900. **Keep out of reach of children.**

**Datos Farmacológicos**

**Ingrediente activo**

Bicarbonato de sodio 2,485 mg.....Antiácido

**Propósito**

**Usos** Para el alivio de acidez estomacal, indigestión ácida y malestar estomacal asociado con estos síntomas.

**Advertencias** ADVERTENCIA ESTOMACAL: Para evitar lesiones graves, no tomar hasta que el polvo esté completamente disuelto. No tomar este producto cuando el estómago esté demasiado lleno de comida o bebida. Consulte a un médico si ocurre dolor estomacal severo después de tomar este producto.

**No usar** Si está siguiendo una dieta restringida en sodio, o embarazada, a menos que lo indique un médico.

**Instrucciones** Adultos y niños mayores de 12 años: disolver un sobre en ½ vaso (4 oz) de agua cada 4 horas o según lo indique un médico. Adultos y niños de 12 a 60 años: no exceder 6 sobres en 24 horas. Adultos mayores de 60 años: no exceder 3 sobres en 24 horas. Niños menores de 12 años: no usar. **Otra Información** ■ Cada sobre contiene: 712 mg de sodio. ■ conservar en un lugar fresco y seco entre 20°-25°C (68°-77°F) ■ Conserve la caja para información completa del producto.

**Preguntas?** tiempo este, en días laborables Tel. 305-633-7900 **Mantener fuera del alcance de los niños.**

PRODUCT MADE IN USA


BACK SIDE

Display panel Box

HEALTHTEX DISTRIBUTORS, INC.  
 Product: Dr. Sana • Alivio Digestivo 12 Packets.  
 Material: White Cardboard  
 Size: W: 3 3/8 x H: 2 1/8 inches  
 Print:



Green Die Line (Non Printing)



<p><b>Datos Farmacológicos</b>  <b>Ingrediente activo</b>          Bicarbonato de sodio 2,485 mg.</p> <p><b>Propósito</b>          Antiácido</p> <p><b>Usos</b>          Para el alivio de acidez estomacal, indigestión ácida y malestar estomacal asociado con estos síntomas.</p> <p><b>Advertencias</b>          ADVERTENCIA ESTOMACAL: Para evitar lesiones graves, no tomar hasta que el polvo esté completamente disuelto. No tomar este producto cuando el estómago esté demasiado lleno de comida o bebida. Consulte a un médico si ocurre dolor estomacal severo después de tomar este producto.</p> <p><b>No usar</b> Si está siguiendo una dieta restringida en sodio, a menos que lo indique un médico.</p> <p><b>Consulte a un médico antes de usar si tiene:</b>          • Enfermedad cardíaca, • presión arterial alta, • enfermedad renal o una dieta restringida en sodio.</p> <p><b>Consulte a un médico o farmacéutico antes de usar si:</b>          Está tomando un medicamento con raceta. Los antiácidos pueden interactuar con ciertos medicamentos recetados.</p>	<p><b>Datos Farmacológicos (continuación)</b></p> <p><b>Al usar este producto:</b> No tome más de 6 sobres en 24 horas si tiene entre 12 y 60 años. No tome más de 3 sobres en 24 horas si tiene más de 60 años. No use la dosis máxima por más de 2 semanas excepto bajo supervisión médica.</p> <p><b>Suspenda su uso y consulte a un médico si:</b> Los síntomas persisten, empeoran o experimenta dolor estomacal severo.</p> <p><b>Si está embarazada o en un período de lactancia,</b> consulte a su médico antes de usar este producto.</p> <p><b>Mantener fuera del alcance de los niños.</b></p> <p><b>Instrucciones</b> Adultos y niños mayores de 12 años: disolver un sobre en 1/2 vaso (4 oz) de agua cada 4 horas o según lo indique un médico. Adultos y niños de 12 a 60 años: no exceder 6 sobres en 24 horas. Adultos mayores de 60 años: no exceder 3 sobres en 24 horas. Niños menores de 12 años: no usar.</p> <p><b>Otra información</b> • Cada sobre contiene: 712 mg de sodio • conservar en un lugar fresco y seco entre 20°-25°C (68°-77°F)</p> <p><b>Ingredientes inactivos</b> Ácido cítrico, ácido tartárico, sacarosa y dióxido de silicio.</p> <p><b>Preguntas?</b> Llame de Lunes a Viernes de 9:30 AM a 5 PM tiempo este, en días laborables Tel. 305-633-7900</p>
--	---

Evidencia de alteración: No utilizar si la caja de cartón o el sobre esta dañado. **Conservar la caja para información completa del producto.**

Do not use if carton is damaged or printed packet is torn or open.

Tamper Evident: Keep carton for complete product information.

**Drug Facts (continued)**

**Active ingredient**  
 Sodium bicarbonate 2,485 mg  
 Antiacid

**Purpose**  
 Antacid

**Uses**  
 Relief of heartburn, acid indigestion, upset stomach associated with these symptoms.

**Warnings**  
 STOMACH WARNING: To avoid serious injury, do not take until powder is completely dissolved. It is very important not to take this product unless the front cover or drink.

**Do not use**  
 • You are on a sodium-restricted diet unless directed by a doctor.  
 • If you have kidney disease unless directed by a doctor.

**Ask a doctor before use if you have**  
 • Heart disease • High blood pressure • Kidney disease • Stomach-related diet • Are pregnant or breast feeding.

**Ask a doctor or pharmacist before use if you are**  
 • Taking a prescription drug. Antacids may interact with certain prescription drugs.

**Other information** • Each packet contains sodium 712 mg. • Store in a cool, dry place at 20°-25°C (68°-77°F).

**Inactive ingredients**  
 Citric acid, tartaric acid, sucrose, and silicon dioxide.

**Questions or comments?**  
 Call weekdays from 9:30 AM to 5 PM EST at Tel. 305-633-7900

Non-Printing Green Die Line

# DR. SANA ALIVIO DIGESTIVO UPSET STOMACH

efervescent antacid granule, effervescent

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:84178-110
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>BICARBONATE ION</b> (UNII: HN1ZRA3Q20) (SODIUM CATION - UNII:LYR4MONH37)	BICARBONATE ION	2485 mg in 5000 mg

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)	1948.5 mg in 5000 mg
<b>SUCROSE</b> (UNII: C151H8M554)	316.5 mg in 5000 mg
<b>TARTARIC ACID</b> (UNII: W4888I119H)	200 mg in 5000 mg
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	50 mg in 5000 mg

## Packaging

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:84178-110-01	12 in 1 BOX	05/13/2026	
1		5000 mg in 1 PACKET; Type 0: Not a Combination Product		

## Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC Monograph Drug	M001	05/13/2026	

**Labeler** - EVI LABS (123617598)

## Establishment

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
EVI LABS		123617598	manufacture(84178-110)

Revised: 5/2026

EVI LABS