

DERMONEEN - salicylic acid lotion

Phillips Company

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

DRUG FACTS

DRUG FACTS

Drug Facts

Active Ingredient	Purpose
Salicylic acid (2%)	Psoriasis medication

Uses

n Controls the symptoms of psoriasis.

Warnings

n For external use only

n When using this product, skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time.

n Keep away from children

n Avoid contact with the eyes. If contact occurs, rinse eyes thoroughly with water.

n May be harmful if swallowed or inhaled

Ask a physician

n If symptoms last for more than 7 days or clear up and recur within a few days.

n If the conditions do not improve.

n Before use on children under 2 years.

n Before use if you are allergic to any ingredients listed on this label.

n If condition worsens or does not improve after regular use of this product as directed, consult a physician.

n If condition covers a large area of the body, consult your physician before using this product.

Directions

n Clean the skin thoroughly before applying this product.

n Apply product sparingly to one or two small affected areas during the first 3 days. If no discomfort occurs, follow the directions stated below.

n Apply to affected areas one times daily or as directed by a physician. Each morning, cover the entire affected area with a thin layer of this product. Apply this product by rubbing it in. If any liquid remains on the skin (after a 20-second rub-in), you have applied too much product.

Other information

Store at 40 to 100 degrees F. Net contents: 3 mL. This product contains no alcohol; no animal products.

Inactive ingredients

Water, dimethyl sulfoxide, dipropylene glycol, ascorbic acid, sorbic acid, magnesium stearate, stearic acid.

Questions and Side effects

Use of this product results in no known side effects when used according to directions. Phillips

Company, 311 Chickasaw Street, Millerton, OK USA 74750; Tel. 580-746-2430
Email address: hp@valliant.net

ACTIVE INGREDIENTS

Active Ingredient	Purpose
Salicylic acid (2%)	Psoriasis medication

ASK DOCTOR

Ask a physician

- n If symptoms last for more than 7 days or clear up and recur within a few days.
- n If the conditions do not improve.
- n Before use on children under 2 years.
- n Before use if you are allergic to any ingredients listed on this label.
- n If condition worsens or does not improve after regular use of this product as directed, consult a physician.
- n If condition covers a large area of the body, consult your physician before using this product.

DO NOT USE

- n For external use only
- n When using this product, skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time.
- n Keep away from children
- n Avoid contact with the eyes. If contact occurs, rinse eyes thoroughly with water.
- n May be harmful if swallowed or inhaled
- n If condition worsens or does not improve after regular use of this product as directed, consult a physician.
- n If condition covers a large area of the body, consult your physician before using this product.

CHILDREN

Keep away from children
Avoid contact with eyes
May be harmful if swallowed or inhaled

PURPOSE

Active Ingredient	Purpose
Salicylic acid (2%)	Psoriasis medication

STOP USE

- n When using this product, skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time.

WHEN USING

n For external use only

- n When using this product, skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time.
- n Keep away from children
- n Avoid contact with the eyes. If contact occurs, rinse eyes thoroughly with water.
- n May be harmful if swallowed or inhaled
- n Clean the skin thoroughly before applying this product.
- n Apply product sparingly to one or two small affected areas during the first 3 days. If no discomfort occurs, follow the directions stated below.
- n Apply to affected areas one times daily or as directed by a physician. Each morning, cover the entire affected area with a thin layer of this product. Apply this product by rubbing it in. If any liquid remains on the skin (after a 20-second rub-in), you have applied too much product.

WARNINGS

Warnings

- n For external use only
- n When using this product, skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time.
- n Keep away from children
- n Avoid contact with the eyes. If contact occurs, rinse eyes thoroughly with water.
- n May be harmful if swallowed or inhaled

DOSAGE & ADMINISTRATION

Directions

- n Clean the skin thoroughly before applying this product.
- n Apply product sparingly to one or two small affected areas during the first 3 days. If no discomfort occurs, follow the directions stated below.
- n Apply to affected areas one times daily or as directed by a physician.
- n Each morning, cover the entire affected area with a thin layer of this product. Apply this product by rubbing it in. If any liquid remains on the skin (after a 20-second rub-in), you have applied too much product.

USE

Uses

- n Controls the symptoms of psoriasis.

Directions

- n Clean the skin thoroughly before applying this product.
- n Apply product sparingly to one or two small affected areas during the first 3 days. If no discomfort occurs, follow the directions stated below.
- n Apply to affected areas one times daily or as directed by a physician.
- n Each morning, cover the entire affected area with a thin layer of this product. Apply this product by rubbing it in. If any liquid remains on the skin (after a 20-second rub-in), you have applied too much product.

INACTIVE INGREDIENTS

Inactive ingredients

Water, dimethyl sulfoxide, dipropylene glycol, ascorbic acid, sorbic acid, magnesium stearate, stearic acid.

Image of product



Image of product

DERMONEEN

salicylic acid lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:43074-111
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	0.02 mL in 1 mL

Inactive Ingredients

Ingredient Name	Strength
dimethyl sulfoxide (UNII: YOW8V9698H)	
ascorbic acid (UNII: PQ6CK8PD0R)	
dipropylene glycol (UNII: E107L85C40)	
water (UNII: 059QF0KO0R)	
sorbic acid (UNII: X045WJ989B)	

magnesium stearate (UNII: 70097M6B0)

stearic acid (UNII: 4ELV7Z65AP)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43074-111-22	1 in 1 BOX		
1	NDC:43074-111-21	3 mL in 1 BOTTLE, DROPPER		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333D	01/06/2011	

Labeler - Phillips Company (612368238)

Establishment

Name	Address	ID/FEI	Business Operations
Phillips Company		612368238	manufacture

Revised: 1/2011

Phillips Company