

**ONESSIP DAY TIME KIDS COLD AND COUGH PLUS FEVER- acetaminophen 325 mg and dextromethorphan hbr 10 mg oral liquid day time kids liquid  
MEDWISE LIFESCIENCES INC.**

-----  
**ONESSIP DAY TIME KIDS - COLD & COUGH + FEVER 10 mL  
acetaminophen, dextromethorphan hydrobromide**

**Active ingredients (in each 10 mL)**

Acetaminophen 325 mg

Dextromethorphan HBr 10 mg

**Purposes**

Pain reliever/fever reducer

Cough suppressant

**Uses**

temporarily relieves common cold/flu symptoms:

- cough due to minor throat & bronchial irritation
- sore throat
- headache
- minor aches & pains
- fever

**Warnings**

**Liver warning:**This product contains acetaminophen. Severe liver damage may occur if

- adult takes more than 4 doses (20 mL each) in 24 hrs, which is the maximum daily amount for this product
- child takes more than 4 doses (10 mL each) in 24 hrs, which is the maximum daily amount for this product
- taken with other drugs containing acetaminophen
- adult has 3 or more alcoholic drinks every day while using this product

**Allergy Alert:**Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away

**Sore throat warning:**If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough such as occurs with smoking, asthma, or emphysema

**Ask a doctor or pharmacist before use if you are**

- taking the blood thinning drug warfarin

**Stop use and ask a doctor if**

- pain or cough gets worse or lasts more than 5 days (children) or 7 days (adults)
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back or occurs with rash or headache that lasts

These could be signs of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- take only as directed
- do not exceed 4 doses per 24 hrs
- do not give more than directed (**see liver warning**)
- follow the instruction given on this carton for your each use
- mL=mililiter

Age (years)	Dose (Sachet)
-------------	---------------

Adults & Children 12 yrs & Over	2 sachets (20 mL*) every 4 hrs
Children 6 to under 12 yrs	1 sachet (10 mL*) every 4 hrs
Children 4 to under 6 yrs	ask a doctor
Children under 4 yrs	do not use

### Other Information


- store between 20 - 25° C (68-77° F)
- Do not use if carton or sachet is torn, broken or punctured.

### Inactive Ingredients

citric acid, FD&C Blue No. 1, FD&C Red No. 40, flavor, glycerin, propylene glycol, saccharin sodium, sodium benzoate, sodium citrate, sorbitol, sucralose, water, xanthan gum, edetate sodium.

### Question or Comments?

Call 1-516-675-8915



## ONESSIP DAY TIME KIDS COLD AND COUGH PLUS FEVER

acetaminophen 325 mg and dexamethorphan hbr 10 mg oral liquid day time kids liquid

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:87078-331
Route of Administration	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg in 10 mL
<b>ACETAMINOPHEN</b> (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg in 10 mL

**Inactive Ingredients**

Ingredient Name	Strength
<b>SODIUM CITRATE</b> (UNII: 1Q73Q2JULR)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>SODIUM SACCHARIN</b> (UNII: SB8ZUX40TY)	
<b>MENTHOL</b> (UNII: L7T10EIP3A)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SUCRALOSE</b> (UNII: 96K6UQ3ZD4)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>SORBITOL SOLUTION 70%</b> (UNII: 8KW3E207O2)	
<b>FD&amp;C BLUE NO. 1</b> (UNII: H3R47K3TBD)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	

**Product Characteristics**

<b>Color</b>	purple	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	GRAPE	<b>Imprint Code</b>	
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:87078-331-16	16 in 1 CARTON	05/15/2026	
1	NDC:87078-331-01	10 mL in 1 POUCH; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	05/15/2026	

**Labeler** - MEDWISE LIFESCIENCES INC. (140161518)

Revised: 5/2026

MEDWISE LIFESCIENCES INC.