

**ANTICAVITY RINSE- sodium fluoride mouthwash
H E B**

HEB 004.002/004AE
Anticavity Fluoride Rinse, Bubble Gum

Active ingredient

Sodium Fluoride 0.05% (0.02% w/v fluoride ion)

Purpose

Anticavity Rinse

Use

aids in the prevention of dental cavities

Warnings

for this product

Keep out of reach of children.

If more than used for rinsing is accidentally swallowed, seek professional assistance or contact a Poison Control Center immediately.

Directions

- adults and children 6 year of age and older: use once a day after brushing your teeth with a toothpaste
- remove cap
- pour 10 milliliters (10 mL mark on inside of cap), do not fill above 10 mL mark
- vigorously swish 10 milliliters of rinse between your teeth for 1 minute and then spit out
- do not swallow the rinse
- do not eat or drink for 30 minutes after rinsing
- instruct children under 12 years of age in good rinsing habits (to minimize swallowing)
- supervise children as necessary until capable of using without supervision
- children under 6 year of age: consult a dentist or doctor

Other information

- store at room temperature

Inactive ingredients

benzyl alcohol, calcium disodium EDTA, cetylpyridinium chloride, disodium EDTA, disodium phosphate, flavor, poloxamer 407, polysorbate 80, propylene glycol, red 33, sodium benzoate, sodium phosphate, sodium saccharin, sorbitol, water

ADVERSE REACTION

MADE WITH PRIDE AND CARE FOR H-E-B[®],

San Antonio, TX 78204

100% GUARANTEE promise

If you aren't completely pleased with this product, we'll be happy to replace it or refund your money.

You have our word on it.

US ONLY

Discard Seal, Empty & Replace Cap

PLASTIC BOTTLE

how2recycle.com

Principal display panel

ADA Accepted

American Dental Association

Helps prevent cavities

Sealed with printed neckband for your protection

Kids ages 6+

H-E-B[®]

BUBBLEGUM


Anticavity

Fluoride Mouthwash

Helps prevent cavities

IMPORTANT: read directions for proper use

18 FL OZ (1.13 PT) 532 mL



Drug Facts

Active ingredient	Purpose
Sodium fluoride 0.05% (0.02% w/v fluoride ion)	Anticavity rinse

Use aids in the prevention of dental cavities

Warning
Keep out of reach of children. If more than used for rinsing is accidentally swallowed, seek professional assistance or contact a Poison Control Center immediately.

Directions

- adults and children 6 years of age and older: use once a day after brushing your teeth with a toothpaste
- remove cap
- pour 10 milliliters (10 mL mark on inside of cap); do not fill above 10 mL mark
- vigorously swish 10 milliliters of rinse between your teeth for 1 minute and then spit out
- do not swallow the rinse
- do not eat or drink for 30 minutes after rinsing
- instruct children under 12 years of age in good rinsing habits (to minimize swallowing)
- supervise children as necessary until capable of using without supervision
- children under 6 years of age: consult a dentist or doctor

Other information ■ store at room temperature

Inactive ingredients benzyl alcohol, calcium disodium EDTA, cetylpyridinium chloride, disodium EDTA, disodium phosphate, flavor, poloxamer 407, polysorbate 80, propylene glycol, red 33, sodium benzoate, sodium phosphate, sodium saccharin, sorbitol, water

MADE WITH PRIDE AND CARE FOR H-E-B®, SAN ANTONIO, TEXAS 78204

16281-2011

0 4 1220 92657 2

100% GUARANTEE promise

PLASTIC BOTTLE

L00201348A

ANTICAVITY RINSE

sodium fluoride mouthwash

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37808-808
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SODIUM FLUORIDE (UNII: 8ZYQ1474W7) (FLUORIDE ION - UNII:Q80VPU408O)	FLUORIDE ION	0.2 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
BENZYL ALCOHOL (UNII: LKG8494WBH)	
EDETATE CALCIUM DISODIUM ANHYDROUS (UNII: 8U5D034955)	
CETYLPYRIDINIUM CHLORIDE (UNII: D9OM4SK49P)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	

SODIUM PHOSPHATE, DIBASIC, ANHYDROUS (UNII: 22ADO53M6F)	
POLOXAMER 407 (UNII: TUF2IVW3M2)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
D&C RED NO. 33 (UNII: 9DBA0SBB0L)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SODIUM PHOSPHATE (UNII: SE337SVY37)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
SORBITOL (UNII: 506T60A25R)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37808-808-44	532 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	02/25/2010	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M021	02/25/2010	

Labeler - H E B (007924756)

Registrant - Nice-Pak Products, LLC (119091520)

Establishment

Name	Address	ID/FEI	Business Operations
Nice-Pak Products, LLC		119091514	manufacture(37808-808)

Revised: 2/2026

H E B