

**NIGHTTIME SLEEP AID- diphenhydramine hcl capsule
Care One (Retail Business Services, LLC.)**

Drug Facts

Active ingredient (in each softgel)

Diphenhydramine HCl 50 mg

Purpose

Nighttime sleep-aid

Use

for relief of occasional sleeplessness.

Warnings

Do not use

- for children under 12 years of age
- with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers.

When using this product

avoid alcoholic drinks.

Stop use and ask a doctor if

sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- adults and children 12 years of age and over: 1 softgel (50 mg) at bedtime if needed, or as directed by a doctor

Other information

- store at 15-30°C (59°-86°F)

Inactive ingredients

FD&C blue #1, gelatin, glycerin, polyethylene glycol, purified water, sorbitol, sorbitan

Principal Display Panel

Compare to the Active Ingredient in Unisom® SleepGels®†

Maximum Strength

NIGHTTIME SLEEP - AID

Diphenhydramine HCL, 50 mg

Helps to Reduce Difficulty Falling Asleep

SOFTGELS**

**Liquid Filled Capsules

**TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS
BROKEN OR MISSING.**

**KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT
INFORMATION.**

†This product is not manufactured or distributed by Sanofi Consumer Healthcare NA, distributor of Unisom® SleepGels®.

DISTRIBUTED BY ADUSA DISTRIBUTION, LLC

SALISBURY, NC 28147

contact us at 1-833-992-3872

Quality guaranteed or your money back.

Package Label

CAREone®

NDC 72476-860-32
Compare to the
Active Ingredient
in Unisom® SleepGels®†

Maximum Strength

NIGHTTIME SLEEP - AID

Diphenhydramine HCl, 50 mg
Helps to Reduce Difficulty Falling Asleep

CAREone®

NDC 72476-860-32
Compare to the
Active Ingredient
in Unisom® SleepGels®†

Maximum Strength

NIGHTTIME SLEEP - AID

Diphenhydramine HCl, 50 mg
Helps to Reduce Difficulty Falling Asleep

Actual
Size



32 SOFTGELS
One Softgel per Dose

CAREone®

Maximum Strength

NIGHTTIME SLEEP - AID

Diphenhydramine HCl, 50 mg
Helps to Reduce Difficulty Falling Asleep

32 SOFTGELS
One Softgel per Dose

CAREone®

Maximum Strength

NIGHTTIME SLEEP - AID

Diphenhydramine HCl, 50 mg
Helps to Reduce Difficulty Falling Asleep

Actual
Size



32 SOFTGELS
One Softgel per Dose

0625



1-0330

Lot No.:
Exp. Date:

TAPELIFT EVIDENT, DO NOT USE IF PRINTED
SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.
KEEP OUT OF REACH OF CHILDREN.
WARNINGS AND PRODUCT INFORMATION.

PD-H6338
FD09383

DISTRIBUTED BY:
ADUSA DISTRIBUTION, LLC
SALISBURY, NC 28147
For product questions or concerns,
contact us at 1-833-992-3872.
Quality guaranteed or your money back.

This product is not manufactured or distributed by Sanofi Consumer Healthcare NA, distributor of Unisom® SleepGels.†

Drug Facts
Active ingredient (in each softgel) Diphenhydramine HCl 50 mg
Purpose Nighttime sleep-aid
Use For relief of occasional sleeplessness.
Warnings
<ul style="list-style-type: none"> Do not use for children under 12 years of age with any other product containing diphenhydramine, even one used on skin
<ul style="list-style-type: none"> Ask a doctor before use if you have a breathing problem such as emphysema or chronic bronchitis glaucoma trouble urinating due to an enlarged prostate gland
<ul style="list-style-type: none"> Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.
<ul style="list-style-type: none"> When using this product, avoid alcoholic drinks.
<ul style="list-style-type: none"> Stop use and ask a doctor if sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness.
<ul style="list-style-type: none"> If pregnant or breast-feeding, ask a health professional before use.
<ul style="list-style-type: none"> Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.
Directions
<ul style="list-style-type: none"> adults and children 12 years of age and over: 1 softgel (50 mg) at bedtime if needed, or as directed by a doctor
Other information
<ul style="list-style-type: none"> store between 15-30°C (59-86°F)
Inactive ingredients
FDC blue #1, gelatin, glycerin, polyethylene glycol, purified water, sorbitan, sorbitol, white ink
Questions or comments?
Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

Nighttime Sleep Aid Diphenhydramine HCl 50 mg

NIGHTTIME SLEEP AID

diphenhydramine hcl capsule

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:72476-860
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	50 mg

Inactive Ingredients

Ingredient Name	Strength
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
GELATIN (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
WATER (UNII: 059QF0KO0R)	
SORBITAN (UNII: 6O92ICV9RU)	
SORBITOL (UNII: 506T60A25R)	

Product Characteristics

Color	blue	Score	no score
Shape	CAPSULE	Size	13mm
Flavor		Imprint Code	P50
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72476-860-32	1 in 1 BOX	12/27/2019	
1		32 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M010	12/27/2019	

Labeler - Care One (Retail Business Services, LLC.) (967989935)

Revised: 5/2025

Care One (Retail Business Services, LLC.)