

ADVANCED SILICONE SCAR- allantoin cream
Yantai Aien Biotechnology Co., Ltd.

87512-006 ADVANCED SILICONE SCAR CREAM

ALLANTOIN

Improves Appearance Color and Texture of Old & New Scars

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Warnings

For external use only

Do not use

Deep or puncture wounds Animal bites

Serious burns

DIMETHICONE, UNSPECIFIED

ASIATICOSIDE

HEPARIN SODIUM

WHEY

POLIHEXANIDE

HYDROXYACETOPHENONE

METHYLPARABEN

ETHYLPARABEN

WATER


Start using once wound has fully healed and closed. Apply a thin layer to the scar area.

New scars:

Use daily for 8 weeks

Existing scars:

Use daily for 3-6 months



ADVANCED SILICONE SCAR

allantoin cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:87512-006
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALLANTOIN (UNII: 344S277G0Z) (ALLANTOIN - UNII:344S277G0Z)	ALLANTOIN	0.5 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
METHYLPARABEN (UNII: A2I8C7HI9T)	
WATER (UNII: 059QF0KO0R)	
HYDROXYACETOPHENONE (UNII: G1L3HT4CMH)	
POLIHEXANIDE (UNII: 322U039GMF)	
ASIATICOSIDE (UNII: PKO39VY215)	
WHEY (UNII: 8617Z5FMF6)	
DIMETHICONE, UNSPECIFIED (UNII: 92RU3N3Y1O)	
HEPARIN SODIUM (UNII: ZZ45AB24CA)	
ETHYLPARABEN (UNII: 14255EXE39)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:87512-006-01	20 g in 1 TUBE; Type 0: Not a Combination Product	05/17/2026	
2	NDC:87512-006-02	50 g in 1 TUBE; Type 0: Not a Combination Product	05/17/2026	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M016	05/17/2026	

Labeler - Yantai Aien Biotechnology Co., Ltd. (977916686)

Revised: 5/2026

Yantai Aien Biotechnology Co., Ltd.