

**TUIWARO LIDOCAINE CREAM- lidocaine cream cream**  
**Guangzhou Jingliang Cosmetics Co., Ltd.**

-----

**Active Ingredient**

5% LIDOCAINE

**Ask a doctore before use**

If pregnant or breast-feeding ask a health professional before use.

**Keep Out Of Reach Of Children**

If swallowed, get medical help.

**Purpose**

Local Analgesic

**Stop Use**

If discomfort persists for 7 days.

The symptoms being treated do not subside or if redness irritation swelling, pain, or other symptoms develop or increase.

**When Using**

Only take the recommended daily dosage unless otherwise instructed by a doctor.

Some individuals may experience allergic reactions to the ingredients contained in this product.

Never put it into the rectum by using the finger or any medical device.

**Inactive ingredients**

Water, Armoo, Emu Oil, Lactibull(Soybean), Propylene Glycol, Tocopheryl Acutate, Corbomer 694, Bensy Alcohol

**Directions**

For adults: Cleanse the affected area with mild soap and warm water and rinse thoroughly. Gently dry the area with toilet tissue or a soft cloth before applying the product.

Apply up to 6 times a day.

For children under 12 years of age: Consult a doctor

## Warnings

For external use only.

## Uses

For temporary mild local discomfort, itching, pain, soreness, or burning in the perianal area associated with anorectal disorders and anorectal inflammation.

## Do Not Use

Pregnant or breastfeeding, ask a health professional before use.


If there is any allergic reaction to this product.

In case of accidental overdose, get medical help, or contact the poison control center immediately.

Brand: tuiwaro

Name: LIDOCAINE Cream

Size: 60 g

 <p><b>tu/waro</b></p> <h1>LIDOCAINE CREAM</h1> <p>Anorectal (Hemorrhoidal) Cream</p> <p><b>Strongest Non-Prescription Lidocaine 5%</b></p> <p>Net Wt. 2.1 oz (60 g)</p>	<b>DRUG FACTS</b> <table border="1"><tr><td><b>Active ingredients</b></td><td><b>Purpose</b></td></tr><tr><td>Lidocaine 5%</td><td>Local Anesthetic</td></tr></table> <p><b>Uses</b> For temporary mild local discomfort, itching, pain, soreness, or burning in the perianal area associated with anorectal disorders and anorectal inflammation.</p> <p><b>Warning (For external use only)</b></p> <p><b>Do not use this product if</b></p> <ul style="list-style-type: none"><li>■ Pregnant or breastfeeding, ask a health professional before use.</li><li>■ If there is any allergic reaction to this product.</li><li>■ In case of accidental overdose, get medical help, or contact the poison control center immediately.</li></ul> <p><b>When using this product</b></p> <ul style="list-style-type: none"><li>■ Only take the recommended daily dosage unless otherwise instructed by a doctor.</li><li>■ Some individuals may experience allergic reactions to the ingredients contained in this product.</li><li>■ Never put it into the rectum by using the finger or any medical device.</li></ul>	<b>Active ingredients</b>	<b>Purpose</b>	Lidocaine 5%	Local Anesthetic	<b>DRUG FACTS (Continued)</b> <p><b>Stop using and ask a doctor</b></p> <ul style="list-style-type: none"><li>■ If discomfort persists for 7 days.</li><li>■ The symptoms being treated do not subside or if redness irritation swelling, pain, or other symptoms develop or increase.</li></ul> <p><b>Keep out of reach of children.</b> Avoid contact with eyes. In case of accidental ingestion, seek medical attention immediately.</p> <p><b>Directions</b></p> <ul style="list-style-type: none"><li>■ For adults: Cleanse the affected area with mild soap and warm water and rinse thoroughly. Gently dry the area with toilet tissue or a soft cloth before applying the product.</li><li>■ Apply up to 6 times a day.</li><li>■ For children under 12 years of age: Consult a doctor.</li></ul> <p><b>Other Information</b></p> <ul style="list-style-type: none"><li>■ Keep away from direct sunlight or heat.</li><li>■ Store at room temperature 50°–68°F (15°–30°C).</li></ul> <p><b>Inactive Ingredients</b> Water, Armoo, Emu Oil, Lactibull(Soybean), Propylene Glycol, Tocopheryl Acutate, Corbomer 694, Betsy Alcohol</p>
	<b>Active ingredients</b>	<b>Purpose</b>				
Lidocaine 5%	Local Anesthetic					

## TUIWARO LIDOCAINE CREAM

lidocaine cream cream

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:87408-020
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	5 g in 100 g

## Inactive Ingredients

Ingredient Name	Strength
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
EMU OIL (UNII: 344821WD61)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
ARNICA MONTANA (UNII: O80TY208Z W)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
WATER (UNII: 059QF0KO0R)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:87408-020-01	1 in 1 CARTON	05/18/2026	
1		60 g in 1 BOTTLE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M015	05/18/2026	

**Labeler** - Guangzhou Jingliang Cosmetics Co., Ltd. (515462936)

## Establishment

Name	Address	ID/FEI	Business Operations
Guangzhou Jingliang Cosmetics Co., Ltd.		515462936	manufacture(87408-020)

Revised: 5/2026

Guangzhou Jingliang Cosmetics Co., Ltd.