

SUDOGEST NASAL DECONGESTANT- pseudoephedrine hcl tablet, film coated

Major Pharmaceuticals

Major Pharmaceuticals SudoGest Drug Facts

Active ingredient (in each tablet)

Pseudoephedrine HCl 30 mg

Purpose

Nasal decongestant

Uses

- temporarily relieves sinus congestion and pressure
- temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies

Warnings

Do not use

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland

When using this product

do not exceed recommended dosage

Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occur
- symptoms do not improve within 7 days or occur with a fever

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

adults and children 12 years and over	<ul style="list-style-type: none">take 2 tablets every 4 to 6 hoursdo not take more than 8 tablets in 24 hours
children ages 6 to 11 years	<ul style="list-style-type: none">take 1 tablet every 4 to 6 hoursdo not take more than 4 tablets in 24 hours
children under 6 years	do not use this product in children under 6 years of age

Other information

- each tablet contains:** calcium 20 mg
- store at 20°-25° C (68°-77° F)
- do not use if blister unit is broken or torn**

Inactive ingredients

carnauba wax, dibasic calcium phosphate dihydrate, FD&C red no. 40 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polysorbate 80, silicon dioxide, titanium dioxide

Questions or comments?

1-800-719-9260

Principal Display Panel

MAJOR[®]

compare to the active ingredient in Sudafed[®] Sinus Congestion

maximum strength

SudoGest[™]

pseudoephedrine hydrochloride tablets, 30 mg

nasal decongestant

nasal & sinus congestion

sinus pressure

non-drowsy

gluten free

24 tablets

actual size



Rev 04/25 M-05 Re-order No. Z00951

MAJOR

NDC 0904-6337-24
maximum strength
SudoGest™

**DO NOT USE IF
BUSTERS UNIT IS
BROKEN OR TORN**

Distributed by:
MAJOR PHARMACEUTICALS
Indianapolis, IN 46268
(800) 616-2471 www.major-pharm.com

*This product is not manufactured or distributed by Johnson & Johnson Consumer Inc., distributor of Sudafed® Sinus Congestion.

Questions or comments? 1-800-719-9260

Other information
■ each tablet contains: calcium 20 mg
store at 20°-25°C (68°-77°F)
■ do not use if blister unit is broken or torn

Directions	
adults and children	take 2 tablets every 4 to 6 hours
12 years and over	do not take more than 8 tablets
in 24 hours	
children ages	take 1 tablet every 4 to 6 hours
6 to 11 years	do not take more than 4 tablets
in 24 hours	
children under	do not use this product in children
6 years	under 6 years of age

Drug Facts (continued)

Important: Read all product information before using. Keep this box for important information.

Drug Facts
Active ingredient (in each tablet)
Pseudoephedrine HCl 30 mg..... Nasal decongestant

Uses
■ temporarily relieves sinus congestion and pressure
■ temporarily relieves nasal congestion due to the common cold,
■ hay fever or other upper respiratory allergies

Warnings
Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug, if you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
Ask a doctor before use if you have
■ heart disease ■ high blood pressure
■ thyroid disease ■ diabetes
■ trouble urinating due to enlarged prostate gland
When using this product do not exceed recommended dosage
Stop use and ask a doctor if
■ nervousness, dizziness, or sleeplessness occur
■ symptoms do not improve within 7 days or occur with a fever
If pregnant or breastfeeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact Poison Control Center right away (1-800-222-1222)

Directions
adults and children
take 2 tablets every 4 to 6 hours
do not take more than 8 tablets
in 24 hours
children ages
take 1 tablet every 4 to 6 hours
do not take more than 4 tablets
in 24 hours
children under
do not use this product in children
under 6 years of age

Other information
■ each tablet contains: calcium 20 mg
store at 20°-25°C (68°-77°F)
■ do not use if blister unit is broken or torn

MAJOR
NDC 0904-6337-24
maximum strength
SudoGest™

MAJOR
NDC 0904-6337-24
compare to the active ingredient
in Sudafed® Sinus Congestion*

maximum strength
SudoGest™

pseudoephedrine hydrochloride
tablets, 30 mg
nasal decongestant

nasal & sinus congestion
sinus pressure
non-drowsy

24 tablets

gluten free



actual size

43262 5C C7

SUDOGEST NASAL DECONGESTANT

pseudoephedrine hcl tablet, film coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0904-6337
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PSEUDOEPHEDRINE HYDROCHLORIDE (UNII: 6V9V2RYJ8N) (PSEUDOEPHEDRINE - UNII: 7CUC9DDI9F)	PSEUDOEPHEDRINE HYDROCHLORIDE	30 mg

Inactive Ingredients

Ingredient Name	Strength
CARNAUBA WAX (UNII: R12CBM0EIZ)	
DIBASIC CALCIUM PHOSPHATE DIHYDRATE (UNII: O7TSZ97GEP)	
FD&C RED NO. 40 ALUMINUM LAKE (UNII: 6T47AS764T)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	RED	Score	no score
Shape	ROUND (convex)	Size	7mm
Flavor		Imprint Code	L432
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0904-6337-24	2 in 1 CARTON	09/10/1991	
1		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	09/10/1991	

Labeler - Major Pharmaceuticals (191427277)

Revised: 12/2025

Major Pharmaceuticals