

ARLUN LIDOCAINE CREAM- lidocaine cream cream
Guangzhou Jingliang Cosmetics Co., Ltd.

Active Ingredient

5% LIDOCAINE

Ask a doctore before use

If pregnant or breast-feeding ask a health professional before use.

Keep Out Of Reach Of Children

If swallowed, get medical help.

Purpose

Local Analgesic

Stop Use

If discomfort persists for 7 days.

The symptoms being treated do not subside or if redness irritation swelling, pain, or other symptoms develop or increase.

When Using

Only take the recommended daily dosage unless otherwise instructed by a doctor.

Some individuals may experience allergic reactions to the ingredients contained in this product.

Never put it into the rectum by using the finger or any medical device.

Inactive ingredients

Water, Armoo, Emu Oil, Lactibull(Soybean), Propylene Glycol, Tocopheryl Acutate, Corbomer 694, Bensy Alcohol

Directions

For adults: Cleanse the affected area with mild soap and warm water and rinse thoroughly. Gently dry the area with toilet tissue or a soft cloth before applying the product.

Apply up to 6 times a day.

For children under 12 years of age: Consult a doctor

Warnings

For external use only.

Uses

For temporary mild local discomfort, itching, pain, soreness, or burning in the perianal area associated with anorectal disorders and anorectal inflammation.

Do Not Use

Pregnant or breastfeeding, ask a health professional before use.

If there is any allergic reaction to this product.

In case of accidental overdose, get medical help, or contact the poison control center immediately.

Brand: Arlun

Name: LIDOCAINE Cream

Size: 50 g

	Drug Facts <table border="1"><thead><tr><th>Active ingredient</th><th>Purpose</th></tr></thead><tbody><tr><td>Lidocaine 5%</td><td>Local Anesthetic</td></tr></tbody></table> <p>Uses For temporary relief of local discomfort, itching, pain, soreness, or burning in the perianal area associated with anorectal disorders and anorectal inflammation.</p> <p>Warnings (For external use only) Do not use this product if ■ If there is any allergic reaction to this product. ■ In case of accidental overdose, get medical help, or contact the poison control center immediately.</p> <p>If pregnant or breastfeeding, ask a health professional before use.</p> <p>When using this product ■ Only use the recommended daily dosage unless otherwise instructed by a doctor. ■ Some individuals may experience allergic reactions to the ingredients contained in this product. ■ Never put it into the rectum by using the finger or any medical device.</p>	Active ingredient	Purpose	Lidocaine 5%	Local Anesthetic	Drug Facts (Continued) <table border="1"><tbody><tr><td>Stop using and ask a doctor ■ If discomfort persists for 7 days. ■ The symptoms being treated do not subside or if redness, irritation, swelling, pain, or other symptoms develop or increase.</td></tr><tr><td>Keep out of reach of children Avoid contact with eyes. In case of accidental ingestion, seek medical attention immediately.</td></tr><tr><td>Directions ■ For adults: Cleanse the affected area with mild soap and warm water, and rinse thoroughly. Gently dry the area with toilet tissue or a soft cloth before applying the product. ■ Apply up to 6 times a day. ■ For children under 12 years of age: Consult a doctor.</td></tr><tr><td>Other information ■ Keep away from direct sunlight or heat. ■ Store at room temperature 59°–86°F (15°–30°C).</td></tr><tr><td>Inactive ingredients Water, Menthol, Arnica, Emu Oil, Lecithin (Soybean), Propylene Glycol, Tocopheryl Acetate, Carbomer 934, Benzyl Alcohol.</td></tr></tbody></table>	Stop using and ask a doctor ■ If discomfort persists for 7 days. ■ The symptoms being treated do not subside or if redness, irritation, swelling, pain, or other symptoms develop or increase.	Keep out of reach of children Avoid contact with eyes. In case of accidental ingestion, seek medical attention immediately.	Directions ■ For adults: Cleanse the affected area with mild soap and warm water, and rinse thoroughly. Gently dry the area with toilet tissue or a soft cloth before applying the product. ■ Apply up to 6 times a day. ■ For children under 12 years of age: Consult a doctor.	Other information ■ Keep away from direct sunlight or heat. ■ Store at room temperature 59°–86°F (15°–30°C).	Inactive ingredients Water, Menthol, Arnica, Emu Oil, Lecithin (Soybean), Propylene Glycol, Tocopheryl Acetate, Carbomer 934, Benzyl Alcohol.
	Active ingredient	Purpose									
Lidocaine 5%	Local Anesthetic										
Stop using and ask a doctor ■ If discomfort persists for 7 days. ■ The symptoms being treated do not subside or if redness, irritation, swelling, pain, or other symptoms develop or increase.											
Keep out of reach of children Avoid contact with eyes. In case of accidental ingestion, seek medical attention immediately.											
Directions ■ For adults: Cleanse the affected area with mild soap and warm water, and rinse thoroughly. Gently dry the area with toilet tissue or a soft cloth before applying the product. ■ Apply up to 6 times a day. ■ For children under 12 years of age: Consult a doctor.											
Other information ■ Keep away from direct sunlight or heat. ■ Store at room temperature 59°–86°F (15°–30°C).											
Inactive ingredients Water, Menthol, Arnica, Emu Oil, Lecithin (Soybean), Propylene Glycol, Tocopheryl Acetate, Carbomer 934, Benzyl Alcohol.											

ARLUN LIDOCAINE CREAM

lidocaine cream cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:87408-021
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	5 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
EMU OIL (UNII: 344821WD61)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
ARNICA MONTANA (UNII: O80TY208ZW)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
WATER (UNII: 059QF0KOOR)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:87408-021-01	1 in 1 CARTON	05/20/2026	
1		60 g in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M015	05/20/2026	

Labeler - Guangzhou Jingliang Cosmetics Co., Ltd. (515462936)**Establishment**

Name	Address	ID/FEI	Business Operations
Guangzhou Jingliang Cosmetics Co., Ltd.		515462936	manufacture(87408-021)

Revised: 5/2026

Guangzhou Jingliang Cosmetics Co., Ltd.