GOOD SENSE TUSSIN DM- dextromethorphan hydrobromide, guaifenesin solution L. Perrigo Company

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Perrigo Tussin DM Drug Facts

Active ingredients (in each 10 mL)

Dextromethorphan HBr, USP 20 mg Guaifenesin, USP 200 mg

Purposes

Cough suppressant

Expectorant

Uses

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
- helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes

Warnings

Do not use

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis or emphysema

Stop use and ask a doctor if

cough lasts for more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. A persistent cough may be a sign of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided
- keep dosing cup with product
- mL = milliliter
- this adult product is not intended for use in children under 12 years of age

age	dose
adults and children 12 years and over	10 mL every 4 hours
children under 12 years	do not use

Other information

- each 10 mL contains: sodium 6 mg
- store at 20-25°C (68-77°F). Do not refrigerate.

Inactive ingredients

anhydrous citric acid, FD&C red no. 40, flavor, glycerin, high fructose corn syrup, menthol, propylene glycol, purified water, sodium benzoate, sodium citrate, sucralose

Questions or comments?

1-800-719-9260

Principal Display Panel

Non-Drowsy

Tussin DM

Cough Suppressant (Dextromethorphan HBr)

Expectorant (Guaifenesin)

Cough & Chest Congestion

Relieves:

Cough


Mucus

Peak Cold

Adult

For Ages 12 & Over

Compare to active ingredients of Robitussin® Cough + Chest Congestion DM 4 FL OZ (118 mL)





NDC 0113-0359-26

GOODSENSE.

Non-Drowsy



DM

Cough Suppressant (Dextromethorphan HBr) Expectorant (Gualfenesin)

Cough & Chest Congestion

Relieves:

- Cough
- Mucus



Peak Cold

Adult For Ages 12 & Over

Compare to active ingredients of Robitussin® Cough + Chest Congestion DM



4FL0Z(118 mL)

NDC 0113-0359-26

GOODSENSE_®

Non-Drowsy

Tussin

DM

Cough Suppressant (Dextromethorphan HBr) Expectorant (Guaifenesin)

Cough & Chest Congestion

Relieves:

- Cough
- Mucus




Peak Cold

Adult For Ages 12 & Over

Compare to active ingredients of Robitussin® Cough + Chest Congestion DM



4FL0Z(118 mL)



TUSSUT Cough& MG Cough&

COODSENSE®

Drug Facts

Active ingredients Purposes (in each 10 mL)

Dextromethorphan HBr,

USP 20 mg......Cough suppressant Guaifenesin, USP 200 mg.....Expectorant

Uses

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
- helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes

Warnings

Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema

Stop use and ask a doctor if cough lasts for more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. A persistent cough may be a sign of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided
- keep dosing cup with product
- mL = milliliter
- this adult product is not intended for use in children under 12 years of age

Drug Facts (continued)

age	dose
adults and children 12 years and over	10 mL every 4 hours
children under 12 years	do not use

Other information

- each 10 mL contains: sodium 6 mg
- store at 20-25°C (68-77°F). Do not refrigerate.

Inactive ingredients anhydrous citric acid, FD&C red no. 40, flavor, glycerin, high fructose corn syrup, menthol, propylene glycol, purified water, sodium benzoate, sodium citrate, sucralose

Questions or comments? 1-800-719-9260

Gluten Free

Dosage Cup Included

DO NOT USE IF PRINTED NECKBAND IS BROKEN OR MISSING


Distributed By Perrigo® Allegan, MI 49010

PARENTS:

Learn about teen medicine abuse

www.StopMedicineAbuse.org





GOOD SENSE TUSSIN DM

dextromethorphan hydrobromide, guaifenesin solution

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0113-0359
Route of Administration	ORAL		

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
	DEXTROMETHORPHAN HYDROBROMIDE	20 mg in 10 mL		
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	200 mg in 10 mL		

Inactive Ingredients	
Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
GLYCERIN (UNII: PDC6A3C0OX)	
HIGH FRUCTOSE CORN SYRUP (UNII: XY6UN3QB6S)	
MENTHOL, UNSPECIFIED FORM (UNII: L7T10EIP3A)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	

Product Characteristics

Color	RED (Orange-Red)	Score
Shape		Size
Flavor	CHERRY	Imprint Code
Contains		

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:0113-0359- 26	1 in 1 CARTON	09/18/1991		
1		118 mL in 1 BOTTLE; Type 0: Not a Combination Product			
2	NDC:0113-0359- 34	1 in 1 CARTON	02/22/1993	03/31/2024	
2		237 mL in 1 BOTTLE; Type 0: Not a Combination Product			

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	09/18/1991	

Labeler - L. Perrigo Company (006013346)

Revised: 11/2022 L. Perrigo Company