

**RUKADA WART REMOVER PATCHES- salicylic acid 17% wart remover
patches patch
Jiangxi Yudexi Pharmaceutical Co., LTD**

85248-219

Active Ingredient

Salicylic acid 17%

Purpose

Wart Remover

Use

For the removal of common warts. The common wart is easily recognized by the rough 'cauliflower-like' appearance of the surface

Warnings

For external use only.

Do not use

On irritated,infected, or reddened skin
on genital warts and warts on the face
on moles, birthmarks, and warts with hair growing from them
on mucous membranes

When Using

Ask a doctor before use if you have diabetes, poor blood circulation

Stop Use

Ask a doctor before use if you have diabetes, poor blood circulation

Ask Doctor

Ask a doctor before use if you have diabetes, poor blood circulation

Keep Out Of Reach Of Children

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

wash affected area: may soak wart in warm water for 5 minutes dry area thoroughly,remove bandage strips by peeling backing off.

If necessary,cut medicated patch to fit wart carefully apply medicated plaster, repeat procedure every 48 hours as needed (until wart is removed) for up to 12 week

Other information

Store between 59° and 86°F(15°and 30°C).

Inactive ingredients

hard paraffin,lanolin,phenol.

PRINCIPAL DISPLAY PANEL


C03.99901339

Rūkada

Rūkada


WART REMOVER PATCHES

SALICYLIC ACID FORMULA



- Suitable for Common Warts & Corns
- Waterproof & Discreet
- Easy to Use

180 PATCHES



9mm

12mm

WART REMOVER PATCHES

WART REMOVER PATCHES

Drug Facts

Active ingredients

Salicylic acid 17%.....Wart Remover

Purpose

USE

For the removal of common warts. The common wart is easily recognized by the rough 'cauliflower-like' appearance of the surface

WARNINGS

For external use only.

DO NOT USE

on irritated, infected or reddened skin
on genital warts and warts on the face
on moles, birthmarks and warts with hair growing from them
on mucous membranes

KEEP OUT OF REACH OF CHILDREN If swallowed, get medical help or contact a Poison Control Center right away.

DIRECTIONS

wash affected area: may soak wart in warm water for 5 minutes
dry area thoroughly, remove bandage strips by peeling backing off. If necessary, cut medicated patch to fit wart
carefully apply medicated plaster, repeat procedure every 48 hours as needed (until wart is removed) for up to 12 weeks

WHEN USING

Ask a doctor before use if you have diabetes or poor blood circulation

OTHER INFORMATION Store between 59° and 86°F (15° and 30°C).

INACTIVE INGREDIENTS

hard paraffin, lanolin, phenol.



6 1979843 1981637

Distributor: Jiangxi Yudexi Pharmaceutical Co., LTD
Address: No. 199B, Jingkai West 5th Road, Chengbei Jingkai District, Zhangshu City, Yichun City, Jiangxi Province 331200, China (CN)



RUKADA WART REMOVER PATCHES

salicylic acid 17% wart remover patches patch

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:85248-219
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	17 g in 100

Inactive Ingredients

Ingredient Name	Strength
PHENOL (UNII: 339NCG44TV)	

PARAFFIN (UNII: I9O0E3H2ZE)

LANOLIN (UNII: 7EV65EAW6H)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:85248-219-01	180 in 1 BOX; Type 0: Not a Combination Product	05/21/2026	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M028	05/21/2026	

Labeler - Jiangxi Yudexi Pharmaceutical Co., LTD (455662836)

Establishment

Name	Address	ID/FEI	Business Operations
Jiangxi Zhongletang Pharmaceuticals Co.,Ltd.		411295811	manufacture(85248-219)

Revised: 5/2026

Jiangxi Yudexi Pharmaceutical Co., LTD