

DO ME DELAY- lidocaine hcl cream
Prodigy Media Inc

Lidocaine HCL 4%

External Analgesic

For the temporary relief of pain and itching associated with sunburns, minor cuts, insect bites, and skin irritations

Warnings

- . For external use only.
- . Avoid contact with eyes

Stop use and ask a doctor if

- . Condition worsens or symptoms persist for more than 7 days
- . Symptoms clear up and occur again within a few days
- . Do not use in large quantities, particularly over raw surfaces or blistered areas. Do not exceed the recommended daily dosage unless directed by a doctor.

Do not use

- . On wounds or damaged skin.

Keep Out of reach of children

If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

Adults and children 2 years of age and older: Apply to affected area not more than 3 to 4 times daily. Children under 2 years of age: do not use, consult a physician.

Do not use if seal is broken.

Inactive Ingredients

Cyclopentasiloxane, Emu Oil, Ethoxydiglycol, Ethylhexylglycerin, Glycerin, Isopropyl Myristate, Phenoxyethanol, Polyacrylate Crosspolymer-6, Polysorbate 60, Water, Xanthan Gum

Questions? 866-488-0066

Product Label & Box

Drug Facts

| Active Ingredients | | Purpose |
|---------------------------|----------|---------------------|
| Lidocaine HCL | 4.0% w/w | External Anesthetic |

Uses For temporary relief of pain and itching associated with fever blisters, cold sores, burns.

WARNINGS

- For external use only.
 - Avoid contact with the eyes.
- Stop use and ask a doctor if**

If condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days, discontinue use of this product and consult a physician. Do not use in large quantities, particularly over raw surfaces or blistered areas.

Do not use

- On wounds or damaged skin.

Keep out of reach of children

- If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

Adults and children 2 years of age and older: Apply to affected area not more than 3 to 4 times daily. Children under 2 years of age: do not use, consult a physician.

OTHER INFORMATION

Do not use if the seal is broken.

Inactive Ingredients

Cyclopentasiloxane, Emu Oil, Ethoxydiglycol, Ethylhexylglycerin, Glycerin, Isopropyl Myristate, Phenoxethanol, Polyacrylate Crosspolymer-6, Polysorbate 60 Water, Xanthan Gum

Questions? 866-468-0066



DO ME
LONGER
DELAY CREAM

8030 LA MESA BLVD., # 195
LA MESA, CA 91942

INFO@DO-ME-EROTIC.COM

WWW.DO-ME-EROTIC.COM



X004P7T795

Delay Cream for Men - Num...eros for Better Endurance

MAXIMUM PERFORMANCE

FOR HIM

30ml e 1oz



Drug Facts

| Active Ingredients | Proprietary |
|------------------------|--------------------|
| Lidocaine HCl 4.0% w/w | Esternip Analgesic |

Uses: For temporary relief of pain and itching associated with fever blisters, cold sores, burns.

Warnings:
 *For external use only.
 *Avoid contact with the eyes.
Stop use and ask a doctor if:
 If condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days, discontinue use of this product and consult a physician. Do not use in large quantities, particularly over raw surfaces or broken areas.

Do not use:
 *On wounds or damaged skin.

Keep out of reach of children
 *If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions:
 Adults and children 2 years of age and older: Apply to affected area not more than 3 to 4 times daily. Children under 2 years of age: do not use, consult a physician.

OTHER INFORMATION: Do not use if the seal is broken.

Inactive Ingredients:
 Cyclopentasiloxane, Emu Oil, Ethoxydiglycol, Ethylhexylglycerin, Glycolin, Isopropyl Myristate, Phenoxymethol, Polyacrylate, Crosspolymer 4, Polyethylene Glycol, Xanthan Gum.

Questions? 800-888-0000

Batch No. _____ Expiry Date _____

DO ME
LONGER
 DELAY CREAM

DO ME
LONGER
 DELAY CREAM

8030 LA MESA BLVD., #195
 LA MESA, CA 91942
 INFO@DO-ME-EROTIC.COM
 WWW.DO-ME-EROTIC.COM

MAXIMUM PERFORMANCE

FOR HIM

30ml e 1oz



Delay Cream for Men - Num...eros for Better Endurance



DO ME DELAY
 lidocaine hcl cream

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|----------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:70171-0051 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-------------------|--------------|
| LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987) | LIDOCAINE | 4 g in 100 g |

Inactive Ingredients

| Ingredient Name | Strength |
|---|----------|
| ETHYLHEXYLGLYCERIN (UNII: 147D247K3P) | |
| GLYCERIN (UNII: PDC6A3C0OX) | |
| CYCLOMETHICONE (UNII: NMQ347994Z) | |
| POLYSORBATE 60 (UNII: CAL22UVI4M) | |
| EMU OIL (UNII: 344821WD61) | |
| ETHOXYDIGLYCOL (UNII: A1A1I8X02B) | |
| PHENOXYETHANOL (UNII: HIE492ZZ3T) | |
| POLYACRYLATE CROSSPOLYMER-6 (UNII: Q7UI015FF9) | |
| WATER (UNII: 059QF0KO0R) | |
| ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS) | |
| XANTHAN GUM (UNII: TTV12P4NEE) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:70171-0051-1 | 1 in 1 CARTON | 05/01/2026 | |
| 1 | | 28 g in 1 TUBE; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M017 | 05/01/2026 | |

Labeler - Prodigy Media Inc (080011622)