

**LBEL FOREVER MATTE SHINE CONTROL AND 90H HYDRATION FOUNDATION
SPF 15 LATTE 180F- octinoxate, zinc oxide emulsion**
**LBEL FOREVER MATTE SHINE CONTROL AND 90H HYDRATION FOUNDATION
SPF 15 ALMENDRA 230N- octinoxate, zinc oxide emulsion**
**LBEL FOREVER MATTE SHINE CONTROL AND 90H HYDRATION FOUNDATION
SPF 15 CREME 110C- octinoxate, zinc oxide emulsion**
**LBEL FOREVER MATTE SHINE CONTROL AND 90H HYDRATION FOUNDATION
SPF 15 MOCHA 420C- octinoxate, zinc oxide emulsion**
**LBEL FOREVER MATTE SHINE CONTROL AND 90H HYDRATION FOUNDATION
SPF 15 BEIGE 220C- octinoxate, zinc oxide emulsion**
**LBEL FOREVER MATTE SHINE CONTROL AND 90H HYDRATION FOUNDATION
SPF 15 AVELLANA 270C- octinoxate, zinc oxide emulsion**
**LBEL FOREVER MATTE SHINE CONTROL AND 90H HYDRATION FOUNDATION
SPF 15 CACAO 350N- octinoxate, zinc oxide emulsion**
**LBEL FOREVER MATTE SHINE CONTROL AND 90H HYDRATION FOUNDATION
SPF 15 CARAMEL 210F- octinoxate, zinc oxide emulsion**
**LBEL FOREVER MATTE SHINE CONTROL AND 90H HYDRATION FOUNDATION
SPF 15 CAPUCCINO 310C- octinoxate, zinc oxide emulsion**
**LBEL FOREVER MATTE SHINE CONTROL AND 90H HYDRATION FOUNDATION
SPF 15 CHAMPAGNE 170N- octinoxate, zinc oxide emulsion**
BEL STAR S.A.

**LBEL FOREVER MATTE SHINE CONTROL AND 90H HYDRATION FOUNDATION
SPF 15**

Drug Facts

.Drug Facts enclosed

Active Ingredients

Octinoxate 5.00%

Zinc Oxide 2.94%

Purpose

Sunscreen

Uses

Helps prevent sunburn.

Warnings

- **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent

sunburn, **not** skin cancer or early skin aging.

- **For external use only.**

Do not use

on damaged or broken skin.

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

rash occurs.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally and evenly 15 minutes before sun exposure.
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating
- Children under 6 months of age: Ask a doctor

Other information

Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients

Water, dimethicone, isododecane, trimethylsiloxysilicate, glycerin, saccharide isomerate, peg/ppg-18/18 dimethicone, butyrospermum parkii (shea) butter, peg-10 dimethicone, polysilicone-11, zeamays (corn) starch, polymethylsilsesquioxane/trimethylsiloxysilicate, silica, phenoxyethanol, polymethylsilsesquioxane, aloe barbadensis leaf juice, hdi/trimethylol hexyllactone crosspolymer, triethoxycaprylylsilane, caprylyl glycol, hydrolyzed hyaluronic acid, chlorphenesin, disteardimonium hectorite, fragrance, niacinamide, tocopheryl acetate, pentylene glycol, beta-glucan, amyl salicylate, tetramethyl acetyloctahydronaphthalenes.

May Contain:

titanium dioxide, iron oxides.

Product Labeling Creme 110C

*90 Hours: Hydration
*Results of instrumental hydration testing in Brazil, 2025.

Drug Facts

Active Ingredients	Purpose
Octinoxate 5.00 %	Sunscreen
Zinc oxide 2.94 %	Sunscreen

Uses: ■ Helps prevent sunburn.

Warnings: ■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. ■ **For external use only.** ■ **Do not use** on damaged or broken skin. ■ **When using this product keep out** of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor** if rash occurs. ■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions: ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor.

Other information: ■ Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients: Water, dimethicone, isododecane, trimethylsiloxysilicate, glycerin, saccharide isomerate, peg/ppg-18/18 dimethicone, butyrospermum parkii (shea) butter, peg-10 dimethicone, polysilicone-11, zea mays (corn) starch, polymethylsilsesquioxane/trimethylsiloxysilicate, silica, phenoxyethanol, polymethylsilsesquioxane, aloe barbadensis leaf juice, hdi/trimethylol hexyllactone crosspolymer, triethoxycaprylylsilane, caprylyl glycol, hydrolyzed hyaluronic acid, chlorphenesin, disteardimonium hectorite, fragrance, niacinamide, tocopheryl acetate, pentylene glycol, beta-glucan, amyI salicylate, tetramethyl acetyloctahydronaphthalenes. **May Contain:** titanium dioxide, iron oxides.

U.S.A. & PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926.
Made in Colombia. www.lbel.com

L'BEL

FOREVER MATTE

+ NIACINAMIDE

90*
HOURS

BASE CONTROL BRILLO
Y 90H HIDRATACIÓN FPS 15
SHINE CONTROL AND 90H
HYDRATION FOUNDATION SPF 15

TONE: CRÈME 110C

SHINE CONTROL

Net Wt. 0.95 oz. | 27 g

Product Labeling Champagne 170N

*90 Hours: Hydration
*Results of instrumental hydration testing in Brazil, 2025.

Drug Facts

Active Ingredients	Purpose
Octinoxate 5.00 %	Sunscreen
Zinc oxide 2.94 %	Sunscreen

Uses: ■ Helps prevent sunburn.

Warnings: ■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. ■ **For external use only.** ■ **Do not use** on damaged or broken skin. ■ **When using this product keep out** of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor** if rash occurs. ■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions: ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor.

Other information: ■ Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients: Water, dimethicone, isododecane, trimethylsiloxysilicate, glycerin, saccharide isomerate, peg/ppg-18/18 dimethicone, butyrospermum parkii (shea) butter, peg-10 dimethicone, polysilicone-11, zea mays (corn) starch, polymethylsilsesquioxane/trimethylsiloxysilicate, silica, phenoxyethanol, polymethylsilsesquioxane, aloe barbadensis leaf juice, hdi/trimethylol hexylactone crosspolymer, triethoxycaprylylsilane, caprylyl glycol, hydrolyzed hyaluronic acid, chlorophenesin, disteardimonium hectorite, fragrance, niacinamide, tocopheryl acetate, pentylene glycol, beta-glucan, amyI salicylate, tetramethyl acetyloctahydronaphthalenes. **May Contain:** titanium dioxide, iron oxides.

U.S.A. & PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926.
Made in Colombia. www.lbel.com

L'BEL

FOREVER MATTE

+ NIACINAMIDE

90*
HOURS

BASE CONTROL BRILLO
Y 90H HIDRATACIÓN FPS 15
SHINE CONTROL AND 90H
HYDRATION FOUNDATION SPF 15

tone: CHAMPAGNE 170N

SHINE CONTROL

Net Wt. 0.95 oz. | 27 g

Product Labeling Latte 180F

*90 Hours: Hydration
*Results of instrumental hydration testing in Brazil, 2025.

Drug Facts

Active Ingredients	Purpose
Octinoxate 5.00 %	Sunscreen
Zinc oxide 2.94 %	Sunscreen

Uses: ■ Helps prevent sunburn.

Warnings: ■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. ■ **For external use only.** ■ **Do not use** on damaged or broken skin. ■ **When using this product keep out** of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor** if rash occurs. ■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions: ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor.

Other information: ■ Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients: Water, dimethicone, isododecane, trimethylsiloxysilicate, glycerin, saccharide isomerate, peg/ppg-18/18 dimethicone, butyrospermum parkii (shea) butter, peg-10 dimethicone, polysilicone-11, zea mays (corn) starch, polymethylsilsesquioxane/trimethylsiloxysilicate, silica, phenoxyethanol, polymethylsilsesquioxane, aloe barbadensis leaf juice, hdi/trimethylol hexyllactone crosspolymer, triethoxycaprylylsilane, caprylyl glycol, hydrolyzed hyaluronic acid, chlorophenesin, disteardimonium hectorite, fragrance, niacinamide, tocopheryl acetate, pentylene glycol, beta-glucan, amy! salicylate, tetramethyl acetyloctahydronaphthalenes. **May Contain:** titanium dioxide, iron oxides.

U.S.A. & PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926.
Made in Colombia. www.lbel.com

L'BEL

FOREVER MATTE

+ NIACINAMIDE

90*
HOURS

BASE CONTROL BRILLO
Y 90H HIDRATACIÓN FPS 15
SHINE CONTROL AND 90H
HYDRATION FOUNDATION SPF 15

tone: LATTE 180F

SHINE CONTROL

Net Wt. 0.95 oz. | 27 g

Product Labeling Caramel 210F

*90 Hours: Hydration
*Results of instrumental hydration testing in Brazil, 2025.

Drug Facts

Active Ingredients	Purpose
Octinoxate 5.00 %	Sunscreen
Zinc oxide 2.94 %	Sunscreen

Uses: ■ Helps prevent sunburn.

Warnings: ■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. ■ **For external use only.** ■ **Do not use** on damaged or broken skin. ■ **When using this product keep out** of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor** if rash occurs. ■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions: ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor.

Other information: ■ Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients: Water, dimethicone, isododecane, trimethylsiloxysilicate, glycerin, saccharide isomerate, peg/ppg-18/18 dimethicone, butyrospermum parkii (shea) butter, peg-10 dimethicone, polysilicone-11, zea mays (corn) starch, polymethylsilsesquioxane/trimethylsiloxysilicate, silica, phenoxyethanol, polymethylsilsesquioxane, aloe barbadensis leaf juice, hdi/trimethylol hexylactone crosspolymer, triethoxycaprylylsilane, caprylyl glycol, hydrolyzed hyaluronic acid, chlorophenesin, disteardimonium hectorite, fragrance, niacinamide, tocopheryl acetate, pentylene glycol, beta-glucan, amyI salicylate, tetramethyl acetyloctahydronaphthalenes. **May Contain:** titanium dioxide, iron oxides.

U.S.A. & PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926.
Made in Colombia. www.lbel.com

L'BEL

FOREVER MATTE

+ NIACINAMIDE

90*
HOURS

BASE CONTROL BRILLO
Y 90H HIDRATACIÓN FPS 15
SHINE CONTROL AND 90H
HYDRATION FOUNDATION SPF 15

TONE: CAMEL 210F

SHINE CONTROL

Net Wt. 0.95 oz. | 27 g

Product Labeling Beige 220C

*90 Hours: Hydration
*Results of instrumental hydration testing in Brazil, 2025.

Drug Facts

Active Ingredients	Purpose
Octinoxate 5.00 %	Sunscreen
Zinc oxide 2.94 %	Sunscreen

Uses: ■ Helps prevent sunburn.

Warnings: ■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. ■ **For external use only.** ■ Do not use on damaged or broken skin. ■ When using this product keep out of eyes. Rinse with water to remove. ■ Stop use and ask a doctor if rash occurs. ■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions: ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor.

Other information: ■ Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients: Water, dimethicone, isododecane, trimethylsiloxysilicate, glycerin, saccharide isomerate, peg/ppg-18/18 dimethicone, butyrospermum parkii (shea) butter, peg-10 dimethicone, polysilicone-11, zea mays (corn) starch, polymethylsilsesquioxane/trimethylsiloxysilicate, silica, phenoxyethanol, polymethylsilsesquioxane, aloe barbadensis leaf juice, hdi/trimethylol hexyllactone crosspolymer, triethoxycaprylylsilane, caprylyl glycol, hydrolyzed hyaluronic acid, chlorophenesin, disteardimonium hectorite, fragrance, niacinamide, tocopheryl acetate, pentylene glycol, beta-glucan, amyI salicylate, tetramethyl acetyloctahydronaphthalenes. **May Contain:** titanium dioxide, iron oxides.

U.S.A. & PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926.
Made in Colombia. www.lbel.com

L'BEL

FOREVER MATTE

+ NIACINAMIDE

90*
HOURS

BASE CONTROL BRILLO
Y 90H HIDRATACIÓN FPS 15
SHINE CONTROL AND 90H
HYDRATION FOUNDATION SPF 15

TONE: BEIGE 220C

SHINE CONTROL

Net Wt. 0.95 oz. | 27 g

Product Labeling Almendra 230N

*90 Hours: Hydration
*Results of instrumental hydration testing in Brazil, 2025.

Drug Facts

Active Ingredients	Purpose
Octinoxate 5.00 %	Sunscreen
Zinc oxide 2.94 %	Sunscreen

Uses: ■ Helps prevent sunburn.

Warnings: ■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. ■ **For external use only.** ■ **Do not use** on damaged or broken skin. ■ **When using this product keep out** of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor** if rash occurs. ■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions: ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor.

Other information: ■ Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients: Water, dimethicone, isododecane, trimethylsiloxysilicate, glycerin, saccharide isomerate, peg/ppg-18/18 dimethicone, butyrospermum parkii (shea) butter, peg-10 dimethicone, polysilicone-11, zea mays (corn) starch, polymethylsilsesquioxane/trimethylsiloxysilicate, silica, phenoxyethanol, polymethylsilsesquioxane, aloe barbadensis leaf juice, hdi/trimethylol hexylactone crosspolymer, triethoxycaprylylsilane, caprylyl glycol, hydrolyzed hyaluronic acid, chlorophenesin, disteardimonium hectorite, fragrance, niacinamide, tocopheryl acetate, pentylene glycol, beta-glucan, amyI salicylate, tetramethyl acetyloctahydronaphthalenes. **May Contain:** titanium dioxide, iron oxides.

U.S.A. & PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926.
Made in Colombia. www.lbel.com

L'BEL

FOREVER MATTE

+ NIACINAMIDE

90*
HOURS

BASE CONTROL BRILLO
Y 90H HIDRATACIÓN FPS 15
SHINE CONTROL AND 90H
HYDRATION FOUNDATION SPF 15

TONE: ALMENDRA 230N

SHINE CONTROL

Net Wt. 0.95 oz. | 27 g

Product Labeling Avellana 270C

*90 Hours: Hydration
*Results of instrumental hydration testing in Brazil, 2025.

Drug Facts

Active Ingredients	Purpose
Octinoxate 5.00 %	Sunscreen
Zinc oxide 2.94 %	Sunscreen

Uses: ■ Helps prevent sunburn.

Warnings: ■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. ■ **For external use only.** ■ **Do not use** on damaged or broken skin. ■ **When using this product keep out** of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor** if rash occurs. ■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions: ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor.

Other information: ■ Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients: Water, dimethicone, isododecane, trimethylsiloxysilicate, glycerin, saccharide isomerate, peg/ppg-18/18 dimethicone, butyrospermum parkii (shea) butter, peg-10 dimethicone, polysilicone-11, zea mays (corn) starch, polymethylsilsesquioxane/trimethylsiloxysilicate, silica, phenoxyethanol, polymethylsilsesquioxane, aloe barbadensis leaf juice, hdi/trimethylol hexylactone crosspolymer, triethoxycaprylylsilane, caprylyl glycol, hydrolyzed hyaluronic acid, chlorophenesin, disteardimonium hectorite, fragrance, niacinamide, tocopheryl acetate, pentylene glycol, beta-glucan, amy! salicylate, tetramethyl acetyloctahydronaphthalenes. **May Contain:** titanium dioxide, iron oxides.

U.S.A. & PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926.
Made in Colombia. www.lbel.com

L'BEL

FOREVER MATTE

+ NIACINAMIDE

90*
HOURS

BASE CONTROL BRILLO
Y 90H HIDRATACIÓN FPS 15
SHINE CONTROL AND 90H
HYDRATION FOUNDATION SPF 15

TONE: AVELLANA 270C

SHINE CONTROL

Net Wt. 0.95 oz. | 27 g

Product Labeling Capuccino 310C

*90 Hours: Hydration
*Results of instrumental hydration testing in Brazil, 2025.

Drug Facts

Active Ingredients	Purpose
Octinoxate 5.00 %	Sunscreen
Zinc oxide 2.94 %	Sunscreen

Uses: ■ Helps prevent sunburn.

Warnings: ■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. ■ **For external use only.** ■ **Do not use** on damaged or broken skin. ■ **When using this product keep out** of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor** if rash occurs. ■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions: ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor.

Other information: ■ Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients: Water, dimethicone, isododecane, trimethylsiloxysilicate, glycerin, saccharide isomerate, peg/ppg-18/18 dimethicone, butyrospermum parkii (shea) butter, peg-10 dimethicone, polysilicone-11, zea mays (corn) starch, polymethylsilsesquioxane/trimethylsiloxysilicate, silica, phenoxyethanol, polymethylsilsesquioxane, aloe barbadensis leaf juice, hdi/trimethylol hexyllactone crosspolymer, triethoxycaprylylsilane, caprylyl glycol, hydrolyzed hyaluronic acid, chlorophenesin, disteardimonium hectorite, fragrance, niacinamide, tocopheryl acetate, pentylene glycol, beta-glucan, amyI salicylate, tetramethyl acetyloctahydronaphthalenes. **May Contain:** titanium dioxide, iron oxides.

U.S.A. & PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926.
Made in Colombia. www.lbel.com

L'BEL

FOREVER MATTE

+ NIACINAMIDE

90*
HOURS

BASE CONTROL BRILLO
Y 90H HIDRATACIÓN FPS 15
SHINE CONTROL AND 90H
HYDRATION FOUNDATION SPF 15

TONE: CAPUCCINO 310C

SHINE CONTROL

Net Wt. 0.95 oz. | 27 g

Product Labeling Cacao 350N

*90 Hours: Hydration
*Results of instrumental hydration testing in Brazil, 2025.

Drug Facts

Active Ingredients	Purpose
Octinoxate 5.00 %	Sunscreen
Zinc oxide 2.94 %	Sunscreen

Uses: ■ Helps prevent sunburn.

Warnings: ■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. ■ **For external use only.** ■ **Do not use** on damaged or broken skin. ■ **When using this product keep out** of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor** if rash occurs. ■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions: ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor.

Other information: ■ Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients: Water, dimethicone, isododecane, trimethylsiloxysilicate, glycerin, saccharide isomerate, peg/ppg-18/18 dimethicone, butyrospermum parkii (shea) butter, peg-10 dimethicone, polysilicone-11, zea mays (corn) starch, polymethylsilsesquioxane/trimethylsiloxysilicate, silica, phenoxyethanol, polymethylsilsesquioxane, aloe barbadensis leaf juice, hdi/trimethylol hexyllactone crosspolymer, triethoxycaprylylsilane, caprylyl glycol, hydrolyzed hyaluronic acid, chlorophenesin, disteardimonium hectorite, fragrance, niacinamide, tocopheryl acetate, pentylene glycol, beta-glucan, amyI salicylate, tetramethyl acetyloctahydronaphthalenes. **May Contain:** titanium dioxide, iron oxides.

U.S.A. & PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926.
Made in Colombia. www.lbel.com

L'BEL

FOREVER MATTE

+ NIACINAMIDE

90*
HOURS

BASE CONTROL BRILLO
Y 90H HIDRATACIÓN FPS 15
SHINE CONTROL AND 90H
HYDRATION FOUNDATION SPF 15

TONE: CACAO 350N

SHINE CONTROL

Net Wt. 0.95 oz. | 27 g

Product Labeling Mocha 420C

*90 Hours: Hydration
 *Results of instrumental hydration testing in Brazil, 2025.

Drug Facts

Active Ingredients	Purpose
Octinoxate 5.00 %	Sunscreen
Zinc oxide 2.94 %	Sunscreen

Uses: ■ Helps prevent sunburn.

Warnings: ■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. ■ **For external use only.** ■ **Do not use on damaged or broken skin.** ■ **When using this product keep out of eyes.** Rinse with water to remove. ■ **Stop use and ask a doctor if rash occurs.** ■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions: ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor.

Other information: ■ Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients: Water, dimethicone, isododecane, trimethylsiloxysilicate, glycerin, saccharide isomerate, peg/ppg-18/18 dimethicone, butyrospermum parkii (shea) butter, peg-10 dimethicone, polysilicone-11, zea mays (corn) starch, polymethylsilsesquioxane/trimethylsiloxysilicate, silica, phenoxyethanol, polymethylsilsesquioxane, aloe barbadensis leaf juice, hdi/trimethylol hexylactone crosspolymer, triethoxycaprylylsilane, caprylyl glycol, hydrolyzed hyaluronic acid, chlorphenesin, disteardimonium hectorite, fragrance, niacinamide, tocopheryl acetate, pentylene glycol, beta-glucan, amyI salicylate, tetramethyl acetyloctahydronaphthalenes. **May Contain:** titanium dioxide, iron oxides.

U.S.A. & PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia. www.lbel.com

L'BEL

FOREVER
MATTE **90***
 + NIACINAMIDE **HOURS**

BASE CONTROL BRILLO
 Y 90H HIDRATACIÓN FPS 15
 SHINE CONTROL AND 90H
 HYDRATION FOUNDATION SPF 15

TONE: MOCHA 420C

SHINE CONTROL

Net Wt. 0.95 oz. | 27 g

LBEL FOREVER MATTE SHINE CONTROL AND 90H HYDRATION FOUNDATION SPF 15 LATTE 180F

octinoxate, zinc oxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14141-479
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	29.4 mg in 1 g
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	50 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
CI 77492 (UNII: EX438O2MRT)	
CI 77491 (UNII: 1K09F3G675)	
ISODODECANE (UNII: A8289P68Y2)	

POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)
POLYMETHYLSILSESQUIOXANE/TRIMETHYLSILOXYSILICATE (UNII: X2PZH4Y6HT)
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)
HDI/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)
SACCHARIDE ISOMERATE (UNII: W8K377W98I)
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)
BUTYROSPERMUM PARKII (SHEA) BUTTER (UNII: K49155VL9Y)
SILICA (UNII: ETJ7Z6XBU4)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
NIACINAMIDE (UNII: 25X5118RD4)
ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES (UNII: 2JU6ZH6GRE)
ALOE BARBADENSIS LEAF JUICE (UNII: RUE8E6T4NB)
AMYL SALICYLATE (UNII: VZO9C30208)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
WATER (UNII: 059QF0KO0R)
GLYCERIN (UNII: PDC6A3C0OX)
CHLORPHENESIN (UNII: I670DAL4SZ)
PENTYLENE GLYCOL (UNII: 50C1307PZG)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
HYDROLYZED HYALURONIC ACID 10 (UNII: U2585P4K7Y)
DIMETHICONE (UNII: 92RU3N3Y1O)
ZEA MAYS (CORN) STARCH (UNII: O8232NY3SJ)
PEG-10 DIMETHICONE (200 CST) (UNII: 287GF3Y3WC)
CI 77499 (UNII: XM0M87F357)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14141-479-01	1 in 1 BOX	05/13/2026	
1		27 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	05/13/2026	

LBEL FOREVER MATTE SHINE CONTROL AND 90H HYDRATION FOUNDATION SPF 15 ALMENDRA 230N

octinoxate, zinc oxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14141-582
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	29.4 mg in 1 g
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	50 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
CI 77499 (UNII: XM0M87F357)	
CI 77491 (UNII: 1K09F3G675)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
POLYMETHYLSILSESQUIOXANE/TRIMETHYLSILOXYSILICATE (UNII: X2PZH4Y6HT)	
ISODODECANE (UNII: A8289P68Y2)	
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
HDI/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
SACCHARIDE ISOMERATE (UNII: W8K377W98I)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
BUTYROSPERMUM PARKII (SHEA) BUTTER (UNII: K49155WL9Y)	
SILICA (UNII: ETJ7Z6XBU4)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
NIACINAMIDE (UNII: 25X51I8RD4)	
ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES (UNII: 2JU6ZH6GRE)	
ALOE BARBADENSIS LEAF JUICE (UNII: RUE8E6T4NB)	
AMYL SALICYLATE (UNII: VZ09C30208)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
PENTYLENE GLYCOL (UNII: 50C1307PZG)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
HYDROLYZED HYALURONIC ACID 10 (UNII: U2585P4K7Y)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
ZEA MAYS (CORN) STARCH (UNII: O8232NY3SJ)	
PEG-10 DIMETHICONE (200 CST) (UNII: 287GF3Y3WC)	
CI 77492 (UNII: EX438O2MRT)	

Packaging

#	Item Code	Package Description	Marketing Start	Marketing End
----------	------------------	----------------------------	------------------------	----------------------

#	Item Code	Package Description	Date	Date
1	NDC:14141-582-01	1 in 1 BOX	05/13/2026	
1		27 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	05/13/2026	

LBEL FOREVER MATTE SHINE CONTROL AND 90H HYDRATION FOUNDATION SPF 15 CREME 110C

octinoxate, zinc oxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14141-477
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	29.4 mg in 1 g
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	50 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
POLYMETHYLSILSESQUIOXANE/TRIMETHYLSILOXYSILICATE (UNII: X2PZH4Y6HT)	
CI 77491 (UNII: 1K09F3G675)	
ISODODECANE (UNII: A8289P68Y2)	
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
HDI/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
SACCHARIDE ISOMERATE (UNII: W8K377W98I)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
BUTYROSPERMUM PARKII (SHEA) BUTTER (UNII: K49155WL9Y)	
SILICA (UNII: ETJ7Z6XBU4)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
NIACINAMIDE (UNII: 25X5118RD4)	
TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES (UNII: 2JU6ZH6GRE)	
HYDROLYZED HYALURONIC ACID 10 (UNII: U2585P4K7Y)	
ALOE BARBADENSIS LEAF JUICE (UNII: RUE8E6T4NB)	

AMYL SALICYLATE (UNII: VZ09C30208)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
PENTYLENE GLYCOL (UNII: 50C1307PZG)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
PEG-10 DIMETHICONE (200 CST) (UNII: 287GF3Y3WC)	
CI 77499 (UNII: XM0M87F357)	
CI 77492 (UNII: EX438O2MRT)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
ZEA MAYS (CORN) STARCH (UNII: O8232NY3SJ)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14141-477-01	1 in 1 BOX	05/13/2026	
1		27 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	05/13/2026	

LBEL FOREVER MATTE SHINE CONTROL AND 90H HYDRATION FOUNDATION SPF 15 MOCHA 420C

octinoxate, zinc oxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14141-586
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	29.4 mg in 1 g
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	50 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
CI 77499 (UNII: XM0M87F357)	

CI 77491 (UNII: 1K09F3G675)
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)
POLYMETHYLSILSESQUIOXANE/TRIMETHYLSILOXYSILICATE (UNII: X2PZH4Y6HT)
ISODODECANE (UNII: A8289P68Y2)
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)
HDI/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)
SACCHARIDE ISOMERATE (UNII: W8K377W98I)
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)
BUTYROSPERMUM PARKII (SHEA) BUTTER (UNII: K49155WL9Y)
SILICA (UNII: ETJ7Z6XBU4)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
NIACINAMIDE (UNII: 25X51I8RD4)
ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES (UNII: 2JU6ZH6GRE)
ALOE BARBADENSIS LEAF JUICE (UNII: RUE8E6T4NB)
AMYL SALICYLATE (UNII: VZ09C30208)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
WATER (UNII: 059QF0K00R)
GLYCERIN (UNII: PDC6A3C0OX)
CHLORPHENESIN (UNII: I670DAL4SZ)
PENTYLENE GLYCOL (UNII: 50C1307PZG)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
HYDROLYZED HYALURONIC ACID 10 (UNII: U2585P4K7Y)
DIMETHICONE (UNII: 92RU3N3Y10)
ZEA MAYS (CORN) STARCH (UNII: O8232NY3SJ)
PEG-10 DIMETHICONE (200 CST) (UNII: 287GF3Y3WC)
CI 77492 (UNII: EX438O2MRT)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14141-586-01	1 in 1 BOX	05/13/2026	
1		27 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	05/13/2026	

LBEL FOREVER MATTE SHINE CONTROL AND 90H HYDRATION FOUNDATION SPF 15 BEIGE 220C

octinoxate, zinc oxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14141-481
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	29.4 mg in 1 g
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	50 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
CI 77492 (UNII: EX438O2MRT)	
CI 77499 (UNII: XM0M87F357)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
POLYMETHYLSILSESQUIOXANE/TRIMETHYLSILOXYSILICATE (UNII: X2PZH4Y6HT)	
ISODODECANE (UNII: A8289P68Y2)	
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
HDI/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
SACCHARIDE ISOMERATE (UNII: W8K377W98I)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
BUTYROSPERMUM PARKII (SHEA) BUTTER (UNII: K49155WL9Y)	
SILICA (UNII: ETJ7Z6XBU4)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
NIACINAMIDE (UNII: 25X51I8RD4)	
ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES (UNII: 2JU6ZH6GRE)	
ALOE BARBADENSIS LEAF JUICE (UNII: RUE8E6T4NB)	
AMYL SALICYLATE (UNII: VZ09C30208)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
PENTYLENE GLYCOL (UNII: 50C1307PZG)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
HYDROLYZED HYALURONIC ACID 10 (UNII: U2585P4K7Y)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
ZEA MAYS (CORN) STARCH (UNII: O8232NY3SJ)	
PEG-10 DIMETHICONE (200 CST) (UNII: 287GF3Y3WC)	
CI 77491 (UNII: 1K09F3G675)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14141-481-01	1 in 1 BOX	05/13/2026	
1		27 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	05/13/2026	

LBEL FOREVER MATTE SHINE CONTROL AND 90H HYDRATION FOUNDATION SPF 15 AVELLANA 270C

octinoxate, zinc oxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14141-583
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	29.4 mg in 1 g
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	50 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
CI 77491 (UNII: 1K09F3G675)	
CI 77499 (UNII: XM0M87F357)	
CI 77492 (UNII: EX438O2MRT)	
ISODODECANE (UNII: A8289P68Y2)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
POLYMETHYLSILSESQUIOXANE/TRIMETHYLSILOXYSILICATE (UNII: X2PZH4Y6HT)	
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
HDI/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
SACCHARIDE ISOMERATE (UNII: W8K377W98I)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
BUTYROSPERMUM PARKII (SHEA) BUTTER (UNII: K49155WL9Y)	
SILICA (UNII: ETJ7Z6XBU4)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
NIACINAMIDE (UNII: 25X51I8RD4)	

ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES (UNII: 2JU6ZH6GRE)
ALOE BARBADENSIS LEAF JUICE (UNII: RUE8E6T4NB)
AMYL SALICYLATE (UNII: VZO9C30208)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
WATER (UNII: 059QF0KO0R)
GLYCERIN (UNII: PDC6A3C0OX)
CHLORPHENESIN (UNII: I670DAL4SZ)
PENTYLENE GLYCOL (UNII: 50C1307PZG)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
HYDROLYZED HYALURONIC ACID 10 (UNII: U2585P4K7Y)
DIMETHICONE (UNII: 92RU3N3Y1O)
ZEA MAYS (CORN) STARCH (UNII: O8232NY3SJ)
PEG-10 DIMETHICONE (200 CST) (UNII: 287GF3Y3WC)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14141-583-01	1 in 1 BOX	05/13/2026	
1		27 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	05/13/2026	

LBEL FOREVER MATTE SHINE CONTROL AND 90H HYDRATION FOUNDATION SPF 15 CACAO 350N

octinoxate, zinc oxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14141-585
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	29.4 mg in 1 g
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	50 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
CI 77499 (UNII: XM0M87F357)	
CI 77492 (UNII: EX438O2MRT)	
CI 77491 (UNII: 1K09F3G675)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
POLYMETHYLSILSESQUIOXANE/TRIMETHYLSILOXYSILICATE (UNII: X2PZH4Y6HT)	
ISODODECANE (UNII: A8289P68Y2)	
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
HDI/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
SACCHARIDE ISOMERATE (UNII: W8K377W98I)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
BUTYROSPERMUM PARKII (SHEA) BUTTER (UNII: K49155WL9Y)	
SILICA (UNII: ETJ7Z6XBU4)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
NIACINAMIDE (UNII: 25X51I8RD4)	
ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES (UNII: 2JU6ZH6GRE)	
ALOE BARBADENSIS LEAF JUICE (UNII: RUE8E6T4NB)	
AMYL SALICYLATE (UNII: VZO9C30208)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
PENTYLENE GLYCOL (UNII: 50C1307PZG)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
PEG-10 DIMETHICONE (200 CST) (UNII: 287GF3Y3WC)	
HYDROLYZED HYALURONIC ACID 10 (UNII: U2585P4K7Y)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
ZEA MAYS (CORN) STARCH (UNII: O8232NY3S)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14141-585-01	1 in 1 BOX	05/13/2026	
1		27 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	05/13/2026	

LBEL FOREVER MATTE SHINE CONTROL AND 90H HYDRATION FOUNDATION SPF 15 CARAMEL 210F

octinoxate, zinc oxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14141-480
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	29.4 mg in 1 g
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	50 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
CI 77491 (UNII: 1K09F3G675)	
CI 77499 (UNII: XM0M87F357)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
POLYMETHYLSILSESQUIOXANE/TRIMETHYLSILOXYSILICATE (UNII: X2PZH4Y6HT)	
ISODODECANE (UNII: A8289P68Y2)	
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
HDI/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
SACCHARIDE ISOMERATE (UNII: W8K377W98I)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
BUTYROSPERMUM PARKII (SHEA) BUTTER (UNII: K49155VL9Y)	
SILICA (UNII: ETJ7Z6XBU4)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
NIACINAMIDE (UNII: 25X5118RD4)	
ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES (UNII: 2JU6ZH6GRE)	
ALOE BARBADENSIS LEAF JUICE (UNII: RUE8E6T4NB)	
AMYL SALICYLATE (UNII: VZ09C30208)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
PENTYLENE GLYCOL (UNII: 50C1307PZG)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
HYDROLYZED HYALURONIC ACID 10 (UNII: U2585P4K7Y)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
ZEA MAYS (CORN) STARCH (UNII: O8232NY3SJ)	
PEG-10 DIMETHICONE (200 CST) (UNII: 287GF3Y3WC)	
CI 77492 (UNII: EX438O2MRT)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14141-480-01	1 in 1 BOX	05/13/2026	
1		27 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	05/13/2026	

LBEL FOREVER MATTE SHINE CONTROL AND 90H HYDRATION FOUNDATION SPF 15 CAPUCCINO 310C

octinoxate, zinc oxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14141-584
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	29.4 mg in 1 g
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	50 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
CI 77491 (UNII: 1K09F3G675)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
POLYMETHYLSILSESQUIOXANE/TRIMETHYLSILOXYSILICATE (UNII: X2PZH4Y6HT)	
ISODODECANE (UNII: A8289P68Y2)	
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
HDI/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
SACCHARIDE ISOMERATE (UNII: W8K377W98I)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
BUTYROSPERMUM PARKII (SHEA) BUTTER (UNII: K49155WL9Y)	
SILICA (UNII: ETJ7Z6XBU4)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
NIACINAMIDE (UNII: 25X5118RD4)	

ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES (UNII: 2JU6ZH6GRE)
ALOE BARBADENSIS LEAF JUICE (UNII: RUE8E6T4NB)
AMYL SALICYLATE (UNII: VZO9C30208)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
WATER (UNII: 059QF0KO0R)
GLYCERIN (UNII: PDC6A3C0OX)
CHLORPHENESIN (UNII: I670DAL4SZ)
PENTYLENE GLYCOL (UNII: 50C1307PZG)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
HYDROLYZED HYALURONIC ACID 10 (UNII: U2585P4K7Y)
DIMETHICONE (UNII: 92RU3N3Y1O)
ZEA MAYS (CORN) STARCH (UNII: O8232NY3S)
PEG-10 DIMETHICONE (200 CST) (UNII: 287GF3Y3WC)
CI 77499 (UNII: XM0M87F357)
CI 77492 (UNII: EX438O2MRT)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14141-584-01	1 in 1 BOX	05/13/2026	
1		27 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	05/13/2026	

LBEL FOREVER MATTE SHINE CONTROL AND 90H HYDRATION FOUNDATION SPF 15 CHAMPAGNE 170N

octinoxate, zinc oxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14141-478
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	29.4 mg in 1 g
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	50 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
CI 77492 (UNII: EX438O2MRT)	
CI 77491 (UNII: 1K09F3G675)	
CI 77499 (UNII: XM0M87F357)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
POLYMETHYLSILSESQUIOXANE/TRIMETHYLSILOXYSILICATE (UNII: X2PZH4Y6HT)	
ISODODECANE (UNII: A8289P68Y2)	
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
HDI/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
SACCHARIDE ISOMERATE (UNII: W8K377W98I)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
BUTYROSPERMUM PARKII (SHEA) BUTTER (UNII: K49155VL9Y)	
SILICA (UNII: ETJ7Z6XBU4)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
NIACINAMIDE (UNII: 25X5118RD4)	
ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES (UNII: 2JU6ZH6GRE)	
ALOE BARBADENSIS LEAF JUICE (UNII: RUE8E6T4NB)	
AMYL SALICYLATE (UNII: VZO9C30208)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
PENTYLENE GLYCOL (UNII: 50C1307PZG)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
HYDROLYZED HYALURONIC ACID 10 (UNII: U2585P4K7Y)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
ZEA MAYS (CORN) STARCH (UNII: O8232NY3SJ)	
PEG-10 DIMETHICONE (200 CST) (UNII: 287GF3Y3WC)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14141-478-01	1 in 1 BOX	05/13/2026	
1		27 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	05/13/2026	

Labeler - BEL STAR S.A. (880160197)

Revised: 5/2026

BEL STAR S.A.