

QQE WART REMOVER- salicylic acid 40% liquid
Guangzhou Huixue Biotechnology Co., Ltd.

Salicylic Acid 40%

if swallowed, seek medical attention or contact a Poison Control Center (1-800-222-1222) immediately.

Uses For the removal of warts, including plantar warts, flat warts, common warts, corns, and calluses.

Warnings For external use only. Flammable Keep away from fire and flame. Keep out of reach of children. Avoid contact with eyes, in case of contact, flush eyes with plenty of cool water. Do not swallow

Water, Borneol, Glycerin, Polyethylene Glycol, Bisabolol, Allantoin, Lonicera Japonica (Honeysuckle) Flower Extract, Sophora Augustifolia Root Extract, Hyaluronic Acid, Aloe Vera Extract, Cnidium Monnieri Extract, Gentiana Scabra Root Extract, Portulaca Oleracea Extract, Zingiber Officinale (Ginger) Root Extract.

1. Clean the affected area. You can soak the affected area in warm water for 5 minutes (optional), 2. Take an appropriate amount of the solution and apply it to the affected area, making sure it covers completely. Wait for it to dry 3. Repeat this process 2-3 times daily until the skin looks smooth. 4. More severe may require more time. Patience and perseverance are required during its use. The longest continuous use period is no more than 12 weeks.

On broken skin or the area around the eyes. On irritated skin or on any area that is infected or reddened. Do not use if you are allergic to any ingredient in this product. On moles, birthmarks, warts with hair growing from them, genital warts or warts on the face or mucous membranes. • If you have diabetes or poor blood circulation. If you are pregnant or breastfeeding, see your practitioner.

Discontinue use and consult a doctor if: . You become pregnant or are trying to become pregnant while using this product. Irritation or redness occurs, worsens, or does not improve with continued use.

1. Clean the affected area. You can soak the affected area in warm water for 5 minutes (optional). 2. Take an appropriate amount of the solution and apply it to the affected area, making sure it covers completely. Wait for it to dry. 3. Repeat this process 2-3 times daily until the skin looks smooth.

plantar warts, flat warts, common warts, corns, and calluses.



QQE WART REMOVER

salicylic acid 40% liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:87204-177
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID, CHLOROACETATE (UNII: LG4R4S2VYN) (SALICYLIC ACID, CHLOROACETATE - UNII:LG4R4S2VYN)	SALICYLIC ACID, CHLOROACETATE	0.4 mg in 30 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	
WATER (UNII: 059QF0KO0R)	
ALLANTOIN (UNII: 344S277G0Z)	
BISABOLOL (UNII: 24WE03BX2T)	
HYALURONIC ACID (UNII: S270N0TRQY)	
BORNEOL (UNII: M89NIB437X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:87204-177-01	30 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	05/23/2026	05/25/2027

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M028	05/23/2026	05/25/2027

Labeler - Guangzhou Huixue Biotechnology Co., Ltd. (418186127)**Establishment**

Name	Address	ID/FEI	Business Operations
Guangzhou Huixue Biotechnology Co., Ltd.		418186127	manufacture(87204-177)

Revised: 5/2026

Guangzhou Huixue Biotechnology Co., Ltd.