

**WALGREENS ADULT GLYCERIN LAXATIVE- glycerin suppository suppository
Walgreens**

Walgreens® Glycerin Suppositories - Individually Wrapped

Active Ingredient

Active Ingredient Purpose
(in each suppository)

Glycerin, USP 2 gramsLaxative

Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 1/4 to 1 hour

Warnings

For rectal use only

Do not use

Do not use laxative products for longer than 1 week unless directed by a doctor

Ask a doctor before use if you have

Ask a doctor before use if you have

- abdominal pain - nausea - vomiting
- noticed a sudden change in bowel habits that lasts over 2 weeks

When using this product

When using this product you may have rectal discomfort or a burning sensation

Stop use and ask a doctor if

Stop use and ask a doctor if

- you have rectal bleeding
- you fail to have a bowel movement after use of a laxative

These could be signs of a serious condition.

If pregnant or breast-feeding,

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

adults and children 6 years and over 1 suppository per day or as directed by a doctor
children 2 to under 6 years use Walgreens Infants & Children suppositories
children under 2 years ask a doctor

- Insert 1 suppository well up into the rectum and retain for 15 minutes
- It need not melt to produce laxative action

Other information

- keep tightly closed
- avoid excessive heat

Inactive ingredients

purified water, sodium hydroxide, stearic acid

Directions

adults and children 6 years and over by a doctor	1 suppository per day or as directed
children 2 to under 6 years suppositories	use Walgreens Infants & Children
children under 2 years	ask a doctor

- Insert 1 suppository well up into the rectum and retain for 15 minutes
- It need not melt to produce laxative action

100 CT Glycerin Suppositories Carton Label



25 CT Glycerin Suppositories Carton Label

Walgreens



GLYCERIN Suppositories

Drug Facts (continued)

- It need not melt to produce laxative action

Other information • avoid excessive heat

Inactive ingredients purified water, sodium hydroxide, stearic acid

Questions?
1-800-WALGREENS (1-800-925-4739)

Directions: NDC 0383-0448-22



1. Hold on to one side and tear down from the middle.

Our pharmacists recommend the Walgreens brand. We invite you to compare to national brands. This product is not manufactured or distributed by C.B. Fleet Co. Inc., owner of the registered trademark "Fleet".

INDIVIDUALLY SEALED FOR YOUR PROTECTION. DO NOT USE IF WRAPPER IS TORN OR OPEN.



Walgreens



GLYCERIN Suppositories

GLYCERIN, USP 2 g / LAXATIVE

- Adult**
- Constipation relief
 - Gentle & effective
 - New improved tamper-evident blister pack

25 SUPPOSITORIES



NOT ACTUAL SIZE

W30RG0725-F

Drug Facts

Active Ingredients	Purpose
(for each suppository) Glycerin, USP 2 grams	Laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 15 minutes to 1 hour

Warnings

For rectal use only

Do not use laxative products for longer than 1 week unless directed by a doctor.

Ask a doctor if you have

• abdominal pain • nausea • vomiting

• noticed a sudden change in bowel habits that lasts over 2 weeks

When using this product you may have rectal discomfort or a burning sensation

Stop use and ask a doctor if

• you have rectal bleeding

• you fail to have a bowel movement after use of a laxative

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. 1-800-222-1222

Directions

adults and children 6 years and over 1 suppository per day or as directed by a doctor

children 2 to under 6 years use Walgreens infant & children suppositories

children under 2 years ask a doctor

• detach one suppository from the strip

• remove wrapper before inserting into the rectum

• insert 1 suppository well up into the rectum and retain for 15 minutes



Suppositories

GLYCERIN SUPPOSITORIES

GLYCERIN, USP 2 g / LAXATIVE

Adult

- Constipation relief
- Gentle & effective
- New improved tamper-evident blister pack

25 SUPPOSITORIES

DISTRIBUTED BY: WALGREEN CO., DEERFIELD, IL 60015
100% SATISFACTION GUARANTEED
walgreens.com ©2025 Walgreen Co.
MADE IN U.S.A. OF U.S. AND IMPORTED COMPONENTS
ITEM 774061 W10788-0825-L



3 11917 06645 5

LOT
EXP

WALGREENS ADULT GLYCERIN LAXATIVE
glycerin suppository suppository

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-0445
Route of Administration	RECTAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
GLYCERIN (UNII: PDC6A3C00X) (GLYCERIN - UNII:PDC6A3C00X)	GLYCERIN	2 g

Inactive Ingredients

Ingredient Name	Strength
STEARIC ACID (UNII: 4ELV7Z65AP)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
WATER (UNII: 059QF0KO0R)	

Product Characteristics

Color	white (CLEAR)	Score	
Shape	BULLET	Size	32mm
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-0445-21	10 in 1 CARTON	05/26/2026	
1		10 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:0363-0445-22	5 in 1 CARTON	05/26/2026	
2		5 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	05/26/2026	

Labeler - Walgreens (008965063)

Registrant - Unipack LLC (009248480)

Establishment

Name	Address	ID/FEI	Business Operations
Unipack LLC		009248480	manufacture(0363-0445)

Revised: 5/2026

Walgreens