


MENTAL SKIN CARE LIP SHIELD INSPIRE- zinc oxide lotion
Mental Skin

Mental Skin Care Lip Shield Inspire

Mental Skin Care Lip Shield Inspire



Mental
Broad Spectrum SPF 35

LIP TREATMENT SUNSCREEN
BROAD SPECTRUM SPF 35 UVA/UVB
Net 0.11 fl. oz. / 3.5 mL

INSPIRE

DRUG FACTS (continued)

To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including:

- limit your time in the sun, especially from 10 a.m. – 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses

Other Information • Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients: Hydrogenated Poly (C6-14 Olefin), Squalane, Butyloctyl Sarcosylate, Cetearyl Dimethicone, Iodododecane, Ethylene/Propylene/Styrene Copolymer, Caprylyl Methicone, Iron Oxides, Synthetic Fluorophosphate, Lecithin, Dimethiconol/Propylisiziqui

oxane/Silicate Crosspolymer, Phenylpropanol Propandiol, Butylene/Ethylene/Styrene Copolymer, Caprylyl Glycol, Dimethicone, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydroxamate, Tocopheryl

*less or equal to 1%

You are stronger than you think...

Mental Skin Care LLC
Irvine, CA 92620
Question or Comments?
US 888-983-1891
Mentalskincare.com
MADE IN USA

DRUG FACTS


Active Ingredients Purpose
Zinc Oxide 10% Sunscreen

Uses • Helps prevent sunburn • If used as directed with other sun protection measures (see Directions) decreases the risk of skin cancer & early skin aging caused by the sun.

Warnings • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove • Stop use and ask a doctor if skin rash occurs • **Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions • apply liberally 15 minutes before sun exposure • Reapply at least every 2 hours • use a water-resistant sunscreen if swimming or sweating • Children under 6 months of age: Ask a doctor • **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging.

Mental Skin Care Lip Shield Inspire



Mental
Broad Spectrum SPF 35

LIP TREATMENT SUNSCREEN
BROAD SPECTRUM SPF 35 UVA/UVB
Net 0.11 fl. oz. / 3.5 mL

INSPIRE

DRUG FACTS (continued)

To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including:
• limit your time in the sun, especially from 10 a.m. – 2 p.m.
• wear long-sleeved shirts, pants, hats, and sunglasses

Other Information • Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients: Hydrogenated Poly (C6-14 Olefin), Squalane, Butyl Octyl Salicylate, Cetearyl Dimethicone, Isododecane, Ethylene/Propylene/Styrene Copolymer, Caprylyl Methylene, Iron Oxides, Synthetic Fluorophosphate, Lecithin, Dimethiconol/Propylsilsesquioxane/Silicate Crosspolymer, Phenylpropanol, Propylated, Butylene/Ethylene/Styrene Copolymer, Caprylyl Glycol, Dimethicone, Pentaerythrityl Tetra-di-ethyl Hydroxyhydrocinamate, Tocopherol.

oxane/Silicate Crosspolymer, Phenylpropanol, Propylated, Butylene/Ethylene/Styrene Copolymer, Caprylyl Glycol, Dimethicone, Pentaerythrityl Tetra-di-ethyl Hydroxyhydrocinamate, Tocopherol.
*less or equal to 1%

You are stronger than you think...

Mental Skin Care LLC
Irvine, CA 92620
Question or Comments?
US 888-883-1891
Mentalskincare.com
MADE IN USA

DRUG FACTS

Active Ingredients Purpose
Zinc Oxide 10% Sunscreen

Uses • Helps prevent sunburn • If used as directed, with other sun protection measures (see **Directions**), decreases the risk of skin cancer & early skin aging caused by the sun.

Warnings • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove • Stop use and ask a doctor if skin rash occurs • Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions • apply liberally 15 minutes before sun exposure • Reapply at least every 2 hours • use a water-resistant sunscreen if swimming or sweating • Children under 6 months of age: Ask a doctor • Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging.

Mental Skin Care Lip Shield Inspire

Mental

Broad Spectrum SPF 35

LIP TREATMENT SUNSCREEN
 BROAD SPECTRUM SPF 35 UVA/UVB
 Net 0.11 fl. oz. / 3.5 mL

INSPIRE


<p>DRUG FACTS (continued)</p> <p>To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including:</p> <ul style="list-style-type: none"> • limit your time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses 	<p>Other Information • Protect the product in this container from excessive heat and direct sun.</p> <p>Inactive Ingredients: Hydrogenated Poly (C6-14 Olefin), Squalane, Butyloctyl Salicylate, Cetearyl Dimethicone, Isododecane, Ethylene/Propylene/Styrene Copolymer, Caprylyl Methicone, Iron Oxides, Synthetic Fluorophosphate, Lecithin, Dimethiconol/Propylsilsesqui-</p>	<p>oxane/Silicate Crosspolymer, Phenylpropanol, Propylated, Butylene/Ethylene Styrene Copolymer, Caprylyl Glycol, Dimethicone, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocin-namate, Tocopherol.</p> <p>*less or equal to 1%</p>
---	---	---

You are stronger than you think...


Mental Skincare, LLC
 Irvine, CA 92620
 Question or
 Comments?
 US 949-385-1891
 MentalSkincare.com
 MADE IN USA

<p>DRUG FACTS</p> <p>Active Ingredients Purpose Zinc Oxide 10% Sunscreen</p> <p>Uses • Helps prevent sunburn • If used as directed with other sun protection measures (see Directions) decreases the risk of skin cancer & early skin aging caused by the sun.</p>	<p>Warnings • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove • Stop use and ask a doctor if skin rash occurs • Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.</p>	<p>Directions • apply liberally 15 minutes before sun exposure • Reapply at least every 2 hours • use a water-resistant sunscreen if swimming or sweating • Children under 6 months of age: Ask a doctor • Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging.</p>
--	--	---

Mental Skin Care Lip Shield Inspire



Mental Skin Care Lip Shield Inspire



DRUG FACTS (continued)

To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including:

- limit your time in the sun, especially from 10 a.m. — 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses

Other Information • Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients: Hydrogenated Poly (C6-14 Olefin), Squalane, Butylcetyl Salicylate, Cetearyl Dimethicone, Isododecane, EthylenePropyleneStyrene Copolymer, Caprylyl Methicone, Iron Oxides, Synthetic Fluorphosphate, Lecithin, Dimethiconol/Propylsilsesqui-

oxane/Silicate Crosspolymer, Phenylpropanol, Propylalcohol, Butylene(Ethylene) Styrene Copolymer, Caprylyl Glycol, Dimethicone, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Tocopherol.
*less or equal to 1%

You are stronger than you think...

Mental Skincare LLC
Irvine, CA 92620
Question or
Comments?
US 888-883-1881
mentalskincare.com
MADE IN USA

DRUG FACTS

Active Ingredients
Zinc Oxide 10%


Purpose
Sunscreen

Uses • Helps prevent sunburn • If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer & early skin aging caused by the sun.

Warnings • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove • Stop use and ask a doctor if skin rash occurs • Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions • apply liberally 15 minutes before sun exposure • Reapply at least every 2 hours • use a water-resistant sunscreen if swimming or sweating • Children under 6 months of age: Ask a doctor • Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging.

Mental Skin Care Lip Shield Inspire



DRUG FACTS (continued)

To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including:

- limit your time in the sun, especially from 10 a.m. – 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses

Other Information • Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients: Hydrogenated Poly (C6-14 Olefin), Squalane, Butyloctyl Saicylate, Cetearyl Dimethicone, Iodododecane, Ethylene/Propylene/Styrene Copolymer, Caprylyl Methicone, Iron Oxides, Synthetic Fluorophosphate, Lecithin, Dimethiconol/Propylsilsesqui-

oxane/Silicate Crosspolymer, Phenylpropenyl Propanediol, Butylene/Ethylene/Styrene Copolymer, Caprylyl Glycol, Dimethicone, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Tocopherol.

*less or equal to 1%

You are stronger than you think...

Mental Skin Care LLC
Irvine, CA 92620
Question or
Comments?
US 888-983-1891
Mentalskincare.com
MADE IN USA

DRUG FACTS


Active Ingredients	Purpose
Zinc Oxide 10%	Sunscreen

Uses • Helps prevent sunburn • If used as directed with other sun protection measures (see Directions) decreases the risk of skin cancer & early skin aging caused by the sun.

Warnings • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove • Stop use and ask a doctor if skin rash occurs • Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions • apply liberally 15 minutes before sun exposure • Reapply at least every 2 hours • use a water-resistant sunscreen if swimming or sweating • Children under 6 months of age: Ask a doctor • Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging.

Mental Skin Care Lip Shield Inspire



DRUG FACTS (continued)

To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including:

- limit your time in the sun, especially from 10 a.m. – 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses

Other Information • Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients: Hydrogenated Poly (C6-14 Olefin), Squalane, Butyloctyl Salicylate, Cetearyl Dimethicone, Isododecane, Ethylene/Propylene/Styrene Copolymer, Caprylyl Memscone, Iron Oxides, Synthetic Fluorphosphite, Lecithin, Dimethiconol/Propylsilsesqui-

oxane/Silicate, Crosspolymer, Phenylpropanol, Propenediol, Butylene/Ethylene/Styrene Copolymer, Caprylyl Glycol, Dimethicone, Pentaerythrityl Tetra-di-*n*-butyl Hydroxyhydrocinamate, Tocopherol.

*less or equal to 1%

You are stronger than you think...

Mental Skin Care, LLC
 Irvine, CA 92620
 Question or
 Comments?
 US 888-883-1891
 MentalSkinCare.com
 MADE IN USA

DRUG FACTS


Active Ingredients **Purpose**
 Zinc Oxide 10% Sunscreen

Uses • Helps prevent sunburn • If used as directed, with other sun protection measures (see **Directions**), decreases the risk of skin cancer & early skin aging caused by the sun.

Warnings • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove • Stop use and ask a doctor if skin rash occurs • Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions • apply liberally 15 minutes before sun exposure • Reapply at least every 2 hours • use a water-resistant sunscreen if swimming or sweating • Children under 6 months of age: Ask a doctor • Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging.

Mental Skin Care Lip Shield Inspire



MENTAL SKIN CARE LIP SHIELD INSPIRE

zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82696-4400
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	110 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SQUALANE (UNII: GW89575KF9)	
FERRIC OXIDE YELLOW (UNII: EX43802MRT)	
PHENYLPROPANOL (UNII: 0F8970304M)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
TOCOPHEROL (UNII: R0ZB2556P8)	
PROPANEDIOL (UNII: 5965N8W85T)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
HYDROGENATED POLY(C6-14 OLEFIN; 4 CST) (UNII: 7C6HV4SSLA)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
DIMETHICONOL/PROPYLSILSESQUIOXANE/SILICATE CROSSPOLYMER (450000000 MW) (UNII: 9KB5R958PB)	
DIMETHICONE 1000 (UNII: MCU2324216)	
ISODODECANE (UNII: A8289P68Y2)	
CAPRYLYL METHICONE (UNII: Q95M2P1KJL)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
PENTAERYTHRITYL TETRA-DI-T-BUTYL HYDROXYHYDROCINNAMATE (UNII: 255PIF62MS)	

Product Characteristics

Color	red	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82696-4400-2	1 in 1 CARTON	03/13/2024	
1	NDC:82696-4400-1	3.5 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/13/2024	

Labeler - Mental Skin (115554947)

Revised: 5/2026

Mental Skin