


MENTAL SKIN CARE LIP SHIELD INTENT- zinc oxide lotion
Mental Skin

Mental Skin Care Lip Shield Intent

Mental Skin Care Lip Shield Intent



Mental
Broad Spectrum SPF 35

LIP TREATMENT SUNSCREEN
BROAD SPECTRUM SPF 35 UVA/UVB
Net 0.11 fl. oz. / 3.5 mL

INTENT

DRUG FACTS (continued)

To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including:
• limit your time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses

Other Information • Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients: Hydrogenated Poly(C6-14 Olefin), Squalane, Butyloctyl Salicylate, Iron Oxides, Isotroctane, Cetearyl Dimethicone, Caprylyl Methicone, Ethylene/Propylene Styrene Copolymer, Synthetic Fluorophlogopite, D&C Red No. 7, Lecithin,

Dimethiconol/Propylsilsesquioxane/Silicate Crosspolymer, Gum Rosin, Calcium Sulfate, Phenylpropane, Aluminum Hydroxide, FD&C Red No. 40, Propanediol, Water, Caprylyl Glycol, Butylene/Ethylene/Styrene Copolymer, Dimethicone, Sodium Chloride, Sodium Sulfate, Pentaerythrityl Tetra-di-4-butyl Hydroxyhydrocinamate, FD&C Blue No. 1, Tocopherol
Less or equal to 1%.

You are stronger than you think...

Mental Skincare LLC
Irvine, CA 92620
Question or
Call for
US 888-883-1891
Mentalskincare.com
MADE IN USA

DRUG FACTS

Active Ingredients **Purpose**
Zinc Oxide 10% Sunscreen

Uses • Helps prevent sunburn • If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer & early skin aging caused by the sun.


Warnings

• For external use only. • Do not use on damaged or broken skin. • When using this product keep out of eyes. Rinse with water to remove. • Stop use and ask a doctor if skin rash occurs. • Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

• apply liberally 15 minutes before sun exposure. • Reapply at least every 2 hours. • use a water-resistant sunscreen if swimming or sweating. • Children under 6 months of age: Ask a doctor. • Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging.

Mental Skin Care Lip Shield Intent



Mental
Broad Spectrum SPF 35

LIP TREATMENT SUNSCREEN
BROAD SPECTRUM SPF 35 UVA/UVB
Net 0.11 fl. oz. / 3.5 mL

INTENT

DRUG FACTS (continued)

To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including:
• limit your time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses

Other Information - Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients: Hydrogenated Poly(C6-14 Olefin), Squalane, Butyloctyl Silylate, Iron Oxides, Isododecane, Cetearyl Dimethicone, Caprylyl Methicone, Ethylene/Propylene/ Styrene Copolymer, Synthetic Fluorophosphate, D&C Red No. 7, Lecithin,

Dimethicone/Propyltetrakisoxane/Silicate Crosspolymer, Gum Rosin, Calcium Sulfate, Phenylpropanol, Aluminum Hydroxide, FD&C Red No. 10, Propanediol, Water, Caprylyl Glycol, Butylene/Ethylene/Styrene Copolymer, Dimethicone, Sodium Chloride, Sodium Sulfate, Pentanediol, Talc, Di-Isobutyl Hydroxypropyl-namate, FD&C Blue No. 1, Tocopherol
Less or equal to 1%

You are stronger than you think...

Mental Skincare LLC
Irvine, CA 92620
Question or
Call Toll Free
US 866-683-1891
mentalskincare.com
MADE IN USA


DRUG FACTS

Active Ingredients	Purpose
Zinc Oxide 10%	Sunscreen

Uses - Helps prevent sunburn • If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer & early skin aging caused by the sun.

Warnings - For external use only. • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove • Stop use and ask a doctor if skin rash occurs • Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions • apply liberally 15 minutes before sun exposure • Reapply at least every 2 hours • Use a water-resistant sunscreen if swimming or sweating • Children under 6 months of age: Ask a doctor • Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging.



Mental
Broad Spectrum SPF 35

LIP TREATMENT SUNSCREEN
BROAD SPECTRUM SPF 35 UVA/UVB
Net 0.11 fl. oz. / 3.5 mL

INTENT

DRUG FACTS (continued)

To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including:
• limit your time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses

Other information - Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients: Hydrogenated Poly(D-14 Olefin), Squalane, Butylglycol Salicylate, Iron Oxides, Isododecane, Cetearyl Dimethicone, Caprylyl Methicone, Ethylhexyl Propylene/ Styrene Copolymer, Synthetic Fluorophopite, D&C Red No. 7, Lecithin,

Dimethiconol/Propylbis(stea)quoxane/Silicate Copolymer, Gum Rosin, Calcium Sulfate, Phenylpropanol, Aluminum Hydroxide, FD&C Red No. 40, Propandiol, Water, Caprylyl Glycol, Butylene Glycol, Styrene Copolymer, Dimethicone, Sodium Chloride, Sodium Sulfate, Pentan-3-yl Tetra-*n*-butyl Hydroxyhydroxamate, FD&C Blue No. 1, Tocopherol
*less or equal to 1%.

You are stronger than you think...

Mental Skincare, LLC
Irvine, CA 92620
Question or
Call Toll free
US 888-963-1891
mentalskincare.com
MADE IN USA

DRUG FACTS


Active Ingredients	Purpose
Zinc Oxide 10%	Sunscreen

Uses - Helps prevent sunburn • If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer & early skin aging caused by the sun.

Warnings - For external use only. • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove • Stop use and ask a doctor if skin rash occurs • Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions - apply liberally 15 minutes before sun exposure • Reapply at least every 2 hours • Use a water-resistant sunscreen if swimming or sweating • Children under 6 months of age: Ask a doctor. • Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging.

Mental Skin Care Lip Shield Intent



Mental
Broad Spectrum SPF 35

LIP TREATMENT SUNSCREEN
BROAD SPECTRUM SPF 35 UVA/UVB
Net 0.11 fl. oz. / 3.5 mL

INTENT

DRUG FACTS (continued)

To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including:
• limit your time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses

Other Information • Protect the product in this container from excessive heat and direct sun

Inactive Ingredients: Hydrogenated Poly(C₁₄-Olefin), Stearic Acid, Butyloctyl Salicylate, Iron Oxides, Isododecane, Cetearyl Dimethicone, Caprylyl Methicone, Ethylene/Propylene Styrene Copolymer, Synthetic Fluorophlogopite, D&C Red No. 7, Lecithin,

Dimethiconol/Propylsilsesquioxane/Silicate Crosspolymer, Gum Rosin, Calcium Sulfate, Phenylpropane, Aluminum Hydroxide, FD&C Red No. 40, Propanediol, Water, Caprylyl Glycol, Butylene/Ethylene/Sterene Copolymer, Dimethicone, Sodium Chloride, Sodium Sulfate, Pentaerythrityl Tetra-di-Butyl Hydroxyhydroximate, FD&C Blue No. 1, Tocopherol, less or equal to 1%.

You are stronger than you think...

Mental Skincare LLC
Irvine, CA 92620
Question or
Comment?
Call Toll Free
US 888-688-1891
Mentalskincare.com
MADE IN USA

DRUG FACTS


Active Ingredients Purpose
Zinc Oxide 10% Sunscreen

Uses • Helps prevent sunburn • If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer & early skin aging caused by the sun.

Warnings • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove • Stop use and ask a doctor if skin rash occurs • **Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions • apply liberally 15 minutes before sun exposure • Reapply at least every 2 hours • use a water-resistant sunscreen if swimming or sweating • Children under 6 months of age. Ask a doctor • Sun
Protection Measures, Spending time in the sun increases your risk of skin cancer and early skin aging.

Mental Skin Care Lip Shield Intent



Mental
Broad Spectrum SPF 35

LIP TREATMENT SUNSCREEN
BROAD SPECTRUM SPF 35 UVA/UVB
Net 0.11 fl. oz. / 3.5 mL

INTENT

DRUG FACTS (continued)

To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including:
• limit your time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses

Other Information • Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients: Hydrogenated Poly(C6-14 Olefin), Squalane, Butyloctyl Salicylate, Iron Oxides, Isotroloxene, Celestrol, Dimethicone, Caprylyl Methicone, Ethylene/Propylene Styrene Copolymer, Synthetic Fluorophlogopite, D&C Red No. 7, Lecithin,

Dimethiconol/Propylsilsesquioxane/Silicate Crosspolymer, Gum Rosin, Calcium Sulfate, Phenylpropaneol, Aluminum Hydroxide, FD&C Red No. 40, Propanediol, Water, Caprylyl Glycol, Butylene/Ethylene/Styrene Copolymer, Dimethicone, Sodium Chloride, Sodium Sulfate, Pentaerythrityl Tetra-di-4-butyl Hydroxyhydroxamate, FD&C Blue No. 1, Tocopherol less or equal to 1%.

You are stronger than you think...

Mental Skincare LLC
2 Wheeler
Irvine, CA 92620
Question or
Concern?
Call 1-800-451-1991
Mentalskincare.com
MADE IN USA

DRUG FACTS


Active Ingredients	Purpose
Zinc Oxide 10%	Sunscreen

Uses • Helps prevent sunburn • If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer & early skin aging caused by the sun.

Warnings • For external use only. • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove • Stop use and ask a doctor if skin rash occurs • Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions • apply liberally 15 minutes before sun exposure • Reapply at least every 2 hours • use a water-resistant sunscreen if swimming or sweating • Children under 6 months of age: Ask a doctor • Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging.

Mental Skin Care Lip Shield Intent



Mental
Broad Spectrum SPF 35

LIP TREATMENT SUNSCREEN
BROAD SPECTRUM SPF 35 UVA/UVB
Net 0.11 fl. oz. / 3.5 mL

INTENT

DRUG FACTS (continued)

To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including:
• limit your time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses

Other Information • Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients: Hydrogenated Poly(C6-14 Olefin), Squalane, Butyloctyl Silylate, Iron Oxides, Isododecane, Cetearyl Dimethicone, Caprylyl Methacrylate, Ethylene/Propylene/Styrene Copolymer, Synthetic Fluorophosphate, D&C Red No. 7, Lecithin,

Dimethicone/Propyltetrakisquioxane/Silicate Crosspolymer, Gum Rosin, Calcium Sulfate, Phenylpropanol, Aluminum Hydroxide, FD&C Red No. 40, Propandiol, Water, Caprylyl Glycol, Butylene/Ethylene/Styrene Copolymer, Dimethicone, Sodium Chloride, Sodium Sulfate, Pentanediol, Talc, Di-Isobutyl Hydroxyphenyl-namate, FD&C Blue No. 1, Tocopherol. Less or equal to 1%.

You are stronger than you think...

Mental Skincare LLC
Irvine, CA 92620
Question or Call Toll Free
US: 888-883-1891
Mentalskincare.com
MADE IN USA

DRUG FACTS

Active Ingredients	Purpose
Zinc Oxide 10%	Sunscreen

Uses • Helps prevent sunburn • If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer & early skin aging caused by the sun.

Warnings • For external use only. • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove • Stop use and ask a doctor if skin rash occurs • Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions • apply liberally 15 minutes before sun exposure • Reapply at least every 2 hours • Use a water-resistant sunscreen if swimming or sweating • Children under 6 months of age: Ask a doctor • Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging.

Mental

Broad Spectrum SPF 35

LIP TREATMENT SUNSCREEN
 BROAD SPECTRUM SPF 35 UVA/UVB
 Net 0.11 fl. oz. / 3.5 mL

INTENT

DRUG FACTS (continued)

To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including:

- limit your time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses.

Other Information - Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients: Hydrogenated Poly(C9-11 Olefin), Stearic Acid, Butylacrylate, Iron Oxides, Isododecane, Cetearyl Dimethicone, Caprylyl Methicone, Ethylene/Propylene Styrene Copolymer, Synthetic Fluorophopite, D&C Red No. 7, Lecithin,

Dimethiconol/Propylsilsesquioxane/Silicate Crosspolymer, Gum Rosin, Calcium Sulfate, Phenylpropanol, Aluminum Hydroxide, FD&C Red No. 40, Propanediol, Water, Caprylyl Glycol, Butylene/Ethylene Styrene Copolymer, Dimethicone, Sodium Chloride, Sodium Sulfate, Penterythritol Tetra-di-Butyl Hydroxyhydroxamate, FD&C Blue No. 1, Tocopherol. Less or equal to 1%.

You are stronger than you think...

Mental Skincare, LLC
 Irvine, CA 92620
 Questions or
 Call for info
 US 888-983-1891
 MentalSkincare.com
 MADE IN USA

DRUG FACTS


Active Ingredients	Purpose
Zinc Oxide 10%	Sunscreen

Uses - Helps prevent sunburn. If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer & early skin aging caused by the sun.

Warnings - For external use only. Do not use on damaged or broken skin. When using this product keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if skin rash occurs. Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions - apply liberally 15 minutes before sun exposure. Reapply at least every 2 hours. Use a water-resistant sunscreen if swimming or sweating. Children under 6 months of age. Ask a doctor. Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging.

Mental Skin Care Lip Shield Intent



MENTAL SKIN CARE LIP SHIELD INTENT

zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82696-4440
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	100 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
PROPANEDIOL (UNII: 5965N8W85T)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
HYDROGENATED POLY(C6-14 OLEFIN; 4 CST) (UNII: 7C6HV4SSLA)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
DIMETHICONOL/PROPYLSILSESQUIOXANE/SILICATE CROSSPOLYMER (450000000 MW) (UNII: 9KB5R958PB)	
CALCIUM SULFATE (UNII: WAT0DDB505)	
DIMETHICONE 1000 (UNII: MCU2324216)	
SODIUM SULFATE (UNII: 0YPR65R21J)	
D&C RED NO. 7 (UNII: ECW0LZ41X8)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IU0)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
WATER (UNII: 059QF0KO0R)	
ISODODECANE (UNII: A8289P68Y2)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
SQUALANE (UNII: GW89575KF9)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
PHENYLPROPANOL (UNII: 0F897O3O4M)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
TOCOPHEROL (UNII: R0ZB2556P8)	

Product Characteristics

Color	red	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82696-4440-2	1 in 1 CARTON	04/03/2024	
1	NDC:82696-4440-1	3.5 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/03/2024	

Labeler - Mental Skin (115554947)

Revised: 5/2026

Mental Skin