

**BROAD SPECTRUM SPF 50 SUNSCREEN- zinc oxide lotion  
SKIN DAMAGE INC.**

-----

Active ingredient

Zinc Oxide - 23,5% ..... Sunscreen

Sunscreen

Helps prevent sunburn

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes.

Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed,  
get medical help or contact a Poison Control  
Center right away

Directions

Apply liberally 15 minutes before sun  
exposure Reapply after 80 minutes  
of swimming or sweating immediately  
after towel drying at least every 2 hours  
Children under 6 months: Ask a doctor  
Sun Protection Measures. Spending  
time in the sun increases your risk of skin  
cancer and early skin aging. To decrease  
this risk, regularly use a sunscreen with a  
Broad Spectrum SPF value of 15 or higher  
and other sun protection measures including:  
Limit time in the sun, especially from  
10 a.m. - 2 p.m.  
wear long-sleeved shirts, pants, hats  
and sunglasses

Inactive ingredients

Neopentyl Glycol Diethylhexanoate, Cera  
Alba (Beeswax), Euphorbia Cerifera  
(Candella) Wax, Caprylic/Capric Triglyceride,  
Hydrogenated Castor Oil/Sebacic Acid  
Copolymer, Triheptanoin, Polyhydroxystearic  
Acid, VP/Eicosene Copolymer, Argania  
Spinosa Kernel Oil, Helianthus Annuus  
(Sunflower) Seed Oil, C13-16 Isoalkane  
Neopentyl Glycol Diisostearate, Butyrospermum  
Parkii (Shea) Butter, Castor Isostearate  
Succinate, Octyldodecanol, Octyldodecyl

Dilinoleyl  
Alcohol/Succinic  
Acid Copolymer, Ethyl Ferulate, Silica  
Dimethyl Silylate, Coco-Caprylate/Caprates,  
Triethoxycaprylsilane, C9-12 Alkane  
Polyurethane-100, Iron Oxides

Protect the product in this container from  
excessive heat and direct sun.

**SKIN DAMAGE**

**Broad Spectrum SPF 50  
Sunscreen**

**Water Resistant  
(80 minutes)**

**1.69 fl. oz./50 mL**

[www.skin-damage.com](http://www.skin-damage.com)  
[@\\_skindamage\\_](https://twitter.com/_skindamage_)

Manufactured for  
Skin Damage Inc  
Los Angeles CA 90041

**Drug Facts**

Active ingredient	Purpose
Zinc Oxide 23.5%	Sunscreen

**Uses**

- Helps prevent sunburn

**Warnings**

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Apply liberally 15 minutes before sun exposure
- Reapply ■ after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours

Children under 6 months: Ask a doctor

■ **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m.-2 p.m.
- wear long-sleeved shirts, pants, hats and sunglasses

**Other information**

Protect the product in this container from excessive heat and direct sun.

**Inactive ingredients**

Neopentyl Glycol Diethylhexanoate, Cera Alba (Beeswax), Euphorbia Cerifera (Candelilla) Wax, Caprylic/Capric Triglyceride, Hydrogenated Castor Oil/Sebacic Acid Copolymer, Triheptanoin, Polyhydroxystearic Acid, VP/Eicosene Copolymer, Argania Spinosa Kernel Oil, Helianthus Annuus (Sunflower) Seed Oil, C13-16 Isoalkane, Neopentyl Glycol Diisostearate, Butyrospermum Parkii (Shea) Butter, Castor Isostearate Succinate, Octyldodecanol, Octyldodecyl Dimer Dilinoleyl Alcohol/Succinic Acid Copolymer, Ethyl Ferulate, Silica Dimethyl Silylate, Coco-Caprylate/Caprates, Triethoxycaprylsilane, C9-12 Alkane, Polyurethane-100, Iron Oxides

## BROAD SPECTRUM SPF 50 SUNSCREEN

zinc oxide lotion

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:87693-001
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	235 mg in 1 mL

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
EUPHORBIA CERIFERA (CANDELILLA) WAX (UNII: WL0328HX19)	
C9-12 ALKANE (UNII: 7J5R5W72QM)	
ARGANIA SPINOSA KERNEL OIL (UNII: 4V59G5UW9X)	
POLYURETHANE-100 (UNII: U8WGJ642Z8)	
OCTYLDODECANOL (UNII: 461N1O614Y)	
HELIANTHUS ANNUUS (SUNFLOWER) SEED OIL (UNII: 3W1JG795YI)	
NEOPENTYL GLYCOL DIETHYLHEXANOATE (UNII: U68ZV6W62C)	
TRHEPTANOIN (UNII: 2P6O7CFW5K)	
NEOPENTYL GLYCOL DIISOSTEARATE (UNII: 4M6OQ34JWW)	
ETHYL FERULATE (UNII: 5B8915UELW)	
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)	
BUTYROSPERMUM PARKII (SHEA) BUTTER (UNII: K49155WL9Y)	
HYDROGENATED CASTOR OIL/SEBACIC ACID COPOLYMER (UNII: H7DBQ4WF5M)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:87693-001-02	1 in 1 BOX	05/26/2026	
1	NDC:87693-001-01	50 mL in 1 TUBE; Type 0: Not a Combination Product		

**Marketing Information**

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC Monograph Drug	M020	05/26/2026	

**Labeler** - SKIN DAMAGE INC. (138478676)